	WATER WELL R	ECORD F	orm WV	VC-5 K	SA 82a-121	2		
LOCATION OF WATER WELL:  Sedgwick	FRACTION NE 1/4 SW	AIA NIXI		TION NUMBER	1		RANGE N	
Distance and direction from nearest town or city s		1/4 NW within city?	1/4	19	Т 2	7 S	R 1	E E/W
McLean Blvd. and Athenian		Wichita, I	Kansas					
	HITA, CITY OF			•••		Board of Agric	culture, Division of	Water Resource
	N. Main		_			-	200	40262
	nita, Kansas	WELL 4		P CODE:	ELEVATION:	Application Num	iber: 200	10202
── WITH AN "X" IN SECTION BOX:	DEPTH OF COMPLETED V		o it. ft.		ELEVATION.	ft.		ft.
	oth of groundwater Encount ELL'S STATIC WATER LE\	••			JRFACE MEASU		2/2	1/05
	Pump test d			W LAND 30	ft. after		of pumping @	gpm
1 X 1 1 1	Est. Yield: gpm	Well wa	iter was		ft. after		of pumping @	gpm
_ , , , , , , , , , , , , , , , , , , ,	ore Hole Diameter	in.	to	ft	. and	in.	to	ft.
	ELL WATER TO SED . Domestic 3. Feedlot		ter supply	7. Lawn a	and garden only	9. Dewaterin	19	ection well
	. Irrigation 4. Industria				nditioning	10. Monitorin		Specify below)
	/as a chemical/bacteriological sa			YES	NO		vhat mo/day/yr	
	bmitted				Water Well Disinf			NO
TYPE OF CASING USED:  1. Steel 3. RPM (SR	5. Wrought Iron	7. Fiberglass	9. O	ther (Specify	y below) CAS	ING JOINTS:	Glued Welded	Threaded Clamped
2. PVC 4. ABS	<ol><li>Asbestos-Cement</li></ol>	8. Concrete f	tile				**Cided	Ciamped
Blank casing diameter 8	in. to <b>ft</b>	t., Dia.	in.	to	ft.,	Dia. i	n. to	ft.
Casing height account surface:	<b>36</b> in.,	Weight:	It	os. / ft.	Wall th	ickness or gaug	je No.	
TYPE OF SCREEN OR PERFORATION		7 000		80	11 04	ner (specify) N	J/A	
Steel     Stainless Steel     Brass     A. Galvanized	<ol> <li>Fiberglass</li> <li>Concrete Tile</li> </ol>	7. PVC 8. RMP (SR)	9. A	ಟರಿ .sbestos-Cei		ne used (open i		
SCREEN OR PERFORATION OPENING		o. ravii (ora)	10. A	spesios-Cei	12.140	ne asca (open i	noic)	
1. Continuous slot 3. Mill slo		vrapped	7. <b>To</b>	rch cut	9. <b>Drill</b> e	ed holes	11. None (	open hole)
2. Louvered shutter 4. Key pu			8. <b>Sa</b>	w cut	10. Othe	er (specify) N/	'A	
SCREEN - PERFORATION INTERVAL	From	ft. to		4	From			
SONEEN - PEN ON HON HATERVAL	From	ft. to		ft., ft.,	From	ft. ft.	to to	ft. ft.
GRAVEL PACK INTERVALS:	From	ft. to		ft.,	From	ft.	to	ft.
	From	ft. to	0	ft.,	From	ft.	to	ft.
GROUT MATERIALS: 1. Neat of		ment Grout		3. Bentonite			onite hole pl	
Grout Intervals: From	ft. to	ft., From	ft.	to	ft.,	From 25	. •	48 ft.
What is the nearest source of possible co	7 114	v	10. Livestoc	k pens	13 Insection	cide storage	15. Oil well/	Gas well
1. Septic tank 4. Lateral 2. Sewer lines 5. Cess P	0.0	•	11. Fuel sto	-		on water well		pecify below)
3. Watertight sewer line 6. Seepag	0.5	•	12. Fertilize	-	77.7.504114		None A	pparent
Direction from well?	je pit				How ma	any feet?		
From To I	LITHOLOGIC LOG		From	То		LITHOLO	GIC LOG	
			0	3	surface clay		- <del></del>	
			25	25 48	bentonite he chlorinated		vol	
					Cinormated	Namu de gra		
			<del> </del>					
<del>-                                     </del>			<del>                                     </del>					<del></del>
			-					
7 Contractor's or Landowner's Certific	cation: This water well were	1	4 0 ==	construct	d or a	plugged	under my jurisdio	ction and
was completed on (mo/day/year)	2/21/2005			constructed	_		unuer my junisali	Alon and
	••			•	knowledge and b		/2005	
Kansas Water Well Contractor's Licens				· ·	d on (mo/day/yea		/2005	
under the business name of Harp Well & Pump Service Inc. by (signature)  Jo dd S. Harp								
							,	