		WELL RECORD FO		KSA 82a-1				
1 LOCATION OF WATER WE	I	NE ON		ion Number			Range Number	
County: Sedgwid Distance and direction from nea			vithin city?	25	T 27	S	R 1	E
distance and direction from nea		02 S. Edgemoor,		Cansas				
WATER WELL OWNER:								
RR#, St. Address, Box # :					Board of Agricu	ılture Divi	sion of Water Resour	ces
N. O 710 O	Nichita Ke 67210				A			
LOCATE WELL'S LOCATO AN "X" IN SECTION BOX:	N WITH				Application (4d)	TIDOI.		
AN "X" IN SECTION BOX:	DEPTH OF COM	IPLETED WELL	24	ft. ELE\	/ATION:			
N	WELL'S STATIC W/	ATER LEVEL 1	6.69 ft.	below land s	urface measured o	n mo/day/	yr 11/2/05	
A							umping G	
	Est Yield	Gpm: Well water	was	F	t. after	Hours r	umpina G	nm
NW NE	Bore Hole Diameter	8.625 In to	24	,	Ft. and	in	. to	Ft.
w W	F WELL WATER TO E	BE USED AS: 5 P	ublic water su	ipply	8 Air condition	ing 1	I Injection well	• • •
÷ " X	1 Domestic	3 Feed lot 6 O	il field water	supply	9 Dewatering	12	to Injection well Other (Specify belo	w)
	2 Irrigation	4 Industrial 7 La	awn and gard	en (domestic) 10 Monitoring	well N	1W-10	
	Was a chemical/bac	teriological sample s	submitted to D	epartment?	Yes No X	If ves.	mo/day/yr sample wa	as
† <u> </u>	Submitted	tomorogram cumpro c			ter Well Disinfected			
TYPE OF BLANK CASING		Wrought Iron	8 Concre				d Clamped	
		Asbestos-Cement						
	,	7 Fiberglass		opcomy Delo	w)		aded X	
		- , ~						
Blank casing diameter	2 In. to 9	Dia	ln. t	0	ft., Dia		in. to	ft.
Casing height above land surfa	ce FLUSH in.,	weight S	CH 40	Lbs./ft.	Wall thickness or	gauge No.		
YPE OF SCREEN OR PERFO					10 Asbe			
1 Steel 3	Stainless steel 5	Fiberglass						
2 Brass 4	Galvanized steel 6	Concrete tile	9	ABS `	12 None			
CREEN OR PERFORATION	OPENINGS ARE:	5 Gauz	ed wrapped		8 Saw cut		11 None (open hole)
 Continuous slot 	3 Mill slot	6 Wire	wrapped		9 Drilled holes			
2 Louvered shutter	4 Key punched	7 Torch			10 Other (specif	ý)		
SCREEN-PERFORATED INTE							0	
	From	ft. to		ft. F	rom	ft. t	0	Ft.
SAND PACK INTERVA	LS: From 7	ft. to	24	ft. F	rom	ft. t	0	Ft.
	From	ft. to		ft. F	rom	ft. t	0	Ft.
6								
	1 Neat cement 2 Ce	ement grout	3 Ben	onite	4 Other			-
Daniel Internals - France	0 ft. to 5	Ft. From2	Ft.	7			ft. to	
Grout Intervals From3 What is the nearest source of p		From2	to	10 Lives				, π.
1 Septic tank	4 Lateral lines	7 Pit privy		10 Lives			indoned water well well/ Gas well	
2 Sewer lines			lagaan		ū			
	5 Cess pool	8 Sewage	•		zer storage		er (specify below) ntaminated Site	_
3 Watertight sewer lines Direction from well?	6 Seepage pit	9 Feedyar	ū		ticide storage	CO	manimateu Site	,
FROM TO COL	DE LITHOLOG	10106	FROM	How many TO		CCINC IN	TERVALS	
		10 100	FROW	10	PLU	JOING IN	ILIVALO	
0 1 1 18.5	Soil Silty Clay (CL)							
18.5 24	Clayey Sand							
24 TD	End of Borehole		+					
Z CONTRACTOR'S OR LAND	IOWNER'S CERTIFICATION	This water well we	s (v) construc	tad (2) race	netricted or (2) =1	linged und	or my jurisdiction and	
CONTRACTOR'S OR LAND	4010010							
completed on (mo/day/yr)	10/28/0)5	And th	s record is tr	ue to the best of m	y knowled	ge and belief. Kansa	s
	10/28/0 e No.		And the	s record is trater Well Re	ue to the best of m	y knowled d on (mo/o	ge and belief. Kansa day/yr) 11/28/0	s