				R WELL RECO	ORD For		KSA 82			
	ON OF WATER		Fraction		0		tion Numb			Range Number
	Sedgy		NE 1/4				25	T 27	S	R 1 E
Distance and	d direction from	nearest towr	or city street ad	dress of well if 902 S. Edg			Kansas			
			59 Attn: Tir							
RR#, St. Ad	dress, Box # :	3850 N	. Hydraulic					Board of Ag	iculture, Divi	sion of Water Resources
City, State, 7	ZIP Code :	Wichita	, Ks 67219					Application I	Number:	
LOCATE	WELL'S LOCA	TON WITH				22		EL (ATION)		
MAN "X" IN	N SECTION BOX	<i>c</i> :	DEPTH OF C	OMPLETED	WELL	10	π. El	LEVATION:		3Ft.
			Depth(s) Ground	water Encount	tered 1	10.		_π. 2	tt.	3 Ft.
	N							d surface measure		
	i I									umping Gpm
	iw	νE	Est. Yield	Gpm: V	Vell water v	was		Ft. after	Hours p	oumping Gpm
0	i	i	Bore Hole Diame	ter 0.023	) In. to	olic water e	) unnly	Ft. and	in 11	. to Ft.
ੂ ਜੂ ਅ <b>–</b>	×	<del>                                     </del>	1 Domestic	3 Feed lot	6 Oil	field water	supply	9 Dewaterir	ng 12	. to Ft.  I Injection well  2 Other (Specify below)
	i	<u> </u>	2 Irrigation	4 Industria	ıl 7 lav	wn and dard	len (dome	estic) 10 Monitori	no well	1W-12
	sw	SE  :	Mae a chemical/l	hacteriological	cample cu	hmitted to [	Janartmer	ot? Yes No.	X If you	mo/day/yr sample was
↓     L			Submitted	Jacteriological	Sample Su	billitied to t		Water Well Disinfed		
5 TYPE OF	F BLANK CASIN		<u> </u>	5 Wrought	Iron	8 Concr				d Clamped
1 Ste			SR)	6 Asbestos					Weld	
2 PV	C	4 ABS	,	7 Fiberglas			` .	_ ´		aded X
				Ft						
Blank casing	g diameter	<b>2</b>	In. to 8	Pt., Dia		In. t	ю	ft., Dia		in. toft.
				in., weight	SC	H 40	Lbs	./ft. Wall thickness	or gauge No.	
	CREEN OR PER					7	PVC	10 As	bestos-ceme	nt
1 Ste		3 Stainles	ss steel	5 Fiberglas	SS	8	RMP (SR ABS	() 11 Ot	ner (specify)	
2 Brai	ss R PERFORATIC		ized steel			9 d wrapped			ne used (ope	en noie) 11 None (open hole)
	ntinuous slot		Mill slot		6 Wire w			9 Drilled hole		TT Trong (open hole)
		_	Key punched		7 Torch o					
SCREEN-Pf	ERFORATED IN		* *	<b>8</b> ft.	. to	23	ft	. From	ft. t	oft.
										oFt.
SAN	ND PACK INTER	VALS:	From			23	ft	. From	ft. t	oFt.
			From		to			. From		p Ft.
6										
	MATERIAL:	1 Neat co	ement 2	Cement grout	t	3 Ben	tonite	4 Other	. <b></b>	
Crout Inton	als From3	<b>0</b> f	t. to <b>1</b>	Ft. From2	1	Ft.				
	nearest source of	'		Fromz	<b>!</b> -	to		restock pens	14 Abs	ft. to ft.
	otic tank	•	4 Lateral lines	7	Pit privy			el storage		well/ Gas well
	ver lines		5 Cess pool		Sewage la	agoon		rtilizer storage		er (specify below)
	tertight sewer lin		6 Seepage pit		Feedyard	.goon		secticide storage		ntaminated Site
Direction from	•	-	o coopage pit		7 ccayara			ny feet?		italiinatoa oito
FROM		ODE	LITHOL	OGIC LOG		FROM	ТО		UGGING IN	TERVALS
0	1	Soi	1							
1	21		y Clay (CL)							
21	23		nd (SW)							
23	TD	End	of Borehol	e			+			
								-		
							-			
							-	+		
							-			
							<del>                                     </del>			
	CTOR'S OR LA	NDOWNER	'S CERTIFICATION	ON: This water	er well was	(x) construc	ted, (2) re	econstructed, or (3)	plugged und	er my jurisdiction and w
7 CONTRA	ICTUR 5 OR LA									
Completed of	on (mo/day/yr)	. <b></b>	10/28	8/05		And th	is record i	s true to the best of	my knowled	ge and belief. Kansas
Completed of Water Well Counder the bu	on (mo/day/yr) Contractor's Lice usiness name of	nse No.	10/28 Associate	8/05 585 ed Enviror	nmental	And th This W	is record i /ater Well	s true to the best of Record was comple By (signature)	my knowled eted on (mo/o radley J.	ge and belief. Kansas day/yr) <b>1//28/Q5</b>