				ER WELL RECO	ORD Form		KSA 82a-1				
	ON OF WATER		Fraction	NE .	C1A/		ion Number	1	ŀ	Range Number	
County:	Sedgy and direction from		NE 1/4				25	⊤ 27	S	R 1	E
Distance an	ia allection nom	ricalest town	Of City Street at	902 S. Edg	jemoor, V	Vichita, k	Cansas				
2 WATER	WELL OWNER	: USD #2	59 Attn: Ti								
RR#. St. Ad	idress, Box#	: 3850 N.	Hydraulic					Board of Agricult	ure, Divisi	on of Water Resou	rces
City State	ZIP Code	 Wichita 	. Ks 67219)				Application Num	ber:		
LOCATE	E WELL'S LOCA	TON WITH	1			22	6 515	(ATION)			
AN "X" I	N SECTION BO	X: I	DEPTHON	COMPLETED	WELL	23	ft. ELE	VATION:			
			Depth(s) Ground	dwater Encount	tered 1	18	ft	. 2	ft. 3	44/0/05	Ft.
<u> </u>	N							surface measured on			
⊢	į		Pum	ip test data: V	Vell water v	/as	F	t. after	hours pu	mping(omq€ mq€
	Nw -	NE	Est. Yield	Gpm: V	Vell water v	as	F	t. after	Hours pu	mping(∋pm
		;	Bore Hole Diam	eter 8.625	In. to	23	}	Ft. and 8 Air conditionin 9 Dewatering	in. 1	to	Ft.
e W ■		E	WELL WATER	TO BE USED A	S: 5 Pub	lic water su	ipply	8 Air conditionin	g 11	Injection well	
- F	X		1 Domesti	c 3 Feed lot	6 Oil	field water s	supply	9 Dewatering		Other (Specify bel	ow)
	sw	SF	2 Irrigation	n 4 Industria	l 7 Lav	n and gard	en (domesti	c) 10 Monitoring w	ell M	W-13	
	i	j l	Was a chemical	/bacteriological	sample su	bmitted to E	epartment?	Yes No X	If yes, n	no/day/yr sample w	as
t L	<u> </u>		Submitted					iter Well Disinfected?	-		
5 TYPE O	F BLANK CASII			5 Wrought	Iron	8 Concre	ete tile			Clamped	
1 Ste			(R)	6 Asbesto					Welde		
		4 ABS	,			5 50161	(_poon; bold	,		led X	
2 PV		1 4 ABS		7 Fibergla Ft.,							
Blank casin	g diameter	2	In. to 8	Dia		ln. t	0	ft., Dia	in in	n. to	ft.
Casing heig	aht above land s	urface	FLUSH	in., weight	SC	H 40	Lbs./ft	. Wall thickness or g	auge No.		.
	CREEN OR PE			,		7	PVC	10 Asbest	os-cement		
1 Ste		3 Stainles		5 Fibergla	ss			11 Other (
2 Bra		_	zed steel				ABS	12 None u			
SCREEN C	R PERFORATION				5 Gauzeo	wrapped				1 None (open hole	e)
1 Co	ntinuous slot	3	Mill slot		6 Wire wr	apped		9 Drilled holes			
2 Lo	uvered shutter	4 F	(ey punched		7 Torch o	ut		10 Other (specify)		
SCREEN-P	PERFORATED II	NTERVALS:	From	8 ft	. to	23	ft. F	From	ft. to	,	ft.
								From			
SA	ND PACK INTE	RVALS:	From	6 ft	to	23	ft. I	-rom	ft. to		Ft.
0,1			From		. to			From	ft. to		Ft.
6	MATERIAL:	1 Neet or	ement 2	Coment areu		3 Ben	tonito	4 Other			1
GROOT	WATERIAL.	i Neat Co	sille iii. Z	 Cement grou Ft. 	·	Ft.	tornite	4 Other			
Grout Interv	vals From3	0 f	t. to 4	From2	4	to	6	ft. From		ft. to	ft.
What is the	nearest source	of possible co	ontamination:				10 Lives	tock pens		ndoned water well	
1 Se	ptic tank		4 Lateral lines	7	Pit privy		11 Fuel	storage	15 Oil w	ell/ Gas well	
2 Se	wer lines		5 Cess pool	8	Sewage la	goon	12 Fertil	izer storage	16 Othe	r (specify below)	
	atertight sewer li		6 Seepage pit		Feedyard	-		ticide storage		taminated Sit	e
Direction fro	•			Ü			How many	•			
FROM	T	CODE	LITHO	LOGIC LOG		FROM	то		GING INT	ERVALS	
0	1 1	Soi									
1	20		y Clay (CL)								
20	23		yey Sand (
23	TD		of Boreho								
					-						
7 CONTO	ACTOR'S OR !	ANIDOMANICO	'S CEDTIFICAT	ION: This	or well	(v) constru	ted (2) re-	pretructed or (2) plus	and undo	r my juriediation on	d w/
			10/		er well was			onstructed, or (3) plug			- 1
	on (mo/day/yr)			28/05				rue to the best of my	-		
l	Contractor's Lic			585				ecord was completed			0
under the b	usiness name o	f	Associa	ted Enviro	nmental	, inc.	E Doza ć	By (signature) Brac	iley J. J	onnson 7	P
INSTR Kansa	RUCTIONS:. Plea <u>is 66620-0001. Te</u>	se till in blanks elephone: 913	and circle the coi -296-5545. Send	rrect answers. Sone to WATER	ena three co WELL OWN	pies to Kans ER and retaii	as Departmer n one for vour	nt of Health and Enviror records.	irnent, Bure	au or vvater, 1 opeka	
							,				