•	WATER WELL RECORD For			Den - Niverber
1 LOCATION OF WATER WELL:	Fraction NE 1/4 NW	Section Number		Range Number
County: Sedgwick	NE ¼ NW	1/4 9	T 27 S	R 1 E
istance and direction from nearest tow	vn or city street address of well if located wi 703 E. 21 st , Wic	nin city? hita. Kansas		
WATER WELL OWNER: Day Re	eporting Center as KDHE Time			
R#, St. Address, Box # : 1000 S	SW Jackson #410		Board of Agriculture, Div	ision of Water Resources
ity State ZIP Code Topek	a. Ks 66612-1367		Application Number:	
LOCATE WELL'S LOCATON WITH	H .	10 6 5 5	(ATION)	
AN "X" IN SECTION BOX:	DEPTH OF COMPLETED WELL Depth(s) Groundwater Encountered 1	19 ft. ELE	/ATION:	
	Depth(s) Groundwater Encountered 1	13 ft	. 2 π.	3 Ft.
N	WELL'S STATIC WATER LEVEL 12	ft. below land s	surface measured on mo/day	/yr 12/13/03
↑ ×	Pump test data: Well water v	vasF	t. after hours	oumping Gpm
NWNE	Est. Yield Gpm: Well water v	vasF	t. after Hours	pumping Gpm
	Bore Hole Diameter 8.625 In. to WELL WATER TO BE USED AS: 5 Pul 1 Domestic 3 Feed lot 6 Oil	19	Ft. and it conditioning 1	1. to Ft.
<u>₩</u> W	WELL WATER TO BE USED AS: 5 Put	field water supply	9 Dewatering 1	2 Other (Specify below)
7	2 Literature Allesterature 7 Lea		A) 10 Manitoring wall	/\V/-1
SWSE	2 Irrigation 4 Industrial 7 Lav	vn and garden (domesti	c) To wontoring well	
↓	Was a chemical/bacteriological sample su			, mo/day/yr sample was
\$	Submitted		ter Well Disinfected? Yes	
TYPE OF BLANK CASING USED:	5 Wrought Iron		CASING JOINTS: Glue	
1 Steel 3 RMP ((,	9 Other (specify belo		
2 PVC 4 ABS	7 Fiberglass		Thre	aded X
Blank casing diameter 2	Ft., In to 8 Dia	In. to	ft Dia	in. to ft.
Casing height above land surface	In. to 8 Dia FLUSH in., weight SC	H 40 Lbs./ft.	Wall thickness or gauge No	
YPE OF SCREEN OR PERFORATION	N MATERIAL:	7 PVC	10 Asbestos-ceme	ent
	ess steel 5 Fiberglass			
2 Brass 4 Galvar	nized steel 6 Concrete tile	9 ABS	12 None used (op	en hole)
CREEN OR PERFORATION OPENIN		d wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot 3	Mill slot 6 Wire w		9 Drilled holes	
2 Louvered shutter 4	Key punched 7 Torch o	eut	10 Other (specify)	
CREEN-PERFORATED INTERVALS:				
	Fromft. to	ft. F	rom ft.	toFt.
SAND PACK INTERVALS:	From 6 ft. to		From ft.	
	From ft. to	tt. F	rom ft.	to Ft.
3			4.00	
GROUT MATERIAL: 1 Neat o	cement 2 Cement grout Ft.	S Bentonite Ft.	4 Other	
Frout Intervals From3 0	ft. to 4 From2 4	to 6	ft. From	ft. toft.
What is the nearest source of possible of	contamination:	10 Lives		andoned water well
1 Septic tank	4 Lateral lines 7 Pit privy	11 Fuel:	storage 15 Oil	well/ Gas well
2 Sewer lines	5 Cess pool 8 Sewage la	igoon 12 Fertili		ner (specify below)
3 Watertight sewer lines	6 Seepage pit 9 Feedyard	13 Insec	ticide storage Co	ntaminated Site
irection from well?		How many	feet?	
FROM TO CODE	LITHOLOGIC LOG	FROM TO	PLUGGING IN	NTERVALS
	phalt			
.75 5 Fill				
	and (SW) fine-medium grain			
19 TD En	d of Borehole			
-				
	P'S CERTIFICATION: This water well was	(x) constructed (2) reco	nstructed, or (3) pluaged und	ler my jurisdiction and w
CONTRACTOR'S OR LANDOWNER		,,		
CONTRACTOR'S OR LANDOWNER				
ompleted on (mo/day/yr)	12/13/05	And this record is to	ue to the best of my knowled	lge and belief. Kansas
ompleted on (mo/day/yr) /ater Well Contractor's License No.	12/13/05	And this record is to	rue to the best of my knowled cord was completed on (mo/	lge and belief. Kansas day/yr) 01/13/06