	WATER WELL RECORD Form V	WWC-5 KSA 82a-1212	ID No. 00249362		
1 LOCATION OF WATER WELL:	Fraction	Section Number	•	Range Number	
County: Sedgwick	SE ¼ SE ¼ NE	1/4 21	T <b>27</b> s	R 01 E	
Distance and direction from nearest to 223 N. Mosley, Wichi	own or city street address of well if located within ta	n city?	·		
WATER WELL OWNER:	Market Place Properties				
RR#, St. Address, Box # :	105 S. Ridgewood Dr.		Board of Agriculture, Divi	sion of Water Resources	
City, State, ZIP Code :	Wichita, KS 67218		Application Number:		
LOCATE WELL'S LOCATON WIT	H 4 DEPTH OF COMPLETED WELL	188 4 51514	CON		
Ā	Depth(s) Groundwater Encountered 1	14,47 ft. 2	ft.	3 ft.	
	WELL'S STATIC WATER LEVEL 13.5	Depth(s) Groundwater Encountered 1 14.47 ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL 13.55 ft. below land surface measured on mo/day/yr 1-5-06			
NWNE	Pump test data: Well water was ft. after hours pumping gpm				
w W	F   Fet Vield   com: Well water wa	e ft a	fter hours r	numpinggpm	
-	Bore Hole Diameter 3.5 in to	19 #	and ir	to ft	
swse	Est. Yield gpm: Well water wa Bore Hole Diameter 3.5 in. to WELL WATER TO BE USED AS: 5 Public 1 Domestic 3 Feed lot 6 Oil fie	c water supply	8 Air conditioning 1	1 Injection well	
)	1 Domestic 3 Feed lot 6 Oil fie	eld water supply	9 Dewatering 1	2 Other (Specify below)	
, <u> </u>	2 Irrigation 4 Industrial 7 Lawn	and garden (domestic)	10 Monitoring well		
S	Was a chemical/bacteriological sample subr			, mo/day/yr sample was	
	submitted		Well Disinfected? Yes		
TYPE OF BLANK CASING USED	<u> </u>		CASING JOINTS: Glue		
1 Steel 3 RMF					
2 PVC 4 ABS			Th	eaded Flush	
		·			
Blank casing diameter	in. to <b>8.8</b> ft., Dia <b>Flushmount</b> in., weight <b>0.</b>	in. to	rt., Dia	in. to	
Casing height above land surface	riusnmount in., weight	32   Ibs./ft. W	all thickness or gauge No.	Scn. 80	
YPE OF SCREEN OR PERFORATI	ON MATERIAL:	7 PVC	10 Asbestos-ceme	ent	
1 Steel 3 Stair	ON MATERIAL: nless steel 5 Fiberglass /anized steel 6 Concrete tile IINGS ARE: 5 Gauzed v	8 RMP (SR)	11 Other (specify)		
2 Brass 4 Galv CREEN OR PERFORATION OPEN	Anized steel 6 Concrete tile	9 ABS	8 Saw cut	en noie)	
		pped		11 Notic (open note)	
<del></del>	Key punched 7 Torch cut				
SCREEN-PERFORATED INTERVAL	• •	188 4 5	0 Other (specify)		
SCREEN-FERFORATED INTERVAL					
CDAVEL DACK INTERVALO	From ft. to		m	(O((.	
GRAVEL PACK INTERVALS					
6 000	From ft. to	π. Fro	m ft.	to ft.	
GROUT MATERIAL: 1 Nea	at cement 2 Cement grout	3 Bentonite 4	Other	• • • • • • • • • • • • • • • • • • • •	
	ft. to <b>6.6</b> ft. From <b>6.6</b>				
What is the nearest source of possible			ck pens 14 Ab		
1 Septic tank	4 Lateral lines 7 Pit privy	11 Abando	ned Fuel storage 15 Oi	l well/ Gas well	
2 Sewer lines	5 Cess pool 8 Sewage lag	goon 12 Fertilize	r storage 16 Of	ther (specify below)	
3 Watertight sewer lines	6 Seepage pit 9 Feedyard	13 Insection	ide storage		
Direction from well? West		How many fe		65	
FROM TO CODE	LITHOLOGIC LOG	FROM TO	PLUGGING I	NTERVALS	
	Brick Concrete fill				
	Clay				
	Sand				
	Clay				
	Sand				
	Clay				
	Sand				
7 CONTRACTOR'S OR LANDOWN	NER'S CERTIFICATION: This water well was [	1) constructed, (2) recons	structed, or (3) plugged un	der my jurisdiction and was	
completed on (mo/day/yr)	12-27-05	and this record is try	e to the best of my knowle	edge and belief. Kansas	
Water Well Contractor's License No.	531		and was completed on m		
under the business name of	Geotechnical Services, Inc.	by (signature)	1 / Lican St	A	
INSTRUCTIONS:. Please fill in bla	anks and circle the correct answers. Send three corporate 66612-1367. Telephone: 913-296-5545. Sen	pies to Kansas Department	of Health and Environment,	Bureau of Water, 1000 S W	