GSI Job No. 2011067	WATE	R WELL RECO	ORD Form	1 WWC-5	KSA 82a-1	212 ID No	. 002493	55	FM\	N-5	
1 LOCATION OF WATER WELL:	Fraction			Sectio	n Number	Towns	hip Number	Rang	e Number	r	
County: Sedgwick	SE 1/4	SE ½	NE NE	1/4	21	T	•	1	01	Ε	
Distance and direction from nearest to	wn or city street ad	dress of well i	f located with	hin city?							
223 N. Mosley, Wichit											
2 WATER WELL OWNER:	Market Plac	•									
RR#, St. Address, Box # :	105 S. Ridg					Board of	Agriculture	, Division of Wa	ater Resou	ırces	
City, State, ZIP Code :	Wichita, KS	67218				Applicati	on Number:				
3 LOCATE WELL'S LOCATON WITH AN "X" IN SECTION BOX:	4 DEBTH OF C	OMBI ETED	M/ELI	18 9	# ELE\	/ATION:					
AN A INSECTION BOX:	Death(a) Council	OWIPLE IED	VVELL	1/ 3/	. IL ELEY	ATION:		4 0			
	Depth(s) Groundwater Encountered 1 14.36 ft										
NWNE	WELL'S STATIC WATER LEVEL 13.41 ft. below land surface measured on mo/day/yr 1-5-06 Pump test data: Well water was ft. after hours pumping gpm										
W E	Est. Yield	gpm: _ \	Well water w	/as	f	t. after	ho	urs pumping		gpm 💆	
	Bore Hole Diame	ter 3.5	in. to	19		ft. and		in. to		ft. }	
SWSE	WELL WATER T	O BE USED	AS: 5 Pub	olic water sup	ply	8 Air co	nditioning	11 Injectio	n well Specify be	10141)	
↓ X	1							_	Specify be	iow)	
S		4 Industria									
	Was a chemical/	bacteriologica	ıl sample sul	bmitted to De						was	
	submitted							es			
5 TYPE OF BLANK CASING USED:		5 Wrough	it Iron	8 Concret	e tile	CASING	3 JOINTS:	Glued	Clamped		
1 Steel 3 RMP	(SR)	6 Asbesto	s-Cement	9 Other (s	specify belo	w)		Welded			
2 PVC 4 ABS		7 Fibergla	ass					Threaded	Flush		
Blank casing diameter 1		-					- 1			ft	
Casing height above land surface	Flushmount	in weight		.32	lhe /ft	Wali thickne		- No	Sch. 80		
TYPE OF SCREEN OR PERFORATION	NI MATERIAL	iii., weigit	·	7.02	0\/C	10	Achaetas	coment			
		5 Fibergla			RMP (SR)		Other (spe	nife ()			
	anized steel		to tile	9 4	NIF (SK)	11		d (open hole)			
SCREEN OR PERFORATION OPENI			5 Gauzeo	d wrapped	100			11 Non	e (open ho	le)	
	Mill slot		6 Wire wr			9 Drilled				-/	
2 Louvered shutter 4			7 Torch o								
SCREEN-PERFORATED INTERVALS					ft	From	(opoo.,,) _	ft. to		ft	
OOKEEN-I EN OVATED HATEKAALK	From	'			f4	 Erom				f	
CRAVEL DACK INTERVALS.	F10111	7 /		10	IL.	 		_ ft. to		···' <u>"</u> ?	
GRAVEL PACK INTERVALS:								ft. to		1	
	From		t. to			From		ft. to		ft.	
6 GROUT MATERIAL: 1 Near											
Grout Intervals From 1	ft. to 6.3	ft. From	6.3	ft. to							
What is the nearest source of possible	contamination:				10 Lives	stock pens	1	4 Abandoned	water well	1	
1 Septic tank	4 Lateral lines	7	Pit privy		11 Abar	ndoned Fuel	storage 1	5 Oil well/ Gas	s well		
2 Sewer lines	5 Cess pool	8	Sewage la	agoon	12 Ferti	lizer storage	1	6 Other (spec	ify below)		
3 Watertight sewer lines 6 Seepage pit 9 Feedyard					13 Insecticide storage						
Direction from well? northwest					How man	y feet?		100			
FROM TO CODE		LOGIC LOG		FROM	TO		PLUGGI	NG INTERVAL	.S		
	rick										
	lay										
	and			<u> </u>							
	lay			-							
	and			 							
15 19 S	and			 							
				-							
											
				-							
				-		 					
7 CONTRACTOR'S OR LANDOWA	EDIC OFDIFICAT	ION. This iss	4	(4)	404 (0)		- (2) -1	al complete management	adiation on	duna	

completed on (mo/day/yr)

under the business name of

Water Well Contractor's License No.

531

Geotechnical Services, Inc.

This Water Well Regord was completed on (mo/day/

by (signature)

INSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau of Water, 1000 S W Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.

Knowledge and Kelief. Kansas