	WATER WELL	. RECORD	Form WV	VC-5 P	(SA 82a-12			
1 LOCATION OF WATER WELL: Sedgwick	NW NE S	E 1/4 NE	1/4	TION NUMBE	T 2	PNUMBER 7 S	RANGE N	
Distance and direction from nearest town			1/4	0	.1. 1. 2	/ 3	N II	
2808 N. Wedgewood	Wichita,							
	JAHN, Steve					Board of Apric	ulture, Division of V	Vater Resource
,	2808 N. Wedgewood		_					Valer Nesource
	Wichita, Kansas	West 1		IP CODE:	ELEVATION:	Application Numl	ber:	
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF CHARGE	***************************************			ELEVATION:	ft.		ft.
N N N N N N N N N	Depth of groundwater Enc WELL'S STATIC WATER		ft ET BELO		URFACE MEASI		av/vr: 2/21	
NWNE	Pump te		ter was	W LAND S	ft. after		ay/yr:	gpm
			ater was		ft. after		of pumping @	gpm
₩ Wije	Bore Hole Diameter	in.	to .	f	t. and	in.	to	ft.
7	WELL WATER WE BEUS		-4	7 2002	and gardon only	9. Dewaterin	9	ction well
swse	1. Domestic 3. Feed 2. Irrigation 4. Indu				and garden only nditioning	/ 10. Monitorin		pecify below)
S	Was a chemical/bacteriologic			YES	NO		hat mo/day/yr v	vas sample
	submitted				Water Well Disin	fected?	YES 1	10
TYPE OF CASING USED: 1. Steel 3. RP	M (SR) 5. Wrought Iron	7. Fiberglass	9. 0	ther (Specif	y below) CAS	SING JOINTS:	Glued	Threaded
2. PVC 4. AB	0.4-540	nent 8. Concrete	_{tile} styr	rene			Welded	Clamped
Blank casing diameter	5 in to	ft., Dia.	in.	to	ft.,	Dia. ir	n. to	ft.
Casing height above land ourfece	700l	Weight:		bs. / ft.		ickness or gauge		
TYPE OF SCREEN OR PERFORA		vvoigin.	•	03. 7 It.		-		
Steel 3. Stainless St	eel 5. Fiberglass	7. PVC	9. A	BS	11. Ot	her (specify) N	/A	
Brass 4. Galvanized	Concrete Tile	8. RMP (SR)	10. A	sbestos-Ce	ment 12. No	ne used (open h	nole)	
SCREEN OR PERFORATION OPENINGS ARE:								
1. Continuous slot 3. Mill slot 5. Gauzed wrapped			7. To	7. Torch cut 9. Drilled holes 11. None (open hole)				
2. Louvered shutter 4. F	(ey punched 6. Wire	wrapped	8. Sa	w cut	10. Oth	er (specify) N/	A	
SCREEN - PERFORATION INTER	VAL From	ft. to)	ft.,	From	ft.	to	ft.
	From	ft. to)	ft.,	From	ft.	to	ft.
GRAVEL PACK INTERVA	LS: From	ft. t	0	ft.,	From	ft.	to	ft.
	From	ft. te	D	ft.,	From	ft.	to	ft.
6 GROUT MATERIALS: 1. Neat cement 2. Cement Grout			3	3. Bentonite)	Other bento	nite hole plu	ıg
Grout Intervals: From ft. to ft., From ft. to ft., From 1 ft. to 8 ft. What is the nearest source of possible contamination:								
1 '	ateral lines 7. Pit p	orivy	10. Livestoc	k pens	13. Insecti	cide storage	15. Oil well/G	as well
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specific						ecify below)		
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage None Apparent								
Direction from well? How many feet?								
From To	LITHOLOGIC LO)G	From	То		LITHOLO	GIC LOG	
			10_	8	cement grou			
			 		bentonite h	ne ping		
				ļ				
								-
			ļ					
								· · · · · · · · · · · · · · · · · · ·
,								
				L				
7 Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and								
was completed on (mo/day/year) 2-21-2006 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 2-24-2006								
under the business name of Harp Well & Pump Service Inc. by (signature)								
					90	u u 🜙	\mathcal{I}_{u} \mathcal{I}_{D}	