WATER WELL RE	CORD MW-	Form WWC	-5	Division of V	Vater Resources; App. No.		
1 LOCATION OF WA	TER WELL: from nearest town or ci	Fraction NE 1/4	NE/4	Section Number	T 27 S	r 1 DW	
Distance and direction	from nearest town or ci	ty street address of w	ell if	Global Positio	ning Systems (decimal o	legrees, min. of 4 digits)	
located within city? 455 N. Broadway (on-site) Latitude: 37. 69309 Longitude: 47. 33622							
2 WATER WELL OV	vner: Stevens E x# 455 N. Brox	nterprises, 22	\mathcal{L}	Elevation:	300.707 (TOC)		
City, State, ZIP Code	x# 450 N. Brox	adway		Datum: 130	1.01 (Grand)	C	
3 LOCATE WELL'S	4 DEPTH OF COMP	KS 67202	7. 35	Data Collection ft	on Method: Roal.	xurvey	
LOCATION					_	′	
WITH AN "X" IN							
SECTION BOX:	WELL'S STATIC WATER LEVEL. 16.21 ft. below land surface measured on mo/day/yr. 10.21.05						
N	Pump test data: Well water wasft. after hours pumpinggpm Est. Yieldgpm: Well water wasft. afterhours pumpinggpm						
X	WELL WATER TO BE USED AS, 5 Public water symply 9 Air conditioning 11 Injection well						
NW NE W E	Fig. 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)						
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well							
SWSE Was a chemical/bacteriological sample submitted to Department? Ves No X : If yes mo/day/yrs							
Was a chemical/bacteriological sample submitted to Department? Yes No .X If yes, mo/day/yrs Sample was submitted							
S						•	
5 TYPE OF CASING U		Iron 8 Con	crete tile	CAS	SING JOINTS: Glued	Clamped	
1 Steel 3 RM		-Cement 9 Other	er (specify l	pelow)			
QPVC 4 ABS	7 Fiberglass	S			Threade	ed	
Blank casing diameter 2 in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 2 in., weight lbs./ft. Wall thickness or guage No 40							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
I .	inless Steel 5 Fiber			BS)	
	Ivanized Steal 6 Conc		R) 10 A	sbestos-Cemer	nt 12 None used (ope	n hole)	
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot							
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)							
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)							
CDAVEL DACI	From.	ft. to	a	ft., From	1 ft. to	ft.	
From							
		_		,			
6 GROUT MATERIAL		Cement grout 3B			0 F		
Grout Intervals: From What is the nearest source	om 5 ft. to		1	t. to	ft., From	It. toIt.	
1 Septic tank	4 Lateral lines		10 Livesto	ck pens 13	Insecticide Storage	Other (specify	
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)							
3 Watertight sewer			12 Fertilize		Oil wll/gas well	trimicigas stadio	
Direction from well?	LITHOLOGIC		FROM	feet? . DnSi	PLUGGING IN		
0' 0.5' ASC	mH/moret	LOG	TROM	10	I LOGGING IN	TERVALS	
	y will wrote						
0.5' 3' CTA 3' 9' SIL 9' 12' CO	-						
9' 12' Ca							
12' 14.6'	clay withs	iana		-			
14.5' 20' Sar	<u>u </u>		+	+			
T CONTENT CONTENTS OF	B I AMBONAMBRO		771.	.11	1.70		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year).							
Kansas Water Well Contractor's License No							
Under the business name		Entonise		(signature)		1/1	
INSTRUCTIONS: Use typewr	///4~>	E PRESS FIRMLY and PR			s, underline or circle the confe	ect answers. Send top three	
copies to Kansas Department of	f Health and Environment, Bur	eau of Water, Geology Se	ction, 1000 S	W Jackson St., Sui	te 420, Topeka, Kansas 6661		
296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.							