GSI JOB #057279	MATE	R WELL RECOR	D Farm V	MANO E	VSA 925 1	242 ID N	ം ഹ	276417	М	W-6
1 LOCATION OF WATER WELL:	Fraction	R WELL RECOR	- Form v				ship Numbe		nge Numbe	ar I
County: Sedgwick		NE "	SE			T	•	S R	·	ΪE
Distance and direction from nearest town 8001 E. Douglas - Wichita, KS	or city street ad	dress of well if lo	cated within		<u> </u>	1 !		<u> </u>		
WATER WELL OWNER: Wayma	n Bros. Cor	юсо								
RR#, St. Address, Box # : 6199 S.						Board o	of Agriculture	e, Division of V	Vater Reso	urces
City, State, ZIP Code : Derby,	KS 67037			····		Applica	tion Number	:		
IAN X IN SECTION BUX:	IDEPIA OF C	OMPLETED WE	LL	28.5	ft. ELEV	/ATION:		1303.68 (T	OC)	
	Depth(s) Ground	water Encounter WATER LEVEL	ed 1 21.5	5 ft. b	ft. elow land s	. 2 curface mea	sured on me	ft. 3 o/day/yr	7/6/06	ft.
w E	Pump	test data: We	ii water wa	s	¹⁷	τ. απег	^N	ours pumping		gpm c
ž " x 1 5	Est. Yield	gpm: We	ıı water wa:	S 20 5	"	τ. αποι	n	ours pumping		gpm C
	WELL WATER T 1 Domestic	eter 8.25 O BE USED AS: 3 Feed lot 4 Industrial	5 Public 6 Oil fie	water sur	pply upply	8 Air c 9 Dew	onditioning atering	11 Injecti 12 Other	ion well (Specify be	ft.
S	_	bacteriological sa		_	-					
	vvas a chemica// submitted	bacteriological Si	anipid subti	ווונוסט נט טל				'es		
5 TYPE OF BLANK CASING USED:		5 Wrought Ir	on 8	B Concret				Glued		
1 Steel 3 RMP (S										
2 PVC 4 ABS		7 Fiberglass						Threaded	Flush	ı
Blank casing diameter 2	in. to 18.	5 ft., Dia		in to		ft Dia		in. to		ft.
Casing height above land surface TYPE OF SCREEN OR PERFORATION	Flush	in., weight	0.7	03	lbs./ft.	Wall thickr	ess or gaug	e No.	SCH. 40)
1 Steel 3 Stainles	ss steel	5 Fiberglass						ecify) ed (open hole)		
2 Brass 4 Galvani	ized steel	6 Concrete t								
SCREEN OR PERFORATION OPENING								11 No	ne (open h	ole)
	Mill slot		Wire wrap			9 Drille				
2 Louvered shutter 4 h	• •		Torch cut			10 Otne	r (specity)			
SCREEN-PERFORATED INTERVALS:		18.5 ft. to		_20.5	^{IL, F}	From		IL. 10		ft.
CRAVEL BACK INTERVALS.	From	16.5 ft. to	·	28.5	IL. I	 		ft. to		ft. ;
GRAVEL PACK INTERVALS:		16.5 ft. to	o	.20.5	ft. [From		ft. to		ft.
6 OPOUT MATERIAL . 4 North	From			2 Bast	naite II.	4 Other				
GROUT MATERIAL: 1 Neat of										
Grout Intervals From .5 f What is the nearest source of possible or	ontemination:	IL FIOM .		IL. IC	10 11/00	stock pens		14 Abandone	d water wel	"
1 Septic tank	4 Lateral lines	7 F	Pit privy		11 Fuel	-		15 Oil well/ G		.
•	5 Cess pool		Sewage lag	oon		lizer storage	e '	16 Other (spe	cify below)	
	6 Seepage pit		eedyard		13 Insec	cticide stora	ige _			
Direction from well?					How many	/ feet?				
FROM TO CODE		LOGIC LOG		FROM	TO	<u> </u>	PLUGG	ING INTERV	ALS	
	osoil y Clay, Iow	nlasticity					-			
	, soft, loose									
		grained, lo	ose							
					ļ					
7 CONTRACTOR'S OR LANDOWNER			well was							
completed on (mo/day/yr)	7/5	5/06		and thi	s record is	true to the	best of my k	nowledge and	belief. Ka	nsas

531

or the business name of Geotechnical Services Inc. by (signature)

INSTRUCTIONS:. Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment Bureau of Water, 1000 S W Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.

Geotechnical Services Inc.

Water Well Contractor's License No.

under the business name of

This Water Well Record was completed on (mo/day/yr)

SEC