		RECORD Form W		-1212 ID No.	
1 LOCATION OF WATER WELL:		LINA/	Section Number		
County: Sedgwick Distance and direction from nearest	NE 1/2 NE		32	T 27 S	R 1 (É)W
Ole Time Gas, 611 W. Harry		MAIL IL IOCATED MILLIN	Cityr		
2 WATER WELL OWNER: Geo					
RR#, St. Address, Box # : 452				Board of Anriculture	vision of Water Resources
City, State, ZIP Code : Wic				Application Number:	
LOCATE WELL'S LOCATON W	TH .				
AN "X" IN SECTION BOX:	DEPTH OF COMPLE	TED WELL	35 ft. EL	EVATION:	1292.94
N	Depth(s) Groundwater Er	ncountered 1		ft. 2 ft.	3 ft.
	WELL'S STATIC WATER	R LEVEL nm	ft. below land	surface measured on mo/da	3ft. y/yr
NW NE				ft. after hours	pumping gpm
:	Est. Yield op	m: Well water was		ft. after hours	nam apm
🖞 w 🔜 🐪	E Bore Hole Diameter	8 in. to	35	ft. and 8 Air conditioning 9 Dewatering	in. to ft. 11 Injection well
<del>-</del>	WELL WATER TO BE U	SED AS: 5 Public	water supply	8 Air conditioning	11 Injection well
SW SE	1 Domestic 3 Fe	ed lot 6 Oil field	water supply	9 Dewatering	12 Other (Specify below)
				stic) 10 Monitoring well	
* L	Was a chemical/bacterio	logical sample submit	ted to Department	t? Yes No X If ye	s, mo/day/yr sample was
<u>S</u>	submitted	· · · · · · · · · · · · · · · · · · ·	V	Vater Well Disinfected? Yes	No X
5 TYPE OF BLANK CASING USE	D: 5 W	rought fron 8	Concrete tile	CASING JOINTS: GIU	
	MP (SR) 6 As	bestos-Cement 9	Other (specify be	low) We	lded
2 PVC 4 AE	IS 7 Fit	perglass		Th	X bebeer
Blank casing diameter 2	in. to 33 f	., Dia	in. to	ft., Dia	in, to ft.
Blank casing diameter 2 Casing height above land surface TYPE OF SCREEN OR PERFORA 1 Steel 3 St	0 in., weig	ht .716	lbs./f	t. Wall thickness or gauge N	o. <b>.154</b>
TYPE OF SCREEN OR PERFORA	TION MATERIAL: ainless steel 5 Fit alvanized steel 6 Co		7 PVC	10 Asbestos-cen	nent
1 Steel 3 St	ainless steel 5 Fil	perglass	8 RMP (SR)	11 Other (specify	1)
2 Brass 4 Ga	Ilvanized steel 6 Co	oncrete tile	9 ABS	12 None used (o	pen hole)
SCREEN OR PERFORATION OPE	NINGS ARE:	5 Gauzed wr	apped	8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wrapp	ed	9 Drilled holes	
2 Louvered shutter		7 Torch cut	9E .	10 Other (specify)	
SCREEN-PERFORATED INTERVA	LS: From 33	ft. to	<b>35</b> ft.	Fromf	. to ft.
	From	ft. to		Fromfi Fromfi	. to ft.
GRAVEL PACK INTERVAL	S: From 30	ft. to	<b>35</b> ft.	From f	to ft.
6 GROUT MATERIAL: 1 N	From	ft. to	<u>ft.</u>	From fi	. to ft.
6 GROUT MATERIAL: 1 N	at cement 2 Cemen	t grout	3 Bentonite	4 Other Bentonite p	ellets
Grout Intervals From 3	ft. to 22 ft. f	From <b>22</b>	ft. to 3	0 ft. From	ft. to ft.
What is the nearest source of possi	ble contamination:		10 Live	estock pens 14 A	bandoned water well
	4 Lateral lines			•	il well/ Gas well
2 Sewer lines	•	• •			Other (specify below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage Contaminated site					
Direction from well?	1141-1-1-2-4		How man		NITED (ALO
FROM TO CODE	LITHOLOGIC L		ROM TO	PLUGGING	INTERVALS
0 <u>2</u> 2 7	gravel & gray clay su Reddish brown silty	clavev ed			
	very fine grained	ciayey su,			·····
7 20	Tan sand, fine to me	d grained			
	Loose	a graniea			
20 25.5	Tan sand, fine to me	d grained.			
	Loose gray stain, he	avier stain			
	@ 25.5				
25.5 35	Grades to mixed sd	& gravel			
7 CONTRACTORIO OD LANDON			unotructed (0)	pontinuted or (2) shares a	lor my juriediation and une
7 CONTRACTOR'S OR LANDOW	NER'S CERTIFICATION: Th	is water well was (1) <u>(</u>	constructed, (2) rec	constructed, or (3) plugged und	er my junsoiction and was
completed on (mo/day/yr) Water Well Contractor's License No	5-4-06		and this record is	s true to the best of my knowl	eage and belief. Kansas
	. 554		This Water Well	Record was completed on (m	0/day/yr) 0-20-00
under the business name of INSTRUCTIONS: Please fill in t	Wootter Pu	mp & weil inc.	A Kanada Danada	by (signature)	WAAMIN MA MUY
Jackson St., Ste. 420, Topeka, K	anks and circle the correct answ ansas 66612-1367. Telephone:	913-296-5545. Send o	ne to WATER WEL	LOWNER and retain one for vor	ur records.