		WA		RECORD	For	m WWC	-5 KSA8	32a-1212	ם כ	NO. <u>B</u>	51	VE-2	2			
1 LOCA	LOCATION OF WATER WELL: Fraction S								ection Number Township Number Range Nur							umber
	Sedgur		N W	1/4 N			1/4	Ŕ	33	1	Г	27	S	R	1	€ /w
		from nearest to			ss of we	ell if locat	ed within city	y? •								
151	oadwa	s-Wich	<u>ita</u> , I	$\leq \leq$	14.											
		NER: Kansa	,		•		nment-	Dryc	leanin	ngreli	ea:	SEITU	(++)	nd		
RR#, St. A City, State	ddress, Box , ZIP Code	# : 1000 S : Topet	sw Jack	son :	3vite 2	410						rd of Agri			of Water	r Resources
3 LOCATE	WELL'S LO	CATION WITH				WELL	27		ft. ELEV	ATION:						
	N SECTION		Depth(s) G				1			ft. 2			ft.	3		ft.
N WELL'S STATIC WATER LEVEL A state of the state measured on mo/day/yr																
Pump test data: Well water was ft. after hours pumping hours pumping																
NW NE WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well											well					
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering (2) Other (Specify below)												elow)				
W I E 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well Sont Vapor Extraction													<u></u>			
-	- SW SE Was a chemical/bacteriological sample submitted to Department? Yes NoX; If yes, mo/day/yrs sample wa										He was sub-					
			milleu						•	valer vve		ISINECIEU	1: 163		L.	y
	S															
		CASING USED: 3 RMP (SI			/rought	Iron S-Cement		ncrete ti her (sne	ile cify belo		SAS	ING JOIN			•	oed
1 Steel 3 RMP (SR) 6 Asbestos 22 PVC 4 ABS 7 Fiberglas															- /	
				12		ft., Dia		ir	n. to			ft., Dia.			in. to	ft.
Casing he	ight above la	nd surface	-2	iı	n., weig	ht	sch 40			lbs./ft.	Wal	l thicknes	s or gu	age No		
TYPE OF	SCREEN OF	R PERFORATIO) PVC				10 Asbe				
								RMP (S ABS	MP (SR) 11 Other (Specify) BS 12 None used (open hole)							
2 Bra				00	oncrete		-						e useu (•		
SCREEN OR PERFORATION OPENINGS ARE: 5 Guazed wrapped 8 Saw cut 11 Non 1 Continuous slot 6 Wire wrapped 9 Drilled holes										one (ope	n hole)					
	ntinuous slot Ivered shutte		fill slot Key punched				orch cut									ft.
				12		ft to	27		ft From	m			ft	to		ft
SCREEN-PERFORATED INTERVALS: From													ft.			
	GRAVEL PA	CK INTERVALS	: From	10		ft. to .	27		. ft., Froi	m			ft.	to		ft.
			⊢rom			ft. to .			. ft., Froi	m	•••••	••••••	ft.	10	••••	π.
6 GRO	JT MATERIA	L: 1 Nea	t cement	2	Ceme	nt grout	3	Bentonit	e							
Grout Inte	rvals: Fror	nÖ	ft. to	8	ft., F	rom		. ft. to		ft.,	, Fro	m		ft. to		ft.
Grout Intervals: From									ned wate	er well						
1 Septic tank 4 Lateral lines					7 Pit privy				11 Fuel storage					5 Oil well/Gas well		
Sewer lines 5 Cess pool					8 Sewage lagoon				12 Fertilizer storage 16 O						pecify be	elow)
3 Watertight sewer lines 6 Seepage pit					9 Feedyard				13 Insecticide storage							
Direction from well? East								How many feet? 3 TO PLUGGING INTERVALS								
FROM	TO	·		GIC LOG	à		FROM	N	то			PLUC	JGING	INTERVA	LS	
0	10	clar	15													
10	27	Sun	45													
														,		
		R LANDOWNE	R'S CERTIF	ICATION:	This v	vater wel	i was (1) co	nstructe	d, (2) re	construct	ted,	or (3) plu	ugged u	inder my	jurisdicti	ion and was
	on (mo/day/y	ear)	2/05						and this	record is	true	to the bes	st of my	knowledg	ge and be	elief. Kansas
1		LICENCE NO				. This Wa	ter Well Rec	ord was	comple	tea on (n	no/a	ay ()		11/-		/
	ousiness nam		naxs							/ (signatu		M	VU	MU	uph	~
and Envir	onment, Bureau	ewriter or ball point pe of Water, Geology Se	ection, 1000 SW J	ackson St., S	and <u>PRIN</u> Suite 420,	D clearly. Pl Topeka, Ka	ease III in blank Insas 66612-136	s, underline 37. Telepho	e or circle t one 785-296	6-5522. Sen	inswe d one	to WATER	WELL OV	NER and re	tain one fo	r your