		WATER WI	ELL RECORD	Form W\	NC-5 k	(SA 82a-12	12		
1 LOCATION OF W	ATER WELL:	FRACTION	5W	SW SEC	CTION NUMBE	R TOWNSH	IIP NUMBER	RANGE I	NUMBER
Sedgwick		SW 1/4	SW 1/4 4	1/4	7	Т 2	<b>27</b> s	R 1	E E/W
Distance and direction 2428 W. 13		city street address of well Wichita, Ka							
2 WATER WEI		CHARDS, Kurt							
RR#,ST. ADDRE		7 N. Park Ave.	•				Board of Agr	iculture, Division of	Water Resource
1		aize, Kansas		Z	IP CODE:		Application Nur	nber:	
3 LOCATE WELL	SLOCATION	DEPTH OF COMPI	LETED WELL:	45 ft.		ELEVATION:			
WITH AN "X" IN	SECTION BOX: 🔓	— Depth of groundwater		f	t.		ft.		ft.
		WELL'S STATIC WA				URFACE MEAS	URED ON mo/o	tav/vr: 8/2	3/06
NW	NE	Pun	np test data: We	ell water was		ft. after		of pumping @	gpn
<u>o</u>	-	Est. Yield:	gpm We	ell water was		ft. after		of pumping @	gpm
w Wije	E	Bore Hole Diameter	12 in.	to •	<b>45</b> ft	. and	in.	to	ft.
		WELL WATER TO BE				<del></del> -	9. Dewateri	ng 11. Inje	ection well
- ~-sw	SE			c water supply	_				specify below
		=	Industrial 6. Oil fid ological sample submitte	eld water suppl	•		10. Monitorir	ng weii what mo/day/yr	was sample
		submitted	ological sample submitte	so to Department?	YES Was \	NO Water Well Disir		YES	NO
5 TYPE OF C	ASING USED:	5. Wrought I	Iron 7. Fibero	alace 9. C	Other (Specif	v below) CA	SING JOINTS: (	Glued	Threaded
1. Steel	3. RPM (	(SR)	_	, CD	R-26	,,		Welded	Clamped
2. PVC	4. ABS	6. Asbestos		ete tile	IX-20				
Blank casing dian	neter 5		30 ft., Dia	· in.	to	ft.,	Dia.	in. to	ft.
	ove land surface:	12 in.,	Weight	2.35	lbs. / ft.	Wall ti	hickness or gaug	ge No214	ļ
1	N OR PERFORATI								
1. Steel	3. Stainless Steel		7. PVC		ABS		ther (specify)		
2. Brass	4. Galvanized	6. Concrete Ti	le 8. RMP (S	SR) 10. A	Asbestos-Ce	ment 12. N	one used (open	hole)	
	RFORATION OPENI								
1. Continuous s	slot 3. Mill	slot 5. G	auzed wrapped	7. <b>T</b> c	orch cut	9. <b>Dri</b> l	Drilled holes 11. None ( open hole)		
2. Louvered shi	ıtter 4. Key	punched 6. W	/ire wrapped	8. Sa	aw cut	10. Oth	er (specify)		
SCREEN - PERFO	RATION INTERVA	L From	<b>30</b> ft.	to 45	ft.,	From	ft.	to	ft.
		From	ft.	to	ft.,	From	ft.	to	ft.
GRAVEL	PACK INTERVALS:	From	<b>24</b> ft.	to 45	ft.,	From	ft,	to	ft.
		From	ft.	to	ft.,	From	ft.	to	ft.
6 GROUT MATE	ERIALS: 1 No.	at cement	2. Cement Grout		3. Bentonite	-		onite hole pl	
Grout Intervals		4 ft. to	• 4	om ft.		ft.,	From	ft. to	ug ft.
What is the neares	t source of possible	contamination:	,	14.		•	-		
1. Septic tank 4. Lateral lines 7. Pit privy 10. Livestock pens 13. Insecticide storage 15. Oil well/									
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify below								pecify below)	
3. Watertight se		page pit 9.	Feed yard	12. Fertilize	r storage				
Direction from wel	? North	1171101 0010				How m	any feet? 46		
From To	<del></del>	LITHOLOGIC	LOG	From	То		LITHOLO	GIC LOG	····
0 4 4 10	topsoil clay				-				
10 35	coarse sand						7 MAN.		
35 45	medium sar								
		-							
		· · · · · · · · · · · · · · · · · · ·							
		<del></del>							
	<u> </u>			····	<u> </u>				
						· · · · · · · · · · · · · · · · · · ·			<u> </u>
<u> </u>	_							·	
7									
Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and									
was completed on (mo/day/year) 8-23-2006 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 8-25-2006									
under the business name of Harp Well and Pump Service by (signature)									
under the business name of Harp Well and Pump Service by (signature) $\int_0^\infty dd  \mathcal{S}$ . $\int_0^\infty dr  p$									