V	WATER WELL RECORD FO	orm WWC-5 KS	SA 82a-1212	
	RACTION	SECTION NUMBER	TOWNSHIP NUMBER	RANGE NUMBER
☐ Sedgwick	NE 1/4 NW 1/4 SE	1/4 22	т 27 s	R 1E E/W
Distance and direction from nearest town or city stree	et address of well if located within city?	•		
	ta, Kansas			
2 WATER WELL OWNER: KANSA	AS FOOD BANK			
RR#,ST. ADDRESS,BOX #: 1925 E.	. Douglas		Board of Agri	culture, Division of Water Resource
CITY, STATE: Wichita	a, Kansas	ZIP CODE:	Application Nun	nber:
3 LOCATE WELL'S LOCATION 4 DEP	PTH OF COMPLETED WELL: 35	ft.	ELEVATION:	
WITH AN "X" IN SECTION BOX:				
	of groundwater Encountered:	ft.	ft.	ft.
	'S STATIC WATER LEVEL 15	FT. BELOW LAND SU	RFACE MEASURED ON mo/o	day/yr: 10/28/06
NW	Pump test data: Well water	r was	ft. after hours	s of pumping @ gpm
<u>o</u> Es	st. Yield: gpm Well wate	r was	ft. after hours	s of pumping @ gpm
E Bore	Hole Diameter 12 in.	to 35 ft.	and in.	to ft.
-	WATER TO BE USED AS:		9. Dewateri	ng 11. Injection well
1. Do		r supply 7. Lawn a	nd garden only	12. Other (Specify below)
2. Irri	rigation 4. Industrial 6. Oil field wa	ter supply 8. Air cond		•
-	a chemical/bacteriological sample submitted to De			what mo/day/yr was sample
submit	tted	Was W	ater Well Disinfected?	YES NO
5 TYPE OF CASING USED:	5. Wrought Iron 7. Fiberglass	9. Other (Specify	below) CASING JOINTS: (Glued Threaded
1. Steel 3. RPM (SR)		SDR-26		Welded Clamped
2. PVC 4. ABS	Asbestos-Cement 8. Concrete tile	5DR-20		•
Blank casing diameter 5 in.	to 25 ft., Dia.	in. to	ft., Dia.	in. to ft.
Casing height above land surface:	12 in., Weight: 2	2.35 lbs. / ft.	Wall thickness or gaug	ge No214
TYPE OF SCREEN OR PERFORATION MATERIAL:				
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)				
17 0.00			, ,	hala)
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)				
SCREEN OR PERFORATION OPENINGS A	ARE:			
1. Continuous slot 3. Mill slot	5. Gauzed wrapped	7. Torch cut	9. Drilled holes	11. None (open hole)
2. Louvered shutter 4. Key punct	hed 6. Wire wrapped	8. Saw cut	10. Other (specify)	
1	••	22		
SCREEN - PERFORATION INTERVAL	From 25 ft. to	35 ft.,	From ft.	to ft.
	From ft. to	ft.,	From ft.	to ft.
GRAVEL PACK INTERVALS:	From 24 ft. to	24 ft.,	From ft.	to ft.
	From ft. to	ft.,	From ft.	
a L CROUT MATERIALS:				to ft.
6 GROUT MATERIALS: 1. Neat cement 2. Cement Grout 3. Bentonite Other bentonite hole plug				
	ft. to 24 ft., From	ft. to	ft., From	ft. to ft.
What is the nearest source of possible contar	7 84 10	. Livestock pens	13. Insecticide storage	15. Oil well/Gas well
1. Septic tank 4. Lateral lines 4. Cavera larger 14. Evolutional 4. Lateral lines 4. Cavera larger 14. Evolutional 4. Lateral lines 5. Lateral lines 6. Lateral				
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify below)				
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage				
Direction from well? West			How many feet? 10	
From To LIT	THOLOGIC LOG	From To	LITHOLO	GIC LOG
0 3 topsoil				
3 13 clay				
13 29 fine sand				
29 35 gray shale				
7 Contracted and and a de Outil	on. This water well was 4		or 2 mlucand	under my jurisdiction and
Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and				
was completed on (mo/day/year) 10-28-2006 and this record is true to the best of my knowledge and belief.				
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 10/30/2006				
under the business name of Harp We	ell and Pump Service	by (signature)	Todd S	Harb