WA	ATER WELL RE	CORD	Form WWC-	5	Division of Wate	r Resources; App. No.	
1	LOCATION OF W		Fraction NE 1/4 N	F	Section Number	Township Number T 27 S	J 10 1
	Distance and direction	from nearest town or o	rity street address of we	11 if	Clobal Positioning	Systems (decimal deg	R EW
	located within city?				T -4'4-1		,
		2932 -	7 Faus Va	ew-	Longitude:		
2	WATER WELL OV	, —	WTILLET YE	, -	Elevation:		
	RR#, St. Address, Bo	×# 2932 -	n W Fair	/noce	Datum:		
	City, State, ZIP Code		3 Ka 672	04	Data Collection	Method:	
3	LOCATE WELL'S	4 DEPTH OF COM	IPLETED WELL	.2.2.	ft.		
	LOCATION WITH AN "X" IN	Denth(s) Groundwate	er Encountered (1)	15	A (2)	ft (2)	A
	SECTION BOX:	WELL'S STATIC W	ATER LEVEL	S ft	helow land surface	ft. (3)	/vr 9-8-06
	N	Pump test dat	ta: Well water was		ft. after	hours pumping	gpm
	X/	Est. Yieldgp	m: Well water was		ft. after	hours pumping	gpm
	NW NE -	WELL WATER TO	BE USED AS: 5 Publication 6 Oil field	ic water s	supply 8 Air	conditioning 11 Inj	ection well
W	E	1 Domestic 3 Fe	dustrial Domesti	water su	ipply 9 Dev	vatering 12 Ot	her (Specify below)
	2 Irrigation 4 Industrial Domestic (lawn & garden) 10 Monitoring well						
	Was a chemical/bacteriological sample submitted to Department? Yes No .X; If yes, mo/day/yrs						
	Sample was submitted						
S							
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued							
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded							
BI	ank casing diameter	in to \mathbf{z}	ft Diameter	i	in to ft	I nreaded	in to ft
Blank casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in., Weight Wall thickness or guage No.							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
1 Steel 3 Stainless Steel 5 Fiberglass OVC 9 ABS 11 Other (Specify)							
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)							
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)							
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)							
From ft. to ft., From ft. to ft.							
GRAVEL PACK INTERVALS: From							
From							
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other							
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.							
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify)							
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)							
	3 Watertight sewer		9 Feedyard 1	2 Fertiliz	zer Storage 15_O	il well/gas well	
Direction from well? How many feet?							
FF	ROM TO	LITHOLOGI	20 G	FROM	OT 1	PLUGGING INT	ERVALS
_	7 1/9 -	of theil	2 1				
-	9 35	fro to	7 0	1			
-	7 3 3	coare -	er way	-			
			<u> </u>				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged							
under my jurisdiction and was completed on (mo/day/year)							
Kansas Water Well Contractor's License No. 7							
under the business name of Boardon Pungs Welfey (signature) INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS TRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top							
IN	STRUCTIONS: Use types	writer or ball point pen. PLI	EASE PRESS FIRMLY and P	<u>PRINT</u> clear	rly. Please fill in blank		
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at							
http://www.kdhe.state.ks.us/geo/waterwells.							