WATER WELL RECORD F	orm WW	'C-5 K	SA 82a-12	12		
1 LOCATION OF WATER WELL: FRACTION	SECT	ON NUMBE				
Sedgwick NE 1/4 NW 1/4 SE	1/4	32	T 2	7 s	R 1	E E/W
Distance and direction from nearest town or city street address of well if located within city? 2047 S. Waco Wichita, Kansas						
2047 S. Waco Wichita, Kansas 2 WATER WELL OWNER: SAXON MORTGAGE INC.						
RR#,ST. ADDRESS,BOX #: 70 Angela Lane				Board of Agri	iculture, Division of	Water Resource
CITY, STATE: York, PA.	ZIF	CODE: 1	7402	Application Nun	nber:	
3 LOCATE WELL'S LOCATION 4 DEPTH OF POUR PERED WELL: 18			ELEVATION:			
WITH AN "X" IN SECTION BOX: N Depth of groundwater Encountered:	ft.			ft.		ft.
WELL'S STATIC WATER LEVEL 16	FT. BELOV	W LAND SU	JRFACE MEAS	JRED ON mo/o	day/yr: 3 /8	8/07
Pump test data: Well wat	er was		ft. after	hours	of pumping @	gpm
Est. Yield: gpm Well wat Bore Hole Diameter in.	er was		ft. after	hours	of pumping @	gpm
	to	ft.	and	in.	to	ft.
WELL WATER UMASE USED AS: 1. Domestic 3. Feedlot 5. Public wat	tar eunniv	7 Lawn a	and garden onl	9. Dewateri	a	ection well
2 Irrigation 4 Industrial 6 Oil field w			ditioning	10. Monitorir		Specify below)
S Was a chemical/bacteriological sample submitted to D		YES	NO	; If yes, y	what mo/day/yr	•
submitted		Was \	Vater Well Disin	fected?	YES	NO
TYPE OF CASING USED: 1. Steel 3. RPM (SR) 5. Wrought Iron 7. Fiberglass	9. Oth	ner (Specify	below) CAS	SING JOINTS: (Glued	Threaded
2. PVC 4. ABS 6. Asbestos-Cement 8. Concrete til	le				Welded	Clamped
Blank casing diameter 1 1/4 in. to ft., Dia.	in.	to	ft.,	Dia.	in. to	ft.
Casing height helper and surface: 36 in., Weight:		s. / ft.		nickness or gaug		
TYPE OF SCREEN OR PERFORATION MATERIAL:	10.	5. / IL.	wanu	lickiless or gaug	ge 110.	
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC	9. AE	3S	11. O	ther (specify) $^{ m l}$	V/A	
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR)	10. As	bestos-Cei	ment 12. N	one used (open	hole)	
SCREEN OR PERFORATION OPENINGS ARE:						
1. Continuous slot 3. Mill slot 5. Gauzed wrapped	7. Tor	ch cut	9. Dri l	led holes	11. None (open hole)
2. Louvered shutter 4. Key punched 6. Wire wrapped	8. Sav	v cut	10. Oth	er (specify) N	/A	
SCREEN - PERFORATION INTERVAL From ft. to		ft.,	From	ft.	to	ft.
From ft. to		ft.,	From	ft.	to	ft.
GRAVEL PACK INTERVALS: From ft. to		ft.,	From	ft.	to	ft.
From ft. to		ft.,	From	ft.	to	ft.
6 GROUT MATERIALS: 1. Neat cement 2. Cement Grout	2	Bentonite			onite hole p	
Grout Intervals: From ft. to ft., From	ft.	to	ft.,	From 3	-	10g o 18 ft.
What is the nearest source of possible contamination:						
1. Septic tank					15. Oil well	
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water				ion water well	ell 16. Other (specify below) None Apparent	
5. Watertight sewer file 5. 444 page p.s.	2. Fertilizer	storage	Harrine	640	110116 21	рригене
Direction from well? From To LITHOLOGIC LOG	From	То	How m	any feet?	GIC LOG	
TION TO ETTICEOGIC EOG	0	3	compacted		OIC LOG	
	3	18	bentonite h		•	
	 					
					n.	
Contractor's or Landowner's Certification: This water well was 1. constructed	2. rec	onstructed	or 3.	plugged	under my jurisdi	ction and
was completed on (mo/day/year) 3-8-2007 and this record is true to the best of my knowledge and belief.						
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 3-9-2007						
under the business name of Harp Well and Pump Service	by (sig	nature)	$\boldsymbol{\tau}$	2.660	. Har	h
·				S VVVV S	. , ,	