				WATER	WELL RECOF	RD Form	WWC-5	KSA 82a-1	212 IC	No. 004	41204			
1 LOCATION OF WATER WELL:			I			1	ion Number	To	Township Number			ge Numb	er	
County:	Sedg	wick	SE	1/4	SE ½	SE	1/4	15	Т	27	S	R	1	E
Distance and	direction from	n nearest t	own or city str	eet addr	ess of well if l	ocated with	nin city?							
	entral, Wich		C	in										
	VELL OWNER			iings									_	
	ress, Box #			7044						rd of Agric		rision of W	ater Res	ources
City, State, Z	IP Code	: Wich	iita, KS 6	/214					Арр	lication Nu	mber:			
3 AN "X" IN	IP Code WELL'S LOCA SECTION BO	ATON WIT	4 DEPTH	H OF CO	MPLETED W	/ELL	35	ft. ELE	ATION:					
		1		Groundw	ater Encounte	ered 1	22.	21 ft	2		ft.	3		ft.
	- NW				VATER LEVE									
	-NW	NE	1112200		test data: W									
₩ W			E Est. Yield	· ump ·	anm. M	ell water w	/as		tafter		hours	numping		gpm
7	-i I	i l	Bore Hole	Diamete	9pm. 11	in to	3		ft and		i	n to		gp ft.
 	-sw	SE	WELL WA	TER TO	er 8 BE USED AS 3 Feed lot	S: 5 Pub	lic water s	upply	8 A	ir conditio	ning 1	11 Injectio	n well	
	į .	i x												
٧	<u> </u>	^	2 Irri	igation	4 Industrial	7 Law	n and gard	len (domesti	c) 10	Monitoring	well			
	S				acteriological									
			submitted					Wa	ater Well	Disinfecte	d? Yes		No X	
5 TYPE OF	BLANK CAS	ING USED):		5 Wrought	Iron	8 Concr	ete tile	CA	SING JOIN	NTS: Glue	ed	Clampe	ed
1 Stee	el	3 RM	P (SR)									ded		
2 PVC		7 4 ABS			7 Fiberglas						Threa	aded	Flus	h
	diameter			20	•									
Casing beigh	nt above land	T surface	Flushmo	unt ir	weight	0.	703	lbs./ft.	Wall thi	ickness or	gauge No		SCH. 4	0
	CREEN OR PE				,giil		7	PVC		10 Ash	estos-cem	ent		
1 Stee					5 Fiberglas	s		D145 (00)		_ 44 00				
2 Bras		4 Gal	vanized steel		6 Concrete	tile	9	ABS		12 Non	e used (or	pen hole)		
	R PERFORAT	ION OPEN	INGS ARE:		5	Gauzed	wrapped		8 Sa	aw cut		11 Nor	e (open	hole)
	tinuous slot		3 Mill slot		6	Wire wr	apped			illed holes				
	vered shutter		4 Key punch	ned		7 Torch c			10 O	ther (spec	ify)			
	RFORATED				20 ft.	to	35	ft.	From		ft.	. to		ft.
					ft.	to		ft.	From		ft.	. to		ft.
GRA	VEL PACK IN	NTERVALS			17 ft.	to	35	ft.	From		ft.	. to		ft.
								ft.	From		ft	. to		ft.
6 GROUT	MATERIAL:	1 Ne	at cement	2			3 Ber	ntonite	4 Othe	er				
 Grout Interva	als From	1	ft. to	17	ft. From		ft.	to	1	t From		ft. to		ft.
	nearest source						'`'	10 Live	stock ne	ns	14 A	handoned	water w	
			4 Latera		7	Pit privy		11 Fuel	storage		15 C	il well/ Ga	s well	
	ver lines		5 Cess			Sewage la		12 Fert				Other (spec		v)
3 Wa	tertight sewer	lines	6 Seepa	•		Feedyard		13 Inse		_				
Direction fro	m well?							How man	y feet?					
FROM	ТО	CODE		LITHOLO	OGIC LOG		FROM	ТО		PL	UGGING	INTERVA	LS	
0	0.5		Asphalt						-			-		
0.5 3	3 11.5		Clay, with			brown								
11.5	11.5		Clay, with a Clay, with a											
12.5	35		Clay, with			own								
.2.0			- iuj, Willi	one, ngi	orange-bit		-	-	 					
														-
			· · · · · · · · · · · · · · · · · · ·				<u> </u>							··
7 00175	ACTODIC CO	LANDON	NEDIO CES	TEICAT	ON. This		(4)	-td (0)		ad (0)	-l			
	ACTOR'S OR		NEK'S CERT											
	on (mo/day/yr)			04/02				his record is						
Water Well	Contractor's L	icense No	· <u>.</u>		531			Water Well					04/	U5/U7
	usiness name				al Service			y (signature		Small En			Main 40	00 6 14
	UCTIONS:. Ple n St., Ste. 420,													5 W