WATER	WELL R	ECORD	Form	ı WWC-5	Divis	ion of Water	Resources: App	No.	
1 LOCA	TION OF W	ATER WELL:	Fraction NW 4	SE ½	NE 1/4	ection Num	ber   Townsh	ip Number 27 s	Range Number R 1 E
Distance ar	nd direction	from nearest town W. 11 <sup>th</sup> St. Wich	or city stree	well if Glo	Global Positioning System (decimal degrees, min. of 4 digits) Latitude: N 37.70364° Longitude: W 97.33883°				
2 WATER WELL OWNER: KDHE RR#, St. Address, Box # : 1000 SW Jackson, Suite 410 City, State, ZIP Code : Topeka, KS 66612						Elevation: 1303.99 pin/ 1303.64 toc Datum: Data Collection Method: legal survey			
		4 DEPTH OF	COMPLE	TED WEL			ft.		
	TON AN "X" IN ON BOX: N	WELL'S STA	TIC WATE	R LEVEL .	<b>13.</b> 7 ft.	below land	surface measu	red on mo/d	ft. ay/yr <b>5/2/07</b> ng gpm
w - NW	Pump test data: Well water was ft. after hours pump  Est. Yield gpm: Well water was ft. after hours pump  WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 In  1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Oth  2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well  Was a chemical/bacteriological sample submitted to Department? Yes No X;								
<u>                                     </u>	S S								No X
1 Stee	el 3	G <b>USED:</b> 5 RMP (SR) 6	Wrought In Asbestos-C	ron Cement	8 Concrete 9 Other (sp	tile pecify below	CASING JOIN w)	ITS: Glued Welde	Clamped
Blank casi	ng diameter	2 in. to	f	ft., Dia	in	. to	ft., Dia	in.	to ft.
Blank casing diameter 2 in. to ft., Dia in. to ft., Dia in. to ft.  Casing height below land surface 0.35 ft., Weight lbs./ft. Wall thickness or gauge No.  TYPE OF SCREEN OR PERFORATION MATERIAL:  1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify)  2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:  1 Continuous slot (3) Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From 13 ft. to 23 ft. From ft. to ft.									
			From		ft. to	1	ft. From	ft. t	o ft.
GR.	AVEL PACI	K INTERVALS:	From	12	ft. to	<b>23</b> 1	ft. From	ft. t	o ft.
			From		n. to	1	n. From	n. t	οπ.
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other cement, 0-2 ft.  Grout Intervals From 2 ft. to 12 ft. From ft. to ft. From ft. to ft.									
Grout Intervals From 2 ft. to 12 ft. From ft. to ft. From ft. to ft.									
What is the nearest source of possible contamination:									
	ic tank er lines				10 Livestoc		3 Insecticide S 4 Abandoned v	_	16 Other (specify below)
2 Sewer lines 5 Cess pool 8 Sewage lagoon (1) Fuel storage 14 Abandoned water well below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well									
	from well?				How many	feet?			
FROM	TO	LITHO	LOGIC LO	G	FROM	TO	PLUG	GING INT	ERVALS
0		opsoil, fill, grave	el, glass, mo	oist,					
3		lark brown, no p filty, sand, with t					· · · · · · · · · · · · · · · · · · ·		
3		Brown, moist, no							
8		and, orange-bro							
13	15 S	and, coarse, bro	wn, wet						
						F	lushmount wa	iver by D.	Taylor
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)  Kansas Water Well Contractor's License No. 757  under the business name of Larsen & Associates, Inc.  5/1/07  This Water Well Record was completed on mo/day/year) 5/24/07  by (signature)									
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment. Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.									