WATER WELL RECORD F	orm WWC-5 KSA 82a-1212		
1 LOCATION OF WATER WELL: FRACTION	SECTION NUMBER TOWNSHIP NUMBER RANGE	NUMBER	
Sedgwick SE 1/4 NW 1/4 SW	1/4 21 T 27 S R 1	E/W	
Distance and direction from nearest town or city street address of well if located within city?			
Near English between Commerce and Emporia Wichita, Kansas (2 plugs on 1 log)			
2 WATER WELL OWNER: SEDGWICK COUNTY ENVIRONM			
RR#,ST. ADDRESS,BOX #: 2625 S. Tyler Road	Board of Agriculture, Division o	f Water Resource	
CITY, STATE: Wichita, Kansas ZIP CODE: Application Number:			
3 LOCATE WELL'S LOCATION 4 DEPTH OF OUR DEPTH OUR DEPTH OF OUR DEPTH O	ft. ELEVATION:		
WITH AN "X" IN SECTION BOX:  Depth of groundwater Encountered:	ft. ft.	ft.	
WELL'S STATIC WATER LEVEL 12		27/07	
	•		
		gpm	
Est. Yield: gpm Well wat Bore Hole Diameter in.	to ft. and in. to	gpm	
WELL WATER WASE USED AS:	44.1	ft. jection well	
1. Domestic 3. Feedlot 5. Public wat	7 I awn and garden only	Specify below)	
2. Irrigation 4. Industrial 6. Oil field w	12. Other	Specify below)	
S Was a chemical/bacteriological sample submitted to Department? YES NO ; If yes, what mo/day/yr was sample			
submitted	Was Water Well Disinfected? YES	NO	
TYPE OF CASING USED: 5. Wrought Iron 7. Fiberglass	9. Other (Specify below) CASING JOINTS: Glued	Threaded	
1. Steel 3. RPM (SR)	Welded	Clamped	
2. PVC 4. ABS 6. Asbestos-Cement 8. Concrete til		,	
Blank casing diameter 2 in. to ft., Dia.	in. to ft., Dia. in. to	ft.	
Casing height command surface: Temova in., Weight:	lbs. / ft. Wall thickness or gauge No.		
TYPE OF SCREEN OR PERFORATION MATERIAL:			
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC	9. ABS 11. Other (specify) $N/A$		
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:			
1. Continuous slot 3. Mill slot 5. Gauzed wrapped	7. Torch cut 9. Drilled holes 11. None	( open hole)	
		( <b>op</b> o)	
2. Louvered shutter 4. Key punched 6. Wire wrapped	8. Saw cut 10. Other (specify) $N/A$		
SCREEN - PERFORATION INTERVAL From ft. to	ft., From ft. to	ft.	
From ft. to	ft., From ft. to	ft.	
GRAVEL PACK INTERVALS: From ft. to	ft., From ft. to	ft.	
From ft. to			
		, ft.	
GROUT MATERIALS: 1. Neat cement 2. Cement Grout 3. Bentonite Other bentonite hole plug			
Grout Intervals: From ft. to ft., From ft. to ft., From 0 ft. to 21 ft.			
What is the nearest source of possible contamination:  1. Septic tank  4. Lateral lines  7. Pit privy  10. Livestock pens  13. Insecticide storage  15. Oil well/Gas well			
9 Saves leaves 41 First sterrers 16 Other (specify helpw)			
2. Sewer lines 5. Cess Pool None Apparent			
3. Watertight sewer line 6. Seepage pit 5.7 663 yard 12.7 6 times ordings			
Direction from well?	How many feet?		
From To LITHOLOGIC LOG	From To LITHOLOGIC LOG		
	0 21 bentonite hole plug		
7		lation of	
Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and			
was completed on (mo/day/year) 11/27/2007 and this record is true to the best of my knowledge and belief.			
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 11/29/2007			
under the business name of Harn Well and Pump Service	under the business name of Harp Well and Pump Service by (signature)  Todd S. Harb		