Water Well Contractor's License No.

under the business name of

GSI Job No. 077266 AS-5 WATER WELL RECORD Form WWC-5 KSA 82a-1212 ID No. 1 LOCATION OF WATER WELL: Fraction Section Number Township Number Range Number NW ½ NW ½ 17 Sedgwick County: Distance and direction from nearest town or city street address of well if located within city? 527 W. 13th St., Wichita 2 WATER WELL OWNER: Coastal Mart #9179 RR#, St. Address, Box # : 2 N. Nevada Board of Agriculture, Division of Water Resources : Colorado Springs, CO 80903 City, State, ZIP Code Application Number: LOCATE WELL'S LOCATON WITH DEPTH OF COMPLETED WELL 25 ft. ELEVATION: AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1 14.56 ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr - ŃE -Pump test data: Well water was _____ ft. after _____ hours pumping _____ gpm W Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter 8.25 in. to 26.5 ft. and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) SE -2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well Air Sparge S Was a chemical/bacteriological sample submitted to Department? Yes ______ No X ____ If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No X 5 TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) 7 Fiberglass 4 ABS Threaded ______ Blank casing diameter 2 in. to 23 ft., Dia in. to ft., Dia in. to ft.

Casing height above land surface Flushmount in., weight 0.703 lbs./ft. Wall thickness or gauge No. SCH. 40 10 Asbestos-cement TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 8 RMP (SR) 11 Other (specify) 9 ABS 12 None used (open hole) 5 Fiberglass 1 Steel 3 Stainless steel 6 Concrete tile 9 ABS 2 Brass 4 Galvanized steel 5 Gauzed wrapped SCREEN OR PERFORATION OPENINGS ARE: 8 Saw cut 11 None (open hole) 3 Mill slot 6 Wire wrapped 1 Continuous slot 9 Drilled holes 10 Other (specify) 2 Louvered shutter 4 Key punched 7 Torch cut 23 ft. to 25 ft. From ft. to ft. SCREEN-PERFORATED INTERVALS: From GRAVEL PACK INTERVALS: From ft. From 6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals From 3 ft. to 22 ft. From ft. to ft. From ft. to ft. What is the nearest source of possible contamination: 14 Abandoned water well 10 Livestock pens 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well 12 Fertilizer storage 2 Sewer lines 5 Cess pool 8 Sewage lagoon 16 Other (specify below) 6 Seepage pit 3 Watertight sewer lines 9 Feedyard 13 Insecticide storage Direction from well? How many feet? FROM CODE LITHOLOGIC LOG FROM PLUGGING INTERVALS 0 0.5 Cement Sand, dark brown to brown to gray, 0.5 26 fine to coarse grained, trace silt 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/yr) 11/20/07 and this record is true to the best of my knowledge and belief. Kansas

Geotechnical Services Inc.

by (signature)

This Water Well Record/was completed on (mo/day/yr) 02/07/08