4 1.00.	ON OF ::::=	D WE'	Te			1	· N		L'- M - 1	T . 5	- NI I	
_	ION OF WATE			A/A/		- 1	tion Number	1	ship Number	-	e Number	
_	Sed		NW ½					T	27 s	R	1	Ε
Distance ar	nd direction fro	m nearest tov	wn or city street ad	dress of well it	f located wit	hin city?						
	3 th St., Wic		1.5.5 4.404.77									
			al Mart #9179	•								
	ddress, Box#							Board o	f Agriculture, Di	vision of Wa	ter Resou	rces
City, State,	ZIP Code	: Colora	ado Springs,	CO 80903				Applica	ion Number:			
3 LOCATE	E WELL'S LO	CATON WITH	4			46	E					
AN "X" I	N SECTION E	BOX:		COMPLETED	WELL	10.	tt. ELEV	ATION:				
1	X	1	Depth(s) Ground	lwater Encoun	tered 1 _	15.0	91 ft.	2	ft.	3		_ft.
-	N'W I	NE	WELL'S STATIC	WATER LEV	EL	ft.	below land si	urface mea:	sured on mo/da	y/yr		-
	1		Pumi	p test data: \	Nell water w	/as	ft	. after	hours	pumping	g	pm
₩ ₩ _	1	_ E	Est. Yield	apm: \	Nell water w	as	ft	after	hours	pumping	0	ıpm
7	1 1		Bore Hole Diame	eter 10	in to	16	5	ft and		in to		ft
	sw	sE	WELL WATER T	O BE USED A	ĀŠ: 5 Pūb	lic water su	vlagu	8 Air co	onditioning	11 Injection	well	
	1	i l	ŀ	3 Feed lot					atering			
	ii	į	2 Irrigation		al 7 Law	n and gard	len (domestic) 10 Mor	nitoring well	Soil Vapor	r Extract	ion
	S		Was a chemical/									
			1	bacteriological	i sample sui	omitted to L			infected? Yes			as
<u> </u>			submitted									
_	F BLANK CAS								G JOINTS: Glu		Clamped	
1 Ste		3 RMP	(SR)	6 Asbesto	s-Cement	9 Other	(specify below	v) ,		lded		
2 PV	′C	4 ABS		7 Fibergla	SS				Threa	aded	Flush	
Blank casin	g diameter	4	in. to 6.5	ft Dia								ft.
Cacina baia	tht above land	curfoco F	lushmount	in unight		703	lhe /ft	Mall thickn	ess or gauge No		CH. 40	
TYPE OF O	ont above land	Surface	NAATEDIAL	in., weight		100	PVC		Asbestos-cem		JII. 70	
			N MATERIAL:									
1 Ste		3 Stainle				8	RMP (SR)		Other (specify			
2 Bra			nized steel				ABS		None used (o		/ bal	٠,
	R PERFORA				5 Gauzed				ut	11 None	(open noi	e)
	ntinuous slot		Mill slot		6 Wire wr			9 Drilled				
2 Lou	uvered shutter	4	Key punched		7 Torch c			10 Other	(specify)			
SCREEN-P	ERFORATED	INTERVALS	From	6.5 ft.	. to	16.5	ft. F	rom	ft.	. to		ft.
			From	ft.	to		ft. F	rom	ft.	to		ft.
GR	AVEL PACK I	NTERVALS:	From	5.1 ft.	to	16.5	ft. F	rom	ft.	to		ft.
			From	ft	to		ft. F	rom	ft.	to		ft.
6 GPOUT	MATERIAL:	1 Neat	cement 2	Cement grout		3 Ben	tonite	4 Other				
- 101001	WATERIAL:	2	cement 2	cement grou		3 Dell	ionite	- Oulei -				•
Grout Interv	als From		nt. to	ft. From	·	ft. t	o	π. ⊢	rom	π. to _		- · ft.
		e of possible	contamination:				10 Livest	•		bandoned wa		
1 Sep	ptic tank		4 Lateral lines	7	Pit privy		11 Fuels	torage	15 O	il well/ Gas v	vell	
			5 Cess pool	8	Sewage la	goon	12 Fertiliz	er storage	16 O	ther (specify	below)	
3 Wa	itertight sewer	lines	6 Seepage pit	9	Feedyard		13 Insect	icide storag	е			
Direction fro	m well?						How many f	feet?			-	
FROM	TO	CODE		OGIC LOG		FROM	ТО		PLUGGING	INTERVALS		
0	0.5		ment									
_			nd, tan to brow	n to gray, fir	ne to							
0.5	16.5	me	dium grained									
											-	
7 CONTRA	ACTOR'S OR	LANDOWNE	R'S CERTIFICATI	ON: This water	r well was (1) construc	ted, (2) recon	structed, or	(3) plugged und	der my jurisdi	ction and v	was
			11/2						st of my knowle			
Mater Mail	Contractoria L	iconco Ma				This 14	ater Mall De	ord Han	ompleted on (mo	Adoutes	02/07/0	18
			Gootochnic						nupreted on (mo	Jidayiyi)	J2/01/0	·
under the bu	usiness name	ot fillin black	Geotechnic s and circle the corre			by	(signature)	d Heath de	() () () () () () () () () ()	Ruranu of Mar	or 1000 C	۱۸/
Jacksor	n St., Ste. 420	ase iii in biank Topeka, Kansa	s and circle the corress 66612-1367. Tele	ectanswers. Se ephone: 913-29	enu inree cop 6-5545. Sen	d one to WA	ss Department TER WELL O	WNER and	etain one for you	r records.	ei, 1000 S	**
Juditadi	, DIO. TEU,		1001. IGIC						Jilo .or jou			