OCATION OF WATER WELL:	Fraction		tion Number	Township Nu	mber	Range Number
inty: Sedgwick	NW 1/4 NW 1/4		20	⊤ 27	S	R 1 E
ance and direction from nearest tov	wn or city street address of well if loca 206 N. Senec	ated within city?	ita Ks			
WATER WELL OWNER: Estfan	1 LLC	a Otrect, Wich	ita, ita		,,	N. P. T.
#, St. Address, Box # : 206 S.				Board of Agric	ulture, Divis	sion of Water Resources
State ZIP Code Wichit	ta. Ks 67203			Application Nu		
OCATE WELL'S LOCATON WITH	1 .	0.0				
AN "X" IN SECTION BOX:	1 DEPTH OF COMPLETED WEL	.L 23	ft. ELEV	ATION:		
	Depth(s) Groundwater Encountered WELL'S STATIC WATER LEVEL	d11.5 1 7	7 ft.	2	ft.	3Ft.
N	WELL'S STATIC WATER LEVEL	17.16 ft.	below land su	rface measured of	n mo/day/y	yr 01/10/08
X	Pump test data: Well	water was	Ft	after	_ hours p	umping Gpm
NE	Est. Yield Gpm: Well	water was	Ft.	after	_ Hours p	umping Gpm
NW :	Bore Hole Diameter 8.625 In	ı. to 2 3	3	ft. and	in.	. toFt.
W i i	Bore Hole Diameter 8.625 In WELL WATER TO BE USED AS: 1 Domestic 3 Feed lot	5 Public water s	upply	8 Air condition	ning 11	Injection well
	1 Domestic 3 Feed lot	O Oli lielu water	Supply	9 Dewatering	 '-	RAIN &
sw sE	2 Irrigation 4 Industrial					
	Was a chemical/bacteriological san					
	Submitted			er Well Disinfected		
TYPE OF BLANK GASING USED:	•					Clamped
	(SR) 6 Asbestos-Ce	ement 9 Other	(specify below	")		
2 PVC 4 ABS	7 Fiberglass				Threa	nded X
ak againg diameter 2	4 13 Ft., Dia	L-	to	ft Dia		in to
ik casing diameter 2	ELLICH La majaba	SCH 40	10	π., Dia		In. τοπ.
ing height above land surface	FLUSH In., weight	3CH 40	Lbs./ft.	Wall thickness or	gauge No.	
PE OF SCREEN OR PERFORATIO		7	PVC	10 Asbe	stos-ceme	nt
1 Steel 3 Stainl	less steel 5 Fiberglass	8	RMP (SR)	11 Other	(specify)	
2 Brass 4 Galva REEN OR PERFORATION OPENIN	anized steel 6 Concrete tile	Gauzed wrapped	ABS	12 None		n noie) 11 None (open hole)
		Wire wrapped		9 Drilled holes		11 None (open note)
		Torch cut				
REEN-PERFORATED INTERVALS			ft Fr	om	ft t/	oft.
CELIA-I EN OPONTED INTERVACO	From ft. to					
SAND PACK INTERVALS:	From 12 ft. to	23		om	ft. tt	
SAND FACILITIES	From ft. to					
COULT MATERIAL: 1 Neet	cement 2 Cement grout					
	Ft	Et		Ollier		
ut Intervals From3 0	ft. to 10 From2			ft. From		ft. to ft.
at is the nearest source of possible				ck pens		indoned water well
1 Septic tank	4 Lateral lines 7 Pit	privy	11 Fuels	orage	15 Oil	well/ Gas well
2 Sewer lines	5 Cess pool 8 Ser	wage lagoon	12 Fertiliz	er storage	16 Oth	er (specify below)
3 Watertight sewer lines	6 Seepage pit 9 Fee	edyard	13 Insecti	cide storage	Cor	ntaminated Site
ection from well?			How many f	eet?		
ROM TO CODE	LITHOLOGIC LOG	FROM	TO	PLU	GGING IN	TERVALS
	sphalt					***************************************
	layey Silt (ML) brown					
	Ity clay (CL) brown soft					
	and stringer		1			
	Ity clay (CL)					
	and (SW)					
23 TD Er	nd of borehole					
	·		-	, , , , , , , , , , , , , , , , , , ,		
	R'S CERTIFICATION: This water we	ell was (x) constru	cted, (2) recor	structed, or (3) pl	ugged und	er my jurisdiction and w
npleted on (mo/day/yr)	01/10/08	And th	nis record is tru	e to the best of m	y knowled	ge and belief. Kansas
	01/10/08 585	And th	nis record is tru Vater Well Red	e to the best of more was complete	y knowledged on (mo/c	ge and belief. Kansas day/yr) 02/08/08
npleted on (mo/day/yr) er Well Contractor's License No.	01/10/08	And th This V	nis record is tru Vater Well Red By	e to the best of more was complete (signature)	y knowledged on (mo/cadley J	ge and belief. Kansas day/yr) 02/08/08 Johnson