WATER WELL RECORD Form WWC-5 KSA 82a-1212 ID No.

TILOCATIO	N OF WATER	WFII:	Fraction			Sect	ion Number	Township Nu	mber	Raino	e Number
County:	_		SW 1/4	SF 1/	sw		9	T 27		R	. —
			vn or city street ad						3		
	arwise, Wic		ni or only street ac	dress of well is	located with	in City:					
			Ramaley, Bro	enntag Dire	ector. En	vironm	ent. Hea	th and Safety	,		
_	iress, Box #		•		,		,	Board of Agric		sion of Wa	ter Resources
			ng, PA 1961	2				Application Nu	,	51011 01 1 14	ter resources
LOCATE	WELL'S LOCA	TON WITH	ig, 1 A 1001	-				Application No	IIIDEI.		
3 AN "X" IN	SECTION BO	X:	DEPTH OF	COMPLETED V	VELL	37	ft. ELE	VATION:	1305	.17 (TO	C)
₹		1	Depth(s) Ground	water Encount	ered 1		f	. 2	ft.	3	ft.
<u> </u>	, i	! NF	WELL'S STATIC	WATER LEVE	EL 11.9	90 ft.	below TOC	measured on mo/d	av/vr	0,	1/30/08
	:	:	1					t. after			nom
<u>₽</u> W		<u> </u>						t. after			
]]	Dave Hele Diese	9pm. v	in to	37	5	th and	ıouis p	diriping _	9p111
	-sw	SE	WELL WATER	O BE LISED A	S 5 Publi	ic water si	inoly	ft. and 8 Air condition 9 Dewatering	!!! nina 11	. to Liniection	well
	3,00	٠ <u>٠</u>	1 Domesti	3 Feed lot	6 Oil fie	eld water	supply	9 Dewatering	12	Other (S	pecify below)
↓	х		2 Irrigation	4 Industria	l 7 lawn	and gard	en (domest	c) 10 Monitoring	well		
	S							Yes No X			
				bacteriological	sample subi	milled to L					•
5 = 1 = 0 =			submitted	5				ater Well Disinfecte			No X
	BLANK CASI							CASING JOIN			Clamped
1 Ste		3 RMP	(SR)	6 Asbesto	s-Cement	9 Other	(specify belo	ow)	Weld		
2 PVC	<u> </u>	4 ABS		7 Fibergla	ss				Thread	led	Flush
Blank casing	diameter	2	in. to 32	ft., Dia		in. t	0	ft., Dia		in. to	ft.
Casing heigh	nt above land s	urface F	lushmount	in., weight	0.7	' 03	lbs./ft.	Wall thickness or	gauge No.	S	CH. 40
			N MATERIAL:			7	PVC	10 Asbe	stos-ceme	nt	
1 Stee	el	3 Stainle	ess steel	5 Fibergla	ss						
2 Bras		4 Galva	nized steel	6 Concrete	e tile	9	ABS	11 Othe 12 None	used (ope	n hole)	
SCREEN OF	R PERFORATI				5 Gauzed	wrapped		8 Saw cut		11 None	(open hole)
1 Con	ntinuous slot	3	Mill slot		6 Wire wra	pped		9 Drilled holes			
2 Lou	vered shutter	4	Key punched		7 Torch cu	rt		10 Other (speci	fy)		
SCREEN-PE	ERFORATED!	NTERVALS	: From	32 ft	to	37	ft.	From	ft. t	0	ft.
								From			
GR/	AVEL PACK IN	TERVALS:	From	30 ft	. to	37.5	ft.	From	ft. t	0	ft.
			From		. to		ft.				ft.
6 GROUT	MATERIAL:	1 Nest				3 Ben		4 Other			
				II. From		n. ı		ft. From			
		•	contamination:	7	Dia makes			stock pens		andoned w well/ Gas	
								storage		well/ Gas ler (specify	
	ver lines		5 Cess pool		Sewage lag	30011		lizer storage	16 0(1	ier (specir	y below)
	tertight sewer l	ines	6 Seepage pit	9	Feedyard			cticide storage			
Direction fro FROM		CODE	LITHO	LOGIC LOG		FROM	How man		JGGING IN	TERVALS	<u> </u>
0	8		Ity Clay	20010 200		1110111	1 10		,00,110 11	TERV/LE	
8	37.5		and						·		
	07.0	- 0.									
	 			. 1							
] 1										
7 CONTRA	ACTOR'S OR I	ANDOWNE			er well was (1) construc	cted, (2) rec	onstructed, or (3) pl	ugged unde	er my juri s	diction and was
	ACTOR'S OR I			14/08	er well was (and th	nis record is	true to the best of r	ny knowled	ge and be	elief. Kansas
 completed c	on (mo/day/yr)		01/1		er well was (and th	nis record is		ny knowled	ge and be	elief. Kansas
completed of Water Well I	on (mo/day/yr) Contractor's Li usiness name	cense No.	01/1 Geotechni	14/08 531 cal Service	es Inc.	and th	nis record is Vater Well F (signature)	true to the best of r	ny knowled ed on (mo/	ge and be	elief. Kansas 02/04/08