WATER WELL RECORD Form WWC-5 KSA 82a-1212 ID No.

1 LOCATIO	ON OF WATER	R WELL:	Fraction				Sect	ion Number	Town	ship Numbe	r I	Range Numb	er
	Seg		SW		E 1/2	SW		9	Т	<u>.</u>	1	₹ 1	Ε
Distance and	d direction from	m nearest tow							_ t				
	WELL OWNE		Ramalev.	Brennt	ag Direc	tor. Er	vironm	ent. Hea	Ith and S	Safety			
	dress, Box #				g	,		,		of Agriculture	Division o	f Water Reso	ources
	ZIP Code			1612						ation Number		n vater nest	701003
3 LOCATE	WELL'S LOC	ATON WITH	19,774 14		- 1				Арріісе	tion radinger	·		
3 AN "X" IN	WELL'S LOC N SECTION BO	OX:	4 DEPTH	OF COMP	LETED WE	ELL	25	ft. ELE	VATION:	1	305.20	(TOC)	
1			Depuis) Or	our lawater	LINCOUNTE	cu 1 -		'	· · · · · · · · · · · · · · · · · · ·		. ''. ''		ft.   5
	NW	- NE	WELL'S ST.	ATIC WAT	ER LEVEL	. 11	.97 ft.	below TOC	measured o	on mo/day/yr		01/30/0	8 7
	i	i	1							h			gpm
₩ W	<del></del>	- <del></del> E	Est. Yield		gpm: We	ell water w	/as		ft. after	ho	ours pumpir	ng	gpm i
			Bore Hole D WELL WAT 1 Dom	Diameter	8.25	in. to	25	.5	ft. and		in. to		ft.
<b> </b>	sw	- SE	WELL WAT	ER TO BE	USED AS	: 5 Pub	lic water s	upply	8 Air c	conditioning	11 Inje	ction well	
	x	i	1 Dom	nestic 3	Feed lot	6 Oil i	held water	supply	9 Dew	atering	<b>1</b> 2 Oth	er (Specify b	elow)
\	S		1							nitoring well			
	3		Was a chen	nical/bacte	riological s	ample sul	bmitted to [	Department?	Yes	No X	f yes, mo/d	ay/yr sample	was
			submitted					Wa	ater Well Dis	sinfected? Y	es	No X	
5 TYPE OF	F BLANK CAS	ING USED:		5	Wrought in	on	8 Concr	ete tile	CASIN	IG JOINTS:	Glued	Clampe	d
1 Ste	el	3 RMP(	(SR)	6	Asbestos-0	Cement	9 Other	(specify belo	ow)				
2 PV	С	4 ABS		7	Fiberglass					1	hreaded	Flus	h
Blank casing	g diameter	_ 2	in. to	15	ft., Dia						in. to	)	ft.
Casing heig	ht above land	surface F	lushmou	nt in w	veiaht	0.	703	lbs./ft.	Wall thickr	ness or gaug	e No.	SCH. 4	0
TYPE OF S	ht above land CREEN OR P	ERFORATIO	N MATERIAL				7	PVC	1	0 Asbestos	cement		
1 Ste	el	3 Stainle	ess steel	5	Fiberglass					1 Other (spe			
2 Bra	iss		nized steel			ile	9	ABS	1	2 None use			
SCREEN O	R PERFORAT	TION OPENIN	IGS ARE:		5					cut	11 1	None (open h	nole)
1 Cor	ntinuous slot	3	Mill slot		6	Wire wr	apped						
2 Lou	uvered shutter	4	Key punche	d	7	Torch c	ut		10 Othe	r (specify)			
SCREEN-P	ERFORATED	INTERVALS:	: From _	15	ft. to	o	25	ft.	From		ft. to		ft.
			From		ft. to	0		ft.	From		ft. to		ft.
GRA	AVEL PACK II	NTERVALS:	From	13	ft. to	0	25.5	ft.	From		ft. to		ft.
			From		ft. to	0		ft.	From		ft. to		ft.
6 GROUT	MATERIAL:	1 Neat	cement	2 Cen	nent grout		3 Ber	ntonite	4 Other				
Grout Interv	als From	1	ft. to	13 f	t. From		ft.	to	ft.	From	ft.	to	ft.
	nearest sourc									1			
1 Sep	ptic tank		4 Lateral I	ines	7 F	Pit privy		11 Fuel	storage	1	5 Oil well/	Gas well	
2 Sev	wer lines		5 Cess po	ol	8 5	Sewage la	agoon	12 Ferti	ilizer storage	e 1	6 Other (sp	pecify below	)
3 Wa	atertight sewer	lines	6 Seepag	e pit	9 F	eedyard		13 Inse	cticide stora	ige			
Direction fro	m well?							How man	y feet?				
FROM	TO	CODE		THOLOGIC	CLOG		FROM	ТО		PLUGGI	NG INTER	VALS	
8	8 25.5		Ity Clay and	·		·			-				$\overline{}$
0	25.5	38	iiiu										
	<del> </del>						<b></b>	1					
								-					
									ļ				
							<u> </u>						
								-	<del> </del>		·		
7 CONTE	ACTOR'S OR	LANDOMAIS	D'S CEDTIE	CATION	This water	woll was	(1) constru	cted (2) ===	onetrusted	or (3) ph.sss	d under	iuriedictica	nd was
<del></del>					•							-	1
1	on (mo/day/yr)			01/14/08						est of my kn			
I	Contractor's L				31				111	completed of	n (mo/day/y	r) 02/0	4/08
	usiness name		Geotec	nnical	Services	inc.		y (signature)			7	of \A/2:20 400	10 6 14/
INSTR	UCTIONS: Ple	ase till in blank	ks and circle th	re correct a	nswers. Ser	na inree co	ples to Kan	sas Departme	OWNER 20	and Environm	rnt, Bureau (	orvvater, 100 łe	U O VV