411001=	AU AC	114151		R WELL RECOR	D Form WW	,		12 ID No		
	ON OF WATER		Fraction	05	0147	Section Nu	umber	Township Num	1	Range Number
	Segv		SW ½					T 27	S	R 1 E
1520 N. E	Barwise, Wid	chita	n or city street add							
2 WATER	WELL OWNER	: Peter f	Ramaley, Brei	nntag Direc	ctor, Envir	onment,	Healt	h and Safety		
RR#, St. Ad	ldress, Box #	: PO Bo	x 13786					Board of Agricult	ure, Divisio	n of Water Resources
City, State,	ZIP Code	Readir	ng, PA 19612					Application Numb	oer:	
3 LOCATE AN "X" II	WELL'S LOCA N SECTION BO	ATON WITH X:	4 DEPTH OF CO	MPLETED WE	ELL	38 ft.	ELEV	ATION:	1306.5	4 (TOC)
† F			Depth(s) Groundw	ater Encounter	ed 1		ft.	2	ft. 3	01/30/08
	NW	NF	WELL'S STATIC	NATER LEVEL	13.53	ft. below	TOC m	easured on mo/day	/yr	01/30/08
1	i	``	I .							ping gpm
. W ₹		∔ ■ E	Est. Yield	gpm: We	ll water was		ft.	after	hours oum	aping gpm gpm gpm
7	[1	Bore Hole Diamet	er 8.25	in to	38.5		ft and	in to	niection well
	sw	SE	WELL WATER TO	BE USED AS:	5 Public w	ater supply	••••	8 Air conditionin	g 11 li	njection well
		i	1 Domestic	3 Feed lot	6 Oil field	water supply	,	9 Dewatering	12 (njection well Other (Specify below)
† L	X	!						10 Monitoring w		
	S									o/day/yr sample was
			submitted					er Well Disinfected?	•	
5 TYPE O	F BLANK CASI	NG USED:		5 Wrought Ire	on 8 (Concrete tile				Clamped
			SR)						_	Gramped
		_				onier (speci	y DEIOW	,	Welded	Fluch
2 PV		4 ABS		7 Fiberglass						Flush
Blank casing	g diameter	2	in. to 33	ft., Dia		in. to		ft., Dia	in.	to ft.
Casing heig	tht above land s	surface F	lushmount ii	n., weight	0.703		lbs./ft.\	Wall thickness or ga	uge No.	SCH. 40
TYPE OF S	CREEN OR PE	RFORATIO	N MATERIAL:					10 Asbesto		
1 Ste	eel	3 Stainle	ess steel	5 Fiberglass		8 RMP 9 ABS	(SR)	11 Other (:	specify)	
2 Bra	ass	4 Galvar	nized steel	6 Concrete ti	ile	9 ABS		12 None u	sed (open h	nole)
SCREEN O	R PERFORATI					•		8 Saw cut	11	None (open hole)
1 Co	ntinuous slot	3	Mill slot	6	Wire wrappe	d		9 Drilled holes		
2 Lou	uvered shutter	4	Key punched		Torch cut			10 Other (specify)		
SCREEN-P	ERFORATED I	NTERVALS:	From	33 ft. to		38	ft. Fr	om	ft. to	ft.
										ft.
GR.	AVEL PACK IN	TERVALS:	From	31 ft. to	3	8.5	ft. Fr	om	ft. to	ft.
			From)					ft.
6 GROUT	MATERIAL:	1 Neat o	cement 2			3 Bentonite] .	4 Other		
								ft From		ft. to ft.
	nearest source			11. 170111						doned water well
	ptic tank	oi possible (7 0	Dit privy					1
	wer lines		5 Cess pool		^p it privy Sewage lagoor			torage er storage		(specify below)
	wer lines atertight sewer l	ines	6 Seepage pit		eedyard			icide storage	10 Other	(specify below)
Direction fro	•		o deepage pit	3 1	Couyaiu		many f	-		
FROM		CODE	LITHOLO	OGIC LOG	F		O		GING INTE	RVALS
0	8		ty Clay							
8	38.5		nd					***************************************		
								····		
· · · · · · · · · · · · · · · · · · ·									···. ··· · · · · · · · · · · · · · · ·	
·										
• • • • • • • • • • • • • • • • • • • •										
	1									
						onstructed, (2) recor	nstructed, or (3) pluge	ged under m	ny jurisdiction and was
completed of	on (mo/day/yr)		01/14	/08		and this reco	ord is tru	ue to the best of my	knowledge	and belief. Kansas
				531		This Water \	Well Re	cord was completed	on (mo/day	y/yr) 02/04/08
	usiness name o		Geotechnica	al Services		by (sign		Wand de		
INSTR	UCTIONS: Plea	se fill in blank	s and circle the corre	ct answers. Sen	d three copies t	o Kansas De	partment	of Health and Enviror	rhent, Burea	au of Water, 1000 S W
Jackso	on St., Ste. 420, T	opeka, Kansa	as 66612-1367. Teler	phone: 913-296-	5545. Send on	e to WATER	WELL O	WNER and retain one	for your rece	ords.