	WATER WELL RECORD Form WWC-5 KSA 82a-1212 ID No MW-9	
LOCATION OF WATER WELL:	Fraction Section Number Township Number Range Numb	ber
County: Sedgwick		€ ₩
	n or city street address of well if located within city?	•
45 S. Rock Island Street, Wichi		
WATER WELL OWNER: City of	Wichita	
R#, St. Address, Box # : 1900 E.	. 9" Street Board of Agriculture, Division of Water Reso	ources
City, State, ZIP Code : Wichita	A, Kansas 67214 Application Number:	
LOCATE WELL'S LOCATON WITH	4 DEPTH OF COMPLETED WELL 30.0 ft. ELEVATION:	
AN "X" IN SECTION BOX:		
	Depth(s) Groundwater Encountered 1 18.0 ft. 2 ft. 3	ft.)8
• • • • • • •	WELL'S STATIC WATER LEVEL 17.43 ft. below land surface measured on mo/day/yr 03/04/0	<u>'</u>
NWNE	Pump test data: Well water wasft. afterhours pumping	gpm
	Est. Yield NA gpm: Well water was ft. after hours pumping	gpm
⁸ ₩ E	Bore Hole Diameter 8.5 in. to 30.0 ft. and in. to	ft.
	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify b	
X ₃ W SE	2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 0 Monitoring well	
<u> </u>	Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample	
	submitted Water Well Disinfected? Yes No	
5 TYPE OF BLANK CASING USED:	5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamper	
1 Steel 3 RMP (S		
(2) PVC 4 ABS	7 Fiberglass Threaded X	
Blank casing diameter 2.375	in. to 10.0 ft., Dia in. to ft., Dia in. to	ft.
Casing height above land surface Flu	ush Mount in., weight Ibs./ft. Wall thickness or gauge No. Schedule	40
	I MATERIAL: (7) PVC 10 Asbestos-cement	
	ss steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	
	ized steel 6 Concrete tile 9 ADS 12 None used (open noie)	
SCREEN OR PERFORATION OPENING	GS ARE:5Gauzed wrapped8Saw cut11None (open hMill slot6Wire wrapped9Drilled holes	
	Key punched 7 Torch cut 10 Other (specify)	
	From 30.0 ft. to 10.0 ft. From ft. to ft. to	ft.
	Fromft. toft. Fromft. to	ft
GRAVEL PACK INTERVALS:	From 30.0 ft. to 8.0 ft. From ft. to	^{π.} ft
	Emm fi to fi Emm fi to	ft
6 GROUT MATERIAL: 1 Neat co	From ft. to ft. From ft. to ement Ocement grout Bentonite 4 Other	
	ft. to 1.5 ft. From 1.5 ft. to 8.0 ft. From ft. to	 4
What is the nearest source of possible c		
	4 Lateral lines 7 Pit privy (11) Fuel storage (former) 15 Oil well/ Gas well	···
-	5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)	、 I
	6 Seepage pit 9 Feedyard 13 Insecticide storage	′
Direction from well?	North-northeast How many feet? 135	
FROM TO CODE		
	material, dark brown-black clay, brick, mortar, friable, very moist	
	k brown very silty clay, firm, very moist-moist	
	wn sandy clay, friable, moist	
7.0 14.0 Lig	ht brown-brown fine grained sand, moist	
	own-dark brown fine grained sand, moist, wet @18'	
	rk brown fine-medium grained sand, slightly gravely, well sorted, sub-rounded, wet	
25.0 30.0 Dar	rk brown medium-coarse grained sand, gravely, well sorted, sub-rounded, wet	
	Fluch mount wall completion waiver evictant for site	
	Flush-mount well completion waiver existent for site.	
		A
	R'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction an	dwas
completed on (mo/day/yr)		
Water Well Contractor's License No.		
under the business name of	Quad State Services, Inc. by (signature) / MU / W s and circle the correct answers. Send three copies to Kansas Department of Health and Environment/Bureau of Water, 1000	osw
Jackson St., Ste. 420, Topeka, Kansas	s 66612-1367. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.	<i>ν</i> .