WATER WELL RECORD Form WWC-5 KSA 82a-1212									
1 LOCATION OF WATER WELL:				TION NUMBER TOWNSHIP NUMBER			RANGE NUMBER		
Sedgwick Sedgwick	NE 1/4 NW	1/4 SE	1/4	23	T 27	S	R I	E E/W	
Distance and direction from nearest town or city 125 S. Crestway Wi	ichita, Kansas	ithin city?							
2 WATER WELL OWNER: DOCKING, Tom									
RR#,ST. ADDRESS,BOX #: 125 S. Crestway Board of Agriculture, Division of Water Resource									
	hita, Kansas	ţ	ZIF	CODE:	,	Application Num	iber:		
3 LOCATE WELL'S LOCATION 4	DEPTH OF Phoggstald W	ELL: 38	ft.		ELEVATION:				
	pth of groundwater Encounte		ft.			ft.		ft.	
	ELL'S STATIC WATER LEVE	EL 15	FT. BELOV	V LAND SU	RFACE MEASUR	ED ON mo/d	ay/yr: 4/2	25/08	
1 NW NE	Pump test da				ft. after		of pumping @	gpm	
₩ F F F	Est. Yield: gpm Bore Hole Diameter	Well wate in.	r was to	ft.	ft. after and	hours in.	of pumping @ to	gpm ft.	
	/ELL WATER EABL USED A		10		and	9. Dewaterii		jection well	
	I. Domestic 3. Feedlot	5. Public water	rsupply <	7. Lawn a	nd garden only	9. Dewatern	.9	(Specify below)	
	2. Irrigation 4. Industria			8. Air con	-	10. Monitorin	_	wae eamnla	
	Was a chemical/bacteriological sai ubmitted	mple submitted to De	partment?	YES Was V	NO Vater Well Disinfed		vhat mo/day/yr	NO	
5 TYPE OF CASING USED:		7 Fiberalese	9. Ott	ner (Specify		IG JOINTS:	Glued	Threaded	
1. Steel 3. RPM (S	•	7. Fiberglass		ю. (орос)	20.011,		Welded	Clamped	
2. PVC 4. ABS	6. Asbestos-Cement	8. Concrete tile	•						
Blank casing diameter 12	in. to ft.	, Dia.	in.	to	ft., Di	a.	in. to	ft.	
Casing height Land surface: 9 in., Weight: lbs. / ft. Wall thickness or gauge No.									
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) N/A									
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) 11/A 2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
1. Continuous slot 3. Mill s		rapped	7. Tor	ch cut	9. Drille d	holes	11. None	(open hole)	
2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify) N/A									
SCREEN - PERFORATION INTERVAL	From	ft. to ft. to		ft.,	From	ft.	to	ft.	
CDANEL DACK INTERVALS:	From	ft. to		ft.,	From From	ft.	to	ft.	
GRAVEL PACK INTERVALS:	From	ft. to		ft.,	From	ft.	to	ft.	
6 GROUT MATERIALS: 1 Next	From			ft.,		ft. Other hent	to	ft.	
GROUT MATERIALS: 1. Neat cement 2. Cement Grout 3. Bentonite Other bentonite hole plug Grout Intervals: From ft. to ft., From ft. to ft., From 11 ft. to 25 ft.									
What is the nearest source of possible of	contamination:								
1. Septic tank 4. Lateral lines						13. Insecticide storage 15. Oil well/Gas well 14. Abandon water well 16. Other (specify below)			
2. Sewer lines 5. Cess Pool 6. Sewage lageon 14. Abaltuon water well							(specify below)		
3. Watertight sewer line 6. Seepa	age pit 9. Feed ya	rd 1:	2. Fertilizer	storage	How man	y feet? 85			
From To	LITHOLOGIC LOG		From	То	How man		OGIC LOG		
110111	EITHOLOGIO LOG		0	8	compacted ea		7010 200		
			8	11	concrete				
			11	25	bentonite ho	<u>e plug</u>			
			25	38	well gravel				
7 Contractor's or Landowner's Certification: This water well was 1, constructed 2, reconstructed or 3, plugged under my jurisdiction and									
was completed on (mo/day/year) 4/25/2008 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 4/28/2008									
under the business name of Harp Well and Pump Service by (signature) Todd S. Harp									