331 300 1	NO. 007 10	•			LL BECC)DD	~ \A/\A/C E	VCA	000 1	040 ID	No			г	Z- 33
1 II OCATIO	N OF WATER	R WFII:		VATER WE	LL RECC	ORD Forr		tion No		212 ID	nship Nu		Ran	nge Numbe	er
County:		wick	NW	1/4 N	IE ½	NE		9		Т Т	<u>.</u>	S	R	1	Ĕ
			wn or city stree							· · · · · ·			1	···········	
South of C	ar Smart Au	to Dealers	hip, SW of In	tersectio	n of 21°	st St. N. an	d New Yo		in City	Right-c	f-Way S	outh of 2	1 st St \	Wichita	
			so Mercha		gy-Pe	troleum	Compa	ıny							
			levada Av							Board	of Agric	ulture, Divi	sion of W	ater Reso	urces
City, State, Z	IP Code	: Color	ado Spring	gs, CO	80903	3				Applic	cation Nu	mber:			
	WELL'S LOC	ATON WITH	Depth(s) Gro	OF COMP	I ETED I	WELL	2!	5 ft	FLE\	/ATION:					
70' }	:		Depth(s) Gro	oundwater	Encoun	tered 1	15	5.5	ft	2		ft	3		ft
	; I	;	WELL'S ST												
	NW	NE				Well water v									
₩ ₩			Est. Yield												
-			Bore Hole D	liameter	8.25	in to	2	5	''	ftand		inouis p	to		gpiii
	-sw	SF	Bore Hole D WELL WAT 1 Dom	ER TO BE	USED A	AS: 5 Pul	blic water s	supply		8 Air	condition	ning 1	1. Injectio	n well	IL.
	;	;	1 Dom	nestic 3	Feed lot	6 Oil	field water	supply	/	9 De	watering	1	2 Other	Specify be	elow)
† <u> </u>		<u>i</u>	2 Irriga	ation 4	Industria	al 7 Lav	wn and gar	den (de	omestic	c) 10 M	onitoring	well			
	S		Was a chem												
			submitted		-			•				d? Yes			
5 TYPE OF	BLANK CAS	ING USED:		5	Wrough	t Iron	8 Conc	rete tile				ITS: Glue			t
	el		(SR)		-								led		
2 PVC		4 ABS			Fibergla							Thread		Flust	n
	diameter	_			-		in	to		ft Dia		1111001	in to		
Casina beial	nt above land	curface I	Flushmou	nt in w	eicht	0	703		he /ft	It., Dia	kness or	gauge No	. "". 10	SCH. 40	
			ON MATERIAL		veigiti	· • • • •						stos-ceme		7.7.11.7.	·
1 Stee					Fiberola	ISS									
2 Bra			anized steel	6	Concret	e tile	9	ABS	(0.1)		12 None	used (ope	en hole)		
SCREEN OF	R PERFORAT					5 Gauze				8 Sav			-	ne (open h	ole)
1 Cor	ntinuous slot	3	Mill slot			6 Wire w	rapped			9 Drill	ed holes				
2 Lou	vered shutter	4	Key punched	d		7 Torch	cut			10 Oth	er (speci	fy)			
SCREEN-PE	ERFORATED	INTERVAL	S: From	10	ft	t. to	25		ft. F	rom		ft. t	to		ft.
			From		ft	t. to	 .		ft. F	rom		ft. 1	to		ft.
GRA	AVEL PACK II	NTERVALS:	From	7.7	ft	t. to	25		ft. F	rom		ft. t	to		ft.
			From			t. to			ft. F	rom		ft. 1	to		ft.
6 GROUT	MATERIAL:	1 Near	t cement	2 Cen	nent grou	ut	3 Ве	ntonite	ł	4 Other					
			ft. to												
			contamination									14 Ab			
1 Sep	otic tank		4 Lateral l	ines	7	Pit privy		11	Fuel	storage		15 Oil	well/ Ga	s well	
2 Sev	ver lines		5 Cess po			Sewage I	•	12	Fertil	izer stora	ge	16 Otl	her (spec	ify below)	
3 Wa	tertight sewer	lines	6 Seepage	e pit	9	Feedyard		13	Insec	ticide sto	rage				
Direction fro									v many	feet?					
FROM	TO	CODE		THOLOGIC	CLOG		FROM	_	го		PLU	JGGING IN	NTERVA	LS	
2	2 5.5		andy Clay ilty Clay, d		/n		+								
	5.5		andy Clay			h orange	-	-							
			on staining, f												
5.5	8		and			,									
			ilty Sand,												
•	40	,	on staining, f	fine to m	edium g	rained									
8	12		and	FALLE 155	mu fina A	o fine	-								
12	17	1	and, light b rained	rown, ve	ry fine t	o tine									
12			and, gray b	rown. me	edium to	verv		-							
17	25		oarse graine			- · · · · ·									
			*												
7 CONTRA	ACTOR'S OR	LANDOWN	ER'S CERTIFI	CATION:	This wat	er well was	(1) constru	ucted,	(2) reco	nstructed	, or (3) pl	ugged und	er my juri	sdiction an	nd was
completed o	n (mo/day/yr)			04/24/08	3		and t	this rec	ord is t	rue to the	beat of n	ny knowied	dge and b	elief. Kar	nsas
Water Well	Contractor's L	icense No.		5	31							ed n (mo			
under the bu	usiness name	of	Geotec	hnical S			t	y (sign	ature)	May 1	/L /	14			
INSTRU	JCTIONS:. Ple	ase fill in blar	nks and circle th	e correct a	nswers. S	Send three c	opies to Kar	nsas De	partme	nt of Healt	n and Er	rooment, B	ureau of V	Vater, 1000	SW
Jacksoi	n St., Ste. 420,	Topeka, Kan	sas 66612-1367	. Telephor	ne: 913-2	96-5545. Se	end one to V	VATER	WELL (OWNER a	nd retain o	ne for your	records.		