			WATER WELL RECORD Form WWC-5 KSA 82a-1212 ID No. AS-1	
1 LOCATIO	N OF WATE	R WELL:		Number
	Sed		SW 1/4 SE 1/4 SW 1/4 16 T 27 S R	1 (E)W
Distance and	direction fro		town or city street address of well if located within city?	
700 east c	entral Wic	hita, Kar	nsas 67202	
2 WATER	WELL OWNE	R: Steff	fen Dairy	
.— RR#, St. Add	fress, Box#	: 700	e central Board of Agriculture, Division of Wat	er Resources
City State 7	ID Code	· Wict	hita, Kansas 67202 Application Number	
LOCATE	WELL'S LOC	ATON WIT	THI.	
AN "X" IN	SECTION B	OX:	DEPTH OF COMPLETED WELL 32.0 II. ELEVATION:	
	N		Depth(s) Groundwater Encountered 1 15.04 ft. 2 ft. 3	
↑ Γ			WELL'S STATIC WATER LEVEL 15.75 ft. below land surface measured on mo/day/yr	
	NOV	NE	Pump test data: Well water was ft. after hours pumping	gpm
	i	;	Est. Yield NA gpm: Well water was ft. after hours pumping	apm
∮ W	_ i L		E Bore Hole Diameter in. to ft. and in. to	
7			WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 17 hojection	well
	-sw	- SE	1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering (12 Other (S	pecity below)
	· ·	ÿ.	2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well Air s	parge
† L	Х	<u>. i</u>	Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr	sample was
	S			No X
5 TYPE OF	BLANK CAS	SING USER		Clamped
1 Ste			IP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded	
(2) PV		4 AB	C 7 Fiberales Throaded	
_				
Blank casing	diameter	2.3/5	in. to 30.0 ft., Dia in. to ft., Dia in. to	ft.
Casing heigh	ht above land	surface	Flush Mount in., weight Ibs./ft. Wall thickness or gauge No. Sch	adule 40
TYPE OF S	CREEN OR F	ERFORAT	TION MATERIAL: 7 PVC 10 Asbestos-cement inless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	
1 Ste 2 Bra			hunized steel 6 Consents tile 0 APC 12 None uned (open hele)	
				(onen hole)
	ntinuous slot		NINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None 3) Mill slot 6 Wire wrapped 9 Drilled holes	(open note)
	vered shutter		* Key punched 7 Torch cut 10 Other (specify)	
	ERFORATED		LS: From 32.0 ft. to 30.0 ft. From ft. to	A
OOKELINI		1141 -11474	From 8 to 8 From 8 to	
on.	WEL BAOK	AITEM (A)	From ft. to ft. From ft. to	
GR/	AVEL PACK I	NIERVAL		i
			From ft. to ft. From ft. to	ft.
			eat cement 2 Cement grout 3 Bentonite 4 Other sand	
Grout Interv	als From		ft. to ft. From 4.0 ft. to 29.0 ft. From 0.0 ft. to	
What is the	nearest sourc		ole contamination: 10 Livestock pens 14 Abandoned w	ater well
1 Sep	otic tank		4 Lateral lines 7 Pit privy (11) Fuel storage (former) 15 Oil well/ Gas v	1
	wer lines		5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify	below)
3 Wa	tertight sewe	lines	6 Seepage pit 9 Feedyard 13 Insecticide storage	
Direction fro	m well?		NA How many feet? 0	
FROM	TO	CODE	LITHOLOGIC LOG	
0.0	0.5		Gravel	
0.5	4.0		Light brown silty clay	
4.0	8.0		Light brown silty clay firm	
8.0	13.0		Light brown silty sandy clay firm	
13.0	26.0		Light Brown sand medium grain	
26.0	32.0		Light brown sand medium-coarse grain	
	ļ			
ļ	<u> </u>		Boring terminated @ 32.0	
		1		
			Flush manufacial agent dates and death for site	
			Flush-mount well completion waiver existent for site.	
				// -
			——————————————————————————————————————	/_/_
7 CONTR	ACTOR'S OF	I ANDONA	NED'S CEDTIFICATION: This water well was 41 Appetended (2) means trusted as (2) always district.	etion/and
_			NER'S CERTIFICATION: This water well was (1) Jonstructed, (2) reconstructed, or (3) plugged under my jurisdi	
			01/08/08 and this record is true to the best of my knowledge and be	
1341-4341-H		icones No	This Motor Molt December complete dish implificables	03/20/98
vvater vveii	Contractors	TICELISE 140		-#-7
under the b	usiness name	of	Quad State Services, Inc. by (signature) lanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau of Wa	W/