SVE-4	
Number Range Number S R 1 (E)W	
riculture, Division of Water Resources Number:	
ft. 3 ft.	유
d on mo/day/yr	쯦
hours pumping gpm	CE USE ONLY
in. to ft.	2
ng (12) Other (Specify below) ing well SVE Well	_
X If yes, mo/day/yr sample was	
cted? Yes No X	
DINTS: Glued Clamped Welded	
Threaded X	
in. to ft.	
or gauge No. Schedule 40 sbestos-cement	
ther (specify)	_
one used (open hole) 11 None (open hole)	•
es	
ecify)	
ft. toft.	_
ft. to ft.	20
nd	
0.0 ft. to 2.0 ft. 14 Abandoned water well	
15 Oil well/ Gas well 16 Other (specify below)	
0	
	 <u> </u>
	Ĕ

1 LOCATION OF WATER WELL: Fraction Section Number Township NW 1/4 Sedgwick SE ½ NW 27 County: 1/4 Distance and direction from nearest town or city street address of well if located within city? 1202 S Washington Wichita, Kansas 67211 2 WATER WELL OWNER: Stewart Enterprises RR#, St. Address, Box# : 1202 S Washington Board of Ad : Wichita, Kansas 67211 City, State, ZIP Code Application LOCATE WELL'S LOCATON WITH 4 15.0 ft. ELEVATION: DEPTH OF COMPLETED WELL AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1 17.40 ft. 2 WELL'S STATIC WATER LEVEL 17.0 ft. below land surface measure Pump test data: Well water was ft. after ŃW NE Est. Yield NA gpm: Well water was ft. after x Bore Hole Diameter 10.5 in. to 17.0
WELL WATER TO BE USED AS: 5 Public water supply W 1 Domestic 3 Feed lot 6 Oil field water supply N2 SE 2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitor Was a chemical/bacteriological sample submitted to Department? Yes No submitted Water Well Disinfe 5 TYPE OF BLANK CASING USED: 8 Concrete tile 5 Wrought Iron CASING JO Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) 4 ABS 7 Fiberglass 10 ft., Dia in. to ft., Dia Blank casing diameter 4.0 in. to Flush Mount in., weight lbs./ft. Wall thickness Casing height above land surface 7 PVC " TYPE OF SCREEN OR PERFORATION MATERIAL: 10 A: 1 Steel 5 Fiberglass 5 Fiberglass 8 RMP (6 Concrete tile 9 ABS 8 RMP (SR) 3 Stainless steel 11 O 2 Brass 4 Galvanized steel 9 ABS
5 Gauzed wrapped
6 Wire wrapped 12 No SCREEN OR PERFORATION OPENINGS ARE: 8 Saw cut 1 Continuous slot Mill slot Key punched 9 Drilled hole 2 Louvered shutter 7 Torch cut 10 Other (sp SCREEN-PERFORATED INTERVALS: From 15.0 ft. to 5.0 ft. From From ft. to ft. From From 15.0 ft. to 4.0 ft. From **GRAVEL PACK INTERVALS:** From ft. to ft. From 3 Bentonite 4 Other San 1 Neat cement 6 GROUT MATERIAL: 2 Cement grout Grout Intervals From ft. to ft. From 2.0 ft. to 4.0 ft. From What is the nearest source of possible contamination: 10 Livestock pens (11) Fuel storage (former) 1 Septic tank 4 Lateral lines 7 Pit privy 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage Direction from well? NA How many feet? CODE FROM LITHOLOGIC LOG 0.0 2.0 Dark brown silty clay firm 2.0 9.0 Dark Brown silty clay, firm, stiff 9.0 11.0 Light brown silty sand fine grain Light brown sand fine grain 11.0 13.0 13.0 15.0 Dark gray sand fine grain Boring terminated @ 15.0 Flush-mount well completion waiver existent for site. 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and/was completed on (mo/day/yr) 3/20/08 and this record is true to the best of my knowledge and belief. Kansas 692 Water Well Contractor's License No. This Water Well Record was completed of me/day Quad State Services, Inc. under the business name of by (signature) INSTRUCTIONS:. Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.

WATER WELL RECORD Form WWC-5

KSA 82a-1212 ID No.