				WATE	R WELL RE	ECORD For	m WWC-5	KSA	82a-1212	ID N	lo	A	S-6		
1 LOCATIO	ON OF WATE						4 -	ection Nu	mber	Town	ship Nur	nber	Rang	ge Num	_
County:		wick		N 1/4			1/4	28		<u>T</u>	27	S	R	1	
	d direction from				dress of we	ell if located w	ithin city?								
	ashington \														
	WELL OWNE														
RR#, St. Add	dress, Box#	: 1202	S Wash	ningtor	1					Board	of Agricu	lture, Div	rision of Wa	ater Res	ources
City, State, 2	ZIP Code	: Wichi	ta, Kan	sas 67	211					Applica	tion Nun	nber:			
3 LOCATE	WELL'S LOC N SECTION B	ATON WITH	1 4 55	TH OF C	OMOLETE	D MACH	•	2 4	ELEVAT	ION:					
	N SECTION B	UA:	Down) O	OMPLEIC	D WELL		7 70	ELEVAI	ION.					
						ountered 1									
1			WELL'S			EVEL									
	n i w -	- NE				Well water									
	×	i	Est. Yie	id N	gpm:	Well water	was		ft. af	fter		_ hours	pumping	-	_ gpm
£ w	- 	┿┷┪╒	Bore H	ole Diame	eter	in. to DAS: 5 Pe		,	ft.	and		i	n. to		ft.
7	. i I		WELL	NATER T	O BE USE	DAS: 5 P	ublic water	supply		8 Air c	condition	ing	Injection	n well Specific	halaw)
	sw	- SE	'	Lomesuc	. 3 reeu	1101 6 0	n neid wate	er supply		40.14	ratering	('	Air	specily Sparn	Delow)
	i	i 1	l 2	imgation	4 Indus	strial 7 La	wn and ga	argen (go	mesuc)	10 M	mitoring	well		Spary	
ا لله	`	اسني	1		bacteriolog	ical sample s	ubmitted t	o Departr							
	S		submitt	ed									·		
5 TYPE OF	F BLANK CAS	SING USED:				ught Iron		crete tile			NG JOIN		ed		
1 Ste		3 RMP	(SR)		6 Asbe	stos-Cement		• • •	,			Weld	ded		
(2)PV	C	4 ABS			7 Fiber	rglass						Thre	eaded	X	
Blank casing	g diameter _	2.375	in. to	30.	0 ft., i	Dia	ir	ı. to	f	ft., Dia			in. to		ft.
	ht above land														
TYPE OF S	CREEN OR P	ERFORATION	ON MATE	RIAL:			()	7) PVC		1	0 Asbet	stos-cem	ent		
1 Ste	el	3 Stain	less steel	l	5 Fiber	rgiass		RMP (SR)	1	1 Other	(specify))		
2 Bra	ISS	4 Galv	anized ste	eel	6 Cond	crete tile		9 ABS		1	2 None	used (op	en hole)		
	R PERFORA	_				5 Gauz 6 Wire	ed wrappe	d			cut		11 None	e (open	hole)
	ntinuous slot										d holes				
2 Lou	uvered shutter	•				7 Torch			11	0 Othe	r (specif	ý)			
SCREEN-P	ERFORATED	INTERVAL	S: Fro	m	32.0	ft. to 30.	<u> </u>		_ft. From	m		ft.	to		ft.
			Fro	m		ft. to			ft. Fror	m		ft.	to		ft.
GR	AVEL PACK I	NTERVALS:	Fro	m	32.0	ft. to	29.0)	ft. From	m		ft.	to		ft.
			Fro	m		ft. to	_		ft. Fror	m		ft.	to		
6 GROUT	MATERIAL:	1 Nea	t cement	2	Cement	rout	(3)	entonite	1	Other	Sand				
Grout Interv	als From		ft to	_	ft Fr	nn 4.	.0 6	to	29.0	ノ゛	From	0.0	ft. to	4.0) n
	nearest source						·		Livestoc				bandoned		
	ptic tank	o oi possibio				7 Pit privy			Fuel stor	•			il well/ Gas		U
	wer lines												ther (speci		٠,
_	atertight sewe			epage pit		9 Feedyar	_		Insectici				aioi (speci	iy below	"
Direction fro	•		J 366		NA	o i couyai	-		many fee		-g~		0		
FROM	TO	CODE			11/1		11	THOLOG		GLF					
0.0	.20		sphalt					moroo	10 200		·				
.20	2.0			wn silt	clay, fir	m									
2.0	8.0		ark Bro												
8.0	17.0				, fine gra	in, wet		······································	******						
17.0	25.0				nd , fine										
25.0	32.0			~~~~~	nd coarse										
					ed @ 32.										
					Flu	ush-mount	well co	mpletio	n waive	er exis	tent fo	r site.			
	ACTOR'S OR					water well wa									
completed	on (mo/day/yr			3/2	0/08								edge/and b		
Water Well	Contractor's I	icense No.			692								o/day/yry		0/0 8
under the b	usiness name	of		Quad	l State S	ervices,	nc.		by (s	signatu	re) '	' / ' KU		λVV	7
INSTR	RUCTIONS: PI	ease fill in bla	nks and cir	de the cor	rect answer	s. Send three	copies to K	ansas Der	partment o	f Health	and Envir	onment, E	Bureau of M	ater, 10	osw
Jackso	on St., Ste. 420.	Topeka, Kan	sas 66612	-1367. Te	lephone: 91	3-296-5545.	send one to	WATER	WELT OM	NER an	d retain o	ne fof you	r records/		