WATER WELL RECORD Form WWC-5 KSA 82a-1212 SECTION NUMBER LOCATION OF WATER WELL: TOWNSHIP NUMBER RANGE NUMBER Sedgwick NW 16 27 1/4 Т 1E s R E/W Distance and direction from nearest town or city street address of well if located within city? 720 E. 10th St. No. Wichita, Kansas **CREW CUT LANDSCAPE** WATER WELL OWNER: Board of Agriculture, Division of Water Resource RR#,ST. ADDRESS,BOX #: 720 E. 10th St. No. CITY, STATE: Wichita, Kansas ZIP CODE: Application Number: 4 DEPTH OF COMPLETED WELL: 40 **ELEVATION:** LOCATE WELL'S LOCATION ft. WITH AN "X" IN SECTION BOX: Depth of groundwater Encountered: ft. WELL'S STATIC WATER LEVEL 15 FT. BELOW LAND SURFACE MEASURED ON mo/day/yr: 6/17/08 Well water was Pump test data: ft. after hours of pumping @ NW NEapm gpm Est. Yield: Well water was ft. after hours of pumping @ gpm Ē 12 Bore Hole Diameter and WELL WATER TO BE USED AS: 11. Injection well 9. Dewatering 5. Public water supply 7. Lawn and garden only SE 3. Feedlot 1. Domestic 12. Other (Specify below) 10. Monitoring well 2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning ; If yes, what mo/day/yr was samp'e Was a chemical/bacteriological sample submitted to Department? (NO submitted Was Water Well Disinfected? YES 5 TYPE OF CASING USED: 9. Other (Specify below) CASING JOINTS: CGlued Threaded 5. Wrought Iron Fiberglass 3. RPM (SR) 1. Steel Clamped SDR-26 8. Concrete tile Asbestos-Cement 2. PVC 4. ABS Blank casing diameter 5 25 Dia. Dia ft. in to 12 Weight: 2.35 Casing height above land surface: in. Wall thickness or gauge No. lbs. / ft. .214 TYPE OF SCREEN OR PERFORATION MATERIAL: 7. PVC 11. Other (specify) 1. Steel 3. Stainless Steel 5. Fiberglass 9. ABS 2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 12. None used (open hole) 10. Asbestos-Cement SCREEN OR PERFORATION OPENINGS ARE 1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole) 2. Louvered shutter 4. Key punched 6. Wire wrapped 8. Saw cut 10. Other (specify) SCREEN - PERFORATION INTERVAL 25 From ft., From ft. ft. ft. From to ft.. From ft. ft. 25 GRAVEL PACK INTERVALS: ft. From to ft.. From ft. ft. From to ft.. From ft. **GROUT MATERIALS:** Other 2. Cement Grout 3. Bentonite bentonite hole plug Grout Intervals: From 4 24 From ft to From ft What is the nearest source of possible contamination: 7. Pit privy 10. Livestock pens 13. Insecticide storage 15. Oil well/Gas well 1. Septic tank 4. Lateral lines 16. Other (specify below) 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 2. Sewer lines 5. Cess Pool 9. Feed yard 12. Fertilizer storage 3. Watertight sewer line 6. Seepage pit Direction from well? How many feet? 10 ft. plus From To LITHOLOGIC LOG From Τo LITHOLOGIC LOG topsoil 15 fine sand 15 38 coarse sand 38 40 shale

Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. under my jurisdiction and 6-17-2008 was completed on (mo/day/year) and this record is true to the best of my knowledge and belief.

Kansas Water Well Contractor's License No. 236

This water well record was completed on (mo/day/year)

under the business name of Harp Well and Pump Service by (signature)

Todd S. Harb