LOCATION OF WATER WELL.		2a-1212						
	on Num	- 1	Township Number			Range Number		
unty: Sedgwick SE ½ SE ½ SE ½ stance and direction from nearest town or city street address of well if located within city?	20	T	2	27	S	R	1	E
5 S. Market - Wichita								
WATER WELL OWNER: T&B Corporation								
#, St. Address, Box # : 1955 S. Washington		В	oard of A	Agricultu	ıre, Divi:	sion of V	Vater Res	ources
v State ZID Code Wichita KS 67211			pplication	-				
LOCATE WELL'S LOCATON WITH						^= / <del>=</del>	00)	
AN X IN SECTION BOX: DEPTH OF COMPLETED WELL 23								
Depth(s) Groundwater Encountered 1								
NWNE WELL'S STATIC WATER LEVEL ft. b								
Pump test data: Well water was		ft. afte	r	<b>. </b>	hours p	umping		gpm
W Est. Yield gpm: Well water was		ft. afte	r		hours p	umping		apm
Bore Hole Diameter 10.25 in. to 23		ft. ar	nd		in	. to		ft.
SV SE WELL WATER TO BE USED AS. 5 Fublic water su	ppiy	0	All Coll	amoning	, יי	mjecu	on well	
1 Domestic 3 Feed lot 6 Oil field water si	upply	9	Dewate	ering	12	Other	(Specify	below)
2 irrigation 4 industrial 7 Lawn and garde								
Was a chemical/bacteriological sample submitted to De		-			-			
submitted		Water W						
TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concret				JOINTS	: Glued	d	Clampe	:d
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (s	specify	below)	_		Weld			
2 PVC 4 ABS 7 Fiberglass			<b>L</b>		Thread	led	Flus	h
ink casing diameter 4 in. to 8 ft., Dia in. to	)	ft.,	Dia			in. to		ft.
sing height above land surface Flushmount in., weight 0.703	lbs	s./ft. Wall	thicknes	s or gau	iae No.		SCH. 4	0
PE OF SCREEN OR PERFORATION MATERIAL: 7 F	PVC		10 /	Asbesto	s-ceme	nt		
1 Steel 3 Steinless steel 5 Fiberglass 8 F	DMD /S	D)						
2 Brass 4 Galvanized steel 6 Concrete tile 9 A	ABS	IX)	12 1	None us	sed (ope	n hole)		
REEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped		8	Saw cut					nole)
1 Continuous slot 3 Mill slot 6 Wire wrapped		9	Drilled h	oles				
2 Louvered shutter 4 Key punched 7 Torch cut		10	Other (s	specify)				
REEN-PERFORATED INTERVALS: From 8 ft. to 23		ft. From		,	ft. to	0		ft.
From ft. to								
GRAVEL PACK INTERVALS: From 7 ft. to 23								
From ft. to								
		4 0		ortlan				
out Intervals From 7 ft. to 5 ft. From 5 ft. to								
•		ivestock p					water we	:11
1 Septic tank 4 Lateral lines 7 Pit privy 2 Sewer lines 5 Cess pool 8 Sewage lagoon		uel storaç ertilizer s				well/ Ga	is well cify below	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard		nsecticide	_		10 011	ioi (spec	my DelOW	,
ection from well?		nany feet?	-					
FROM TO CODE LITHOLOGIC LOG FROM	TO	<del></del>		PLUGO	SING IN	ITERVA	I S	
0 0.3 Concrete								
O 2 d F:U Cond								
0.3 1 Fill, Sand								
1 3 Fill, Clay								
1 3 Fill, Clay 3 12 Clay, gray								
1 3 Fill, Clay 3 12 Clay, gray Sand, gray, medium to coarse grained,				·				
1 3 Fill, Clay 3 12 Clay, gray								
1 3 Fill, Clay 3 12 Clay, gray Sand, gray, medium to coarse grained, coarsening downward								
1 3 Fill, Clay 3 12 Clay, gray Sand, gray, medium to coarse grained, coarsening downward Well Completion Note:								
1 3 Fill, Clay 3 12 Clay, gray Sand, gray, medium to coarse grained, coarsening downward  Well Completion Note: 0' to 1' - Concrete								
1 3 Fill, Clay 3 12 Clay, gray Sand, gray, medium to coarse grained, coarsening downward  Well Completion Note: 0' to 1' - Concrete 1' to 3' - Sand, for remediation								
1 3 Fill, Clay 3 12 Clay, gray Sand, gray, medium to coarse grained, coarsening downward  Well Completion Note: 0' to 1' - Concrete								
1 3 Fill, Clay 3 12 Clay, gray Sand, gray, medium to coarse grained, coarsening downward  Well Completion Note: 0' to 1' - Concrete 1' to 3' - Sand, for remediation								
1 3 Fill, Clay 3 12 Clay, gray Sand, gray, medium to coarse grained, coarsening downward  Well Completion Note: 0' to 1' - Concrete 1' to 3' - Sand, for remediation system pipe trench	ed (2)	meconeta	ted or /	3) ph/200	ad unde	ar my in-	sediction of	nd was
1 3 Fill, Clay 3 12 Clay, gray Sand, gray, medium to coarse grained, coarsening downward  Well Completion Note: 0' to 1' - Concrete 1' to 3' - Sand, for remediation system pipe trench  CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) construct								
1 3 Fill, Clay 3 12 Clay, gray Sand, gray, medium to coarse grained, coarsening downward  Well Completion Note: 0' to 1' - Concrete 1' to 3' - Sand, for remediation system pipe trench  CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) construct on pleted on (mo/day/yr)  09/19/08 and this	s record	l is true to	the best	t of my k	nowled	ge and l	belief. Ka	nsas
1 3 Fill, Clay 3 12 Clay, gray Sand, gray, medium to coarse grained, coarsening downward  Well Completion Note: 0' to 1' - Concrete 1' to 3' - Sand, for remediation system pipe trench  CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) construct on pleted on (mo/day/yr)  09/19/08 and this ter Well Contractor's License No.  531 This Wa	s record ater We	l is true to	the best	t of my k	nowled	ge and l	belief. Ka	nsas
1 3 Fill, Clay 3 12 Clay, gray Sand, gray, medium to coarse grained, coarsening downward  Well Completion Note: 0' to 1' - Concrete 1' to 3' - Sand, for remediation system pipe trench  CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) construct apleted on (mo/day/yr)  09/19/08 and this ter Well Contractor's License No.  531 This Wa	s record ater We	l is true to ell Record ure)	the best	t of my k	knowled on (mo/	ge and I day/yr)	belief. Ka 10/1	nsas 5/08