1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
	SW 1/4 NW 1/4 SW		T 27 S	R 1 (E)W
	n or city street address of well if located with		1 1	
2 WATER WELL OWNER: Discount Cigarettes				
RR#, St. Address, Box # : 2160 S Broadway Board of Agriculture, Division of Water Resources				
City, State, ZIP Code : Wichita	a, Ks		Application Number:	
3 LOCATE WELL'S LOCATON WITH	4 DEPTH OF COMPLETED WELL Depth(s) Groundwater Encountered 1			
AN "X" IN SECTION BOX:	DEPTH OF COMPLETED WELL	35 ft. ELEV	/ATION:	
N	Depth(s) Groundwater Encountered 1	ft.	. 2ft.	3 ft. 9
	WELL'S STATIC WATER LEVEL N			/yr
	Pump test data: Well water wa			oumping apm
NWNE	Est. Yield gpm: Well water wa			oumping gnm III
W E	Bore Hole Diameter 8.25 in. to	35	ft and	pumping gpm gpm gpm n. to ft.
- "	WELL WATER TO BE USED AS: 5 Publi	c water supply	8 Air conditioning 1	1 Injection well
X ; ;	WELL WATER TO BE USED AS: 5 Publi 1 Domestic 3 Feed lot 6 Oil fi	eld water supply	9 Dewatering 1	2 Other (Specify below)
	2 Irrigation 4 Industrial 7 Lawr			
\	Was a chemical/bacteriological sample sub-			
	submitted			
Submitted Water Weil Districted? Tes No A				
1 Steel 3 RMP (S	SR) 6 Asbestos-Cement	9 Other (specify below	w) Weld	ded
2 PVC 4 ABS	7 Fiberglass		Thre	aded
Blank casing diameter 2	in. to 30 ft., Dia	in. to	ft., Dia	in. to ft.
Casing height above land surface	0 in., weight	'16 lbs./ft.	Wall thickness or gauge No.	. /54
TYPE OF SCREEN OR PERFORATION	NMATERIAL:	7 PVC	10 Asbestos-ceme	ent
1 Steel 3 Stainles	ss steel 5 Fiberglass	8 RMP (SR)	11 Other (specify)	
2 Brass 4 Galvani	nized steel 6 Concrete tile	9 ABS	12 None used (op	en hole)
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)				
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes				
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)				
SCREEN-PERFORATED INTERVALS: From 30 ft. to 35 ft. From ft. to ft.				
	From ft. to	ft. F	rom ft.	toft. 20
GRAVEL PACK INTERVALS:		35 ft. F	From ft.	to ft.
				to ft.
6 GROUT MATERIAL: 1 Next or	ement 2 Cement grout	3 Bentonite	4 Other	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other				
Grout Intervals From 1 ft. to 28 ft. From ft. to ft. From ft. to ft. What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well				
	4 Lateral lines 7 Pit privy	II Fuers	storage 15 Oil izer storage 16 Ot	l well/ Gas well
l .				
3 Watertight sewer lines	o Seepage pit 9 Feedyard		ticide storage Co	manimateu Site
Direction from well?	LITHOLOGICLOC	How many		NITEDY/ALC
FROM TO CODE Cla	LITHOLOGIC LOG ayey silt	FROM TO	PLUGGING II	NICHVALO
	ne sand			SEC
	d sand			;;
	urse sand			
10 33 00	uise sailu			
		<u> </u>		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was				
completed on (mo/day/yr) 9-17-08 and this record is true to the best of my knowledge and belief. Kansas				
Water Well Contractor's License No. 783 This Water Well Record was completed on (me/saylyr) 10/7/08				
under the business name of	Woofter Pump & Well Inc		by (signature)	77/1
INSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Boreau of Water, 1000 S W				
Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.				