GSI Job	No. 08733	39									P۱	W-03
				R WELL RECORI	D Form W			12 ID No.				
	ON OF WATE		I		0144	Section N			nip Number		ge Numb	
			SE ½					т 2	27 s	R	1	E
			wn or city street ad and Murdock -		cated within	city?						1
			Pacific Railr								_	
			Dodge St., Rn	n. 930					Agriculture, D	ivision of W	ater Reso	ources
City, State,	ZIP Code	Oman	a, NE 68179					Application	on Number:			
3 LOCATE	E WELL'S LOG N SECTION E	CATON WITE	DEPTH OF C	OMPLETED WE	11	30 ff	FIFV	ATION:				
7 7	i	i i	Depth(s) Ground	unter Encounter	nd 1	15	. LLL V/	2		3		
	i	i	Depth(s) Ground	Water Encounter	eu I	4 6-1	^{II.}	۷ ح				ft.
-	NW	NE	WELL'S STATIC									
₩ Wee	i		Pumi	test data: We	ll water was		ft.	after	hours	s pumping		gpm
<u>₹</u> W –			Est. Yield	gpm: We	ll water was		ft.	after	hour	s pumping		gpm
	x!		Bore Hole Diame WELL WATER T 1 Domestic	eter 12	in. to	30	1	t. and		in. to		ft.
-	3w 	SE	WELL WATER T	O BE USED AS:	5 Public v	water supply		8 Air cor	nditioning	11 Injectio	n well	
				3 Feed lot	6 Oil field	water suppr	y	9 Dewat	ering	12 Otner (Specify b	elow)
, <u> </u>	S		2 Irrigation							•		
	Ü		Was a chemical/	bacteriological sa	ample submit	tted to Depar	tment? Y	'es 1	No X If ye	es, mo/day/y	r sample/	was
			submitted				Wate	er Well Disir	fected? Yes		No X	
5 TYPE O	F BLANK CAS	SING USED:		5 Wrought Ire	on 8	Concrete tile	е	CASING	JOINTS: GI	ued	Clampe	d 1
1 Ste	eel	3 RMP	(SR)	6 Asbestos-C						elded		
2 PV	/C	_	. ,	7 Fiberglass		٠,	•	·	Thre	aded	Flus	h
								L		in the	1 100	
Blank casin	ng diameter		in. to 10	tt., Dia		in. to		π., Dia		in. to		<u></u> .π.
Casing heig	ght above land	surface	Flush	in., weight	0.70	3	lbs./ft. V	Vall thickne	ss or gauge N	lo	осп. 4	·
TYPE OF S	SCREEN OR F	PERFORATION	ON MATERIAL:			7 PVC		10	Asbestos-cer	ment		
1 Ste			less steel			8 RMP) (SR)	11	Other (specif	y)		
2 Bra			anized steel			9 ABS			None used (
	OR PERFORA			5					t	11 Non	e (open f	nole)
	ontinuous slot		Mill slot		Wire wrapp			9 Drilled I				1
2 Lo	uvered shutte	r 4	Key punched		Torch cut			10 Other (specify)			
SCREEN-P	PERFORATED	INTERVALS	S: From	10 ft. to)	30	ft. Fr	om	f	t. to	·	ft.
			From	ft. to)		ft. Fr	om	f	t. to		ft.
GR	RAVEL PACK	INTERVALS:	From	8 ft. to)	30	ft. Fr	om	f	t. to		ft.
			From)		ft. Fr	om	f	t. to		ft.
6 GROUT	MATERIAL:	1 Neat	t cement 2			3 Bentonite	,	4 Other				
			ft. to 8									
			contamination:	II. FIOIII	• • • • • • • • • • • • • • • • • • • •	11. 10	Livesto	nck none	1/ /	Abandoned	water we	
	eptic tank	e oi possible	4 Lateral lines	7 0	it privy		Fuel st	•		Oil well/ Gas		141
1	ewer lines		5 Cess pool		it privy Sewage lagor			er storage		Other (speci		
	atertight sewe	r lines	6 Seepage pit		eedyard			cide storage		Other (speci	iy below)	'
Direction fro	•	rines	o Seepage pit	эг	eeuyaru			_				
FROM	TO	CODE	LITHOL	OGIC LOG			w many f TO	eet?	PLUGGING	INTERVAL	\$	
TROW	10		opsoil, with sile			TOW	'		1 20001140	THEIT		
0	5	1 1.	own	, Dionii to daii	`							
5	10		layey Silt, bro	wn							-	
			and, fine to me		ight							
10	30	1 1.	own to brown									İ
7 CONTR	ACTOR'S OR	LANDOWN	ER'S CERTIFICAT	ION: This water	well was (1)	constructed,	(2) recon	structed, or	(3) plugged ur	nder my juris	diction a	nd was
completed	on (mo/day/yr)	10/2	3/08		and this red	cord is tru	ue to the be	st of my knyenyw	ledge and b	elief. Ka	nsas
	Contractor's I			531					mpleted on (n			
l	ousiness name			cal Services	Inc.	•	nature)	112		رورون		
INSTR	RUCTIONS: PI	ease fill in blar	nks and circle the cor	rect answers. Sen	d three copies	to Kansas De	epartment	of fealth an	d Environment.	Bu eau of W	/ater, 1000	osw
Jackso	on St., Ste. 420.	, Topeka, Kans	sas 66612-1367. Tel	ephone: 913-296-	5545. Send o	ne to WATER	WELL O	WNER and re	etain one for yo	ecords.		