				ATER WELL REC	ORD For			32a-121				
	ON OF WATE		1			1	tion Nun	nber	Township Nur	mber	Range Num	ber
			NE NE			1/4	15		T 27	S	R 1	E
			town or city stree rdock – Wich	t address of well	if located w	thin city?						
			n Pacific Ra									
RR#, St. Add	dress. Box #	: 1416	Dodge St.,	Rm. 930					Board of Agricu	lture. Divis	sion of Water Re	sources
City State 7	7IP Code	· Oma	ha NE 681						Application Nun			
LOCATE	WELL'S LOC	CATON WI	THI			07	r .					
AN "X" IN	SECTION B	OX:	DEPIHO	OF COMPLETED	WELL	27.	<b>5</b> ft. 1	ELEVA	TION:			
1					ntered 1			ft. :	2	ft. 3	3	ft.
	NW	- NE							face measured or			
0	į	: I	P	ump test data:	Well water	was		ft. a	after	_ hours pu	umping	_ gpm
₩ W —	<del>:  </del>		E Est. Yield	gpm:	Well water	was		ft. a	after	_ hours pu	umping	gpm
			Bore Hole Di	ameter 8	in. to	27.	.5	fi	t, and	in.	. to	ft.
<b> </b>	SW	- SE	WELL WATE	R TO BE USED	AS: 5 Pu	iblic water s	uppiy		o Air Condition	ing it	injection well	
<b>↓</b>		1	1 Donne	estic 3 Feed to		ileiu water	Supply	4! - \	9 Dewatering		Other (Specify	below)
	S								10 Monitoring			
			!	ical/bacteriologica	al sample si	ubmitted to (	Departm		es No X			
			submitted						r Well Disinfected			
	BLANK CAS			5 Wrough					CASING JOIN	TS: Glued	Clamp	ed
1 Ste		3 RM	IP (SR)	6 Asbesto	os-Cement	9 Other	(specify	below	)	Welde	ed	
2 PV	0	4 AB	S	7 Fibergla	ass					Thread	ed Flus	sh
Blank casing	diameter	2	in. to	7.5 ft., Dia	3	in. t	10		ft., Dia		in. to	ft.
Casing heig	ht above land	surface	Flush	in., weight	0	.703	lb	s./ft. V	Vall thickness or g	auge No.	SCH. 4	40
			ION MATERIAL:						10 Asbes			
1 Ste	el	3 Sta	inless steel	5 Fibergla	ass	8	RMP (S	SR)	11 Other	(specify)		
2 Bra		4 Ga	Ivanized steel			9			12 None			
SCREEN O	R PERFORAT	_	NINGS ARE:		5 Gauze	d wrapped			8 Saw cut		11 None (open	hole)
	ntinuous slot		3 Mill slot		6 Wire v	rapped			9 Drilled holes			
2 Lou	vered shutter		4 Key punched		7 Torch				10 Other (specif	y)		
SCREEN-P	ERFORATED	INTERVA	LS: From	7.5	t. to	27.5		ft. Fro	om	ft. to	o	ft.
			From		t. to			ft. Fro	om	ft. to	o	ft.
GRA	AVEL PACK II	NTERVAL	S: From	5.5	t. to	27.5		ft. Fro	om	ft. to	D	ft.
				1	ft. to			ft. Fro	om	ft. to	0	ft.
6 GROUT	MATERIAL:	1 Ne	at cement	2 Cement gro	ut	3 Ber	tonite	4	Other			
				.5 ft. From		ft	to		ft From		ft. to	ft
What is the	nearest sourc	e of possib	ele contamination	:					ck nens	14 Aha	andoned water w	
	otic tank		4 Lateral lin		Pit privy				orage	15 Oil	well/ Gas well	
2 Sev	ver lines		5 Cess poo		Sewage				er storage	16 Oth	er (specify below	v)
3 Wa	tertight sewer	lines	6 Seepage		Feedyard				cide storage			,
Direction fro	m well?						How r	many fe	eet?			
FROM	TO	CODE		HOLOGIC LOG		FROM	TC		PLU	GGING IN	ITERVALS	
0	5		Topsoil, with									
5	10			light brown to I								
10	27.5		Sand, fine to brown	medium graine	a, light							
10	21.5		DIOWII TO DIOMI			1						· · · · · · · · · · · · · · · · · · ·
							<u> </u>	_				
7 CONTRA	ACTOR'S OR	LANDOW			ter well was				structed, or (3) plu			
	n (mo/day/yr)			0/21/08		and th	nis recor	d is tru	e to the best of m	y kngwjed	ge and belief. K	ansas
Water Well	Contractor's L	icense No		531		This V	Vater W	ell Rec	ord was complete	A of more	day/yr) 11/1	2/08
under the bu	usiness name	of	Geotech	nical Servic		by	y (signat	ture) 2	Buch	£	<b>4</b>	
									of Health and Envir			00 S W
Jackso	n St., Ste. 420,	ropeka, Ka	insas 66612-1367.	relephone: 913-2	296-5545. S	end one to W	AIERW	ELL OV	WNER and retain or	ne for your/r	ecords.	