			WATE	R WELL RECORD	Form WW0	C-5 K	SA 82a-12	212 ID N	No. <u>004</u>	3956					
1 LOCATIO	N OF WATER					Section	Number	Towr	nship Nu	mber	Rang	e Numl	per		
County:			NE 1/4		SW 1/4		6	T	27	S	R	1	Ε		
			town or city street add		ed within cit	y?									
			ing – 3700 E. Lind					-							
			ers of St. Josep	n											
			E. Lincoln						•	ılture, Divis	sion of Wa	iter Res	ources		
City, State, Z	IP Code WELL'S LOC	: WIC	nita, KS 67218					Applica	ation Nur	nber:					
3 AN "X" IN	SECTION BO	OX:	DEPTH OF C	OMPLETED WELL		20	ft. ELEV	ATION:		1342.	04 (TO	C)			
₹	i	i	Depth(s) Groundy	vater Encountered	1	15.0	ft.	2		ft.			ft.		
	NW	, NE		WATER LEVEL											
	;	i i		test data: Well w											
∯ W		-	E Est. Yield												
7	X		Bore Hole Diame	ter 8 in.	to	20		ft. and		in.	to	• • • • • •	ft.		
	-sw	- SE	WELL WATER TO	ter 8 in. D BE USED AS: 3 Feed lot	5 Public wa	ter suppl	y	8 Air	condition	ing 11	Injection	well			
1	. I	į	1 Domestic	3 Feed lot	6 Oil field v	ater sup	ply	9 Dev	vatering	—— ¹²	Other (S	pecify I	pelow)		
<u>ا</u>	S			4 Industrial											
	J		Was a chemical/b	acteriological sam	ple submitte	d to Dep									
			submitted							i? Yes					
	BLANK CAS			5 Wrought Iron					NG JOIN	TS: Glued		Clampe	ed		
	el			6 Asbestos-Cer	ment 9 C	other (spe	ecify belov	w)		Welde					
		4 AE		7 Fiberglass						Thread	ed	Flus			
Blank casing	diameter	2	in. to 10	ft., Dia		in. to		ft., Dia			in. to		ft.		
Casing heigh	nt above land	surface	Flush	in., weight	0.703		lbs./ft.	Wall thick	ness or g	gauge No.	S	CH. 4	0		
			TION MATERIAL:			7 PV	C		10 Asbe	stos-ceme	nt				
1 Stee	el	3 Sta	ainless steel	5 Fiberglass6 Concrete tile		8 RM	IP (SR)		11 Other	(specify)					
2 Bras															
			NINGS ARE:		Sauzed wrap						11 None	(open	noie)		
	ntinuous slot		3 Mill slot 4 Key punched		Vire wrapped orch cut			9 Drille		5 ./\					
	ERFORATED			10 ft. to				rom	i (speci	fy)					
SCREEN-FI	EKPOKATED	INTERVA													
GP/	AVEL PACK II	NTED\/AI	C. Erom	ft. to 9 ft. to		20	!\. F	rom		ft t			^{IL.}		
GIV	AVEL PACK II	NIENVAL	From		-						0				
6 CROUT	MATERIAL	1 N	eat cement 2												
			ft. to 9	π. From						14 Aba					
		•		7 Dit.	privy			,					511		
 Septic tank Sewer lines 			5 Cess pool	-						ge 15 Oil well/ storage 16 Other (s _l					
	tertight sewer	lines	6 Seepage pit	9 Fee				ticide stora			(- p -531	,	,		
Direction fro	•				,		low many		•			•			
FROM	TO	CODE		OGIC LOG	FF	ROM	то		PLU	IGGING IN	TERVAL:	S			
0.0	0.5		Topsoil												
0.2	3.0	CL	Fill, Clay, with tr	ace gravel											
3.0 5.0	5.0 10.0		Silty Clay, brown Sandy Clay, gra												
10.0	13.0		Silty Clay, gray t												
10.0	10.0		Silty Sandy Cla												
13.0	15.5		medium to coarse												
15.5	20.0		Silty Clay, light I		ay										
					-										
7 CONTRA	ACTOR'S OR	LANDOW	NER'S CERTIFICATI	ON: This water we	ll was (1) co	nstructed	(2) reco	nstructed	or (3) pli	ugged unde	er mv iuris	diction a	and was		
										ny knowled					
Mater Mail	Contractor's I	icanse N	07/2	531						ed on (mo/	-		0/09		
under the h	usiness name	of	Geotechnic												
INSTRI	UCTIONS: Ple	ease fill in b	lanks and circle the corr	ect answers. Send t	hree copies t	o Kansas	Departmer	nt of Heath	and Envi	ronment, Bu	reau of W	ater, 100	00 S W		
Jackso	n St., Ste. 420,	Topeka, K	ansas 66612-1367. Tele	ephone: 913-296-55	45. Send on	e to WAT	ER WELL	OWNER ar	nd retain o	ne for your	records.				