	WATER WELL RE	ECORD F	orm WV	/C-5 K	(SA 82a-1212	<u> </u>		
1 LOCATION OF WATER WELL:				SECTION NUMBER TOWNSHIP NUMBER			RANGE NUMBER	
Sedgwick Distance and direction from nearest town or ci	SW 1/4 SW	1/4 SW	1/4	35	Т 27	<u> </u>	R 1	E/W
3215 Elmwood	Wichita, Kansas	•						
	STWOOD, Francis							
RR#,ST. ADDRESS,BOX #: 3215 Elmwood Board of Agriculture, Division of Water Resource								
	chita, Kansas			P CODE: 6	57218	Application Num	nber:	
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	DEPTH OF CONTRACTOR	VELL: 27	7 ft.		ELEVATION:			
	Depth of groundwater Encounter		ft.			ft.		ft.
	WELL'S STATIC WATER LEV			W LAND S	URFACE MEASUR	ED ON mo/o	day/yr: 10	/8/09
NWNE	Pump test da				ft. after		of pumping @	gpm
W E	Est. Yield: gpm Bore Hole Diameter	Well wat	ter was	ft	ft. after and	nours in.	of pumping @ to	gpm ft.
	WELL WATER WEE USED	AS:				9. Dewateri	44.1.	jection well
swsE	1. Domestic 3. Feedlot	5. Public was	ter supply	7. Lawn	and garden only)	9	Specify below)
	2. Irrigation 4. Industria					10. Monitorin	n g weli what mo/day/yr	was sample
S	Was a chemical/bacteriological sa submitted	ample submitted to L	epartment?	YES Was \	NO Water Well Disinfe		YES	NO
5 TYPE OF CASING USED:	5. Wrought Iron	7. Fiberglass	9. 0	her (Specif	y below) CASIN	IG JOINTS:	Glued	Threaded
1. Steel 3. RPM (S	SR)	•			,		Welded	Clamped
2. PVC 4. ABS	6. Asbestos-Cement							-
Blank casing diameter 1 1/4	26		in.	to	ft., D		in. to	ft.
Casing height and surface:	,	Weight:	it	os. / ft.	Wall thicl	kness or gaug	ge No.	
TYPE OF SCREEN OR PERFORATION MATERIAL: 1, Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) N/A								
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (ope						(open hole)		
2. Louvered shutter 4. Key	punched 6. Wire wrap	pped	8. Sa	w cut	10. Other	(specify) N	/A	
SCREEN - PERFORATION INTERVAL	- From	ft. to		ft.,	From	ft.	to	ft.
	From	ft. to		ft.,	From	ft.	to	ft.
GRAVEL PACK INTERVALS:		ft. to		ft.,	From	ft.	to	ft.
	From	ft. to		ft.,	From	ft.	to	ft.
6 GROUT MATERIALS: 1. Nea	at cement 2. Cem	nent Grout		. Bentonite			onite hole p	
							0	
What is the nearest source of possible	7 Did mail m	, 1	0. Livestoc	k pens	13. Insectici		15. Oil well	i/Gas well
1. Septic tank 4. Later	2 5		1. Fuel sto					specify below)
2. Sewer lines 5. Cess Pool 5.								
Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage Direction from well? South How many feet? 160 ft. plus								
From To LITHOLOGIC LOG			From	То			GIĆ LOG	
			0	3	cement			
			3	27	bentonite hol	e plug		
l		41114						
Contractor's or Landowner's Certification: This water well was 1, constructed 2, reconstructed or 3. plugged under my jurisdiction and								
was completed on (mo/day/year) 10/8/2009 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 10/9/2009								
under the business name of Harp Well and Pump Service by (signature) Todd S. Harp								