WATER WELL RECORD F	orm WWC-5 K	SA 82a-1212	
1 LOCATION OF WATER WELL: FRACTION	SECTION NUMBER		RANGE NUMBER
Sedgwick SE 1/4 SW 1/4 NW	1/4 7	T 27 S	R 1E E/W
Distance and direction from nearest town or city street address of well if located within city?  2215 W. 18th N. Wichita, Kansas			
2 WATER WELL OWNER: EDWARDS, Jean Trust			
RR#,ST. ADDRESS,BOX #: 2215 W. 18th N.			iculture, Division of Water Resource
CITY, STATE: Wichita, Kansas	ZIP CODE: 6	7203 Application Nur	mber:
3 LOCATE WELL'S LOCATION WITH AN 'X' IN SECTION BOX: 4 DEPTH OF COMPAGE WELL: 3	<b>6</b> ft.	ELEVATION:	
N Depth of groundwater Encountered:	ft.	ft.	ft.
WELL'S STATIC WATER LEVEL 14		JRFACE MEASURED ON mo/	• •
Pump test data: Well wa			s of pumping @ gpm
Est. Yield: gpm Well wa	ter was to ft		s of pumping @ gpm to ft.
₩ELL WATER ************************************			44 1 1 41 11
	ter supply 7. Lawn :	and garden only	12. Other (Specify below)
	ater supply 8. Air cor Department? YES		ng weli what mo/day/yr was sample
S Was a chemical/bacteriological sample submitted to I submitted		Vater Well Disinfected?	YES NO
5 TYPE OF CASING USED: 5. Wrought Iron 7. Fiberglass	9. Other (Specify	/ below) CASING JOINTS:	Glued Threaded
1. Steel 3. RPM (SR)	le .		Welded Clamped
Blank casing diameter 5 in. to ft., Dia.	in. to	ft., Dia.	in. to ft.
Casing height strate land surface: 36 in., Weight:	lbs. / ft.	·	
TYPE OF SCREEN OR PERFORATION MATERIAL:	105. / IL.	Wall thickness or gau	ge No.
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC	9. ABS	11. Other (specify)	N/A
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR)	10. Asbestos-Cer	ment 12. None used (open	hole)
SCREEN OR PERFORATION OPENINGS ARE:			
1. Continuous slot 3. Mill slot 5. Gauzed wrapped	7. Torch cut	9. Drilled holes	11. None ( open hole)
2. Louvered shutter 4. Key punched 6. Wire wrapped	8. Saw cut	10. Other (specify) ${ m N}$	7/A
SCREEN - PERFORATION INTERVAL From ft. to	ft.,	From ft.	to ft.
From ft. to	ft.,	From ft.	to ft.
GRAVEL PACK INTERVALS: From ft. to	ft.,	From ft.	to ft.
From ft. to	ft.,	From ft.	to ft.
6 GROUT MATERIALS: 1. Neat cement 2. Cement Grout	3. Bentonite	Other bent	onite hole plug
Grout Intervals: From ft. to ft., From	ft. to	ft., From 3	ft. to $25$ ft.
What is the nearest source of possible contamination:  1. Septic tank 4. Lateral lines 7. Pit privy	0. Livestock pens	13. Insecticide storage	15. Oil well/Gas well
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify below)			
3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage			
Direction from well? South		How many feet? 10	
From To LITHOLOGIC LOG	From To		OGIC LOG
	3 25	compacted earth bentonite hole plug	
	25 35	well gravel	
			- 400
7 Contractor's or Landowner's Certification: This water well was 1. constructed	2. reconstructed	d or 3. plugged	under my jurisdiction and
10/20/2000			
Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 11/2/2009			
under the business name of Harp Well and Pump Service	by (signature)	Todd S	. Harp