WATER WELL RECORD		Form WWC-5		Division of Water Resources App. No.				
1 LOCATION OF WATER WELL: County: Sedqwick		Fraction SW ¼ NW ¼ NW	/ ¼ SW ¼	Section		Township No.	Range Number R 1	
Street/Rural Address of Well Location; if unknown, distance & direction					ositioning	System (GPS) in		
from nearest town or intersection: If at owner's address, check here				Latitude: (in decimal degrees)				
2048 S. Oliver, Wichita, KS				Longitude: (in decimal degrees)				
					Elevation:			
2 WATER WELL OWNER: Former Shank Conoco					<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: Former Shank Conoc RR#, Street Address, Box #: 2048 S. Oliver				Collection Method:				
City, State, ZIP Code			☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey					
	KS	Est. Accuracy:						
3 LOCATE WELL								
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL .22								
SECTION BOX:	Depth(s) Groundwater Encountered (1)16							
N V	WELL'S STATIC WATER LEVEL19.21ft. below land surface measured on mo/day/yr							
Pump test data: Well water wasft. after hours pumping								
EST. YIELDgpm. Well water wasft. after hours pumping							ping gpm	
W Bore Hole Diameter								
No Domestic C Feedlet C Oil field system country C Domestics C Oil field system country								
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
1 mile Water well disinfected? ☐ Yes ☑ No								
5 TYPE OF CASING USED: Steel V PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .2 in. to .12 ft., Diameter ft., Diameter ft.								
Casing height above land surface -4.68 in., Weight								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
Steel Stainless Steel PVC Other (Specify)								
		None used (open h	ole)					
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From19								
From								
6 GROUT MATERIAL: Neat cement Cement grout Denotite Other								
Grout Intervals: From	l ft. to	! ft., From	1	ft. to	ft.,	From	. ft. toft.	
What is the nearest source of possible contamination:								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well ☐ Lust Site ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well ☐ Lust Site								
Direction from well			. Distance	from well				
FROM TO	LITHOLOG	IC LOG	FROM	TO I	LITHO. LC	OG (cont.) <u>or</u> PLU	GGING INTERVALS	
0 1 Asphalt								
1 22 Clay, silty	<i>l</i>						TED	
					$-\alpha$	7RRFC	150	
						NAVAG		
						MW6		
		,						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .1.2/1.7/2009 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 594 This Water Well Record was completed on (mo/day/year 325/25).0.								
under the business name of Goranco Great Plains, Inc. by (signature)								
INSTRUCTIONS : Use typewrite	er or ball point pen.	PLEASE PRESS FIRMLY	and PRINT cle	arly. Please	fill in branks	and check the correct	t answers. Send three copies	
(white, blue, pink) to Kansas Dep	oartment of Health	and Environment, Bureau ER WELL OWNER and	of Water, Geol-	ogy Section,	1000 SW Jac	kson St., Suite 420,	Topeka, Kansas 66612-1367.	
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 Check: White Copy, Deluc Copy, Pink Copy								