WATE	R WEI	LL RECORD	Form W	WC-5	Divisi	ion of Water	Resources App. N	o. L		
1 LOCATION OF WATER WELL:			Fraction		Section N	Number	Township No.			
County: Sedqwick			SW 1/4 NW 1/4 NW					R 1	ZE W	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here .						Global Positioning System (GPS) information: Latitude: (in decimal degrees)				
2048 S. Oliver, Wichita, KS						Longitude: (in decimal degrees)				
204	8 S. UII	ver, wichita, KS			Elevation:					
2 WATER WELL OWNER: Former Shank Conoco						Datum: 🔲 WGS 84, 🔲 NAD 83, 🔲 NAD 27				
2 WATER WELL OWNER: Former Shank Conoco RR#, Street Address, Box #: 2048 S. Oliver						Collection Method:				
		IP Code : Wichita			Digital Map/Photo, Topographic Map, Land Survey					
Wichita, NO						Est. Accuracy: <a>[]<3 m, 3-5 m, 5-15 m, >15 m				
3 LOCATE WELL WITH AN "X" IN 4 4 DEPTH OF COMPLETED WELL .23'										
WITH AN "X" IN 4 DEFTH OF COMPLETED WELL .40 11. SECTION BOX: Depth(s) Groundwater Encountered (1)ft. (2)ft. (3)									ft.	
									•••••	
Pump test data: Well water wasft. after hours pum								ping	gpm	
	N N								gpm	
W			terin. toft., andin. toft. TO BE USED AS: Public water supply Geothermal Injection well						11	
] Oil field water supply Dewatering Other (Specify below)						
$\begin{bmatrix}S_W S_E \\S_E - \\S_E \\$										
Was a chemical/bacteriological sample submitted to Department? Yes V No										
s If yes, mo/day/yr sample was submitted										
Water well disinfected? Ves V No										
5 TYPE OF CASING USED: Steel PVC Other										
CASING JOINTS: Glued Clamped Welded I Threaded										
Casing diameter .2 in. to .13 ft., Diameter in. to ft., Diameter in. to ft.										
Casing height above land surface <u>6.00</u>										
□ Steel □ Stainless Steel										
Brass Galvanized Steel None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
Continuous slot Z Mill slot Gauze wrapped Torch cut Drilled holes None (open hole) Louvered shutter Key punched Wire wrapped Saw cut Other (specify)										
SCREEN-PERFORATED INTERVALS: From									ft.	
			From 1	ft. to	ft	t., From	ft.	to	ft.	
	GRAV!	EL PACK INTERVALS:								
From										
Grout Ir	itervals:	From .1 ft. to			ft. to	ft.,	From	ft. to	ft.	
What is	the near	est source of possible conta	mination:							
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage 🗹 Other							her (specify	below)		
	Sewer lin	ies 🛛 Cesspool ht sewer lines 🔲 Seepage p	Sewage lagoon							
		n well			from well .					
FROM		LITHOLOG	IC LOG	FROM			DG (cont.) <u>or</u> PLL	JGGING I	NTERVALS	
0	6"	Grass								
6"	2'	Clay, silty							·m	
2'	24'	Clay, silty, trace sands					UUKKE	:01E	:U	
							MW8			
		· · · · · · · · · · · · · · · · · · ·								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🛛 constructed, 🗆 reconstructed, or 🗋 plugged										
under my jurisdiction and was completed on (mo/day/year) .1.2/1.6/20.09 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No5.94 This Water Well Record was completed on (mo/day/year) .3/26/2010										
under the business name ofCoranco Great Plains, Inc										
INSTRU	CTIONS:	Use typewriter or ball point pen	PLEASE PRESS FIRMLY	and <u>PRINT</u> cle	early. Please f	fill in blanks	and check the correct	answers. S	end three copies	
(white, bl	ue, pink) t	o Kansas Department of Health	and Environment, Bureau	of Water, Geol	ogy Section, 1	1000 SW Jac	kson St., Suite 420,	Topeka, Kar	nsas 66612-1367.	
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.										
1101.00			· · · ·		~ .			~		