WATER WELL RECORD Form WWC-5 KSA 82a-1212 ID No.

1 LOCATIO	N OF WATER	R WELL:	Fraction					S	ection Nu	mber	Towns	ship Num	ber	Ran	ge Numbe	er
County:	Sedo	wick	NE	1/4	NE	1/4	NE	1/4	8		Т	27	S	R	1	E
Distance and		n nearest town														
		R: City of V	Vichita													
		: 455 N. N			1-13						Board o	of Agricult	ture. Divi	ision of W	ater Reso	urces
		Wichita										tion Num				
LOCATE	WELL'S LOC	ATON WITH	4												-	
AN "X" IN	SECTION BO	OX:	DEPTH								VATION:					
1	i	X	epth(s) G	roundw	ater End	counte	red 1		17	f1	t. 2		ft.	3		OFFICE
i	NW	NE V	VELL'S ST	TATIC V	VATER	LEVE	L		ft. below	land s	surface mea	sured on	mo/day/	'yr		<u>ਨ</u>
	i	i		Pump t	test data	a: W	ell water v	was		1	ft. after	 .	hours p	oumping		gpm 📛
∰ W	-	EE	st. Yield		gpm	n: W	ell water v	was		1	ft. after		hours p	oumping		apm m
ī		. E	Bore Hole I	Diamete	er	8	in. to		24		ft. and		ir	n. to		ft. N
	sw	SE V	VELL WA	IER IO	BE OS	ED AS	5: 5 Pu	blic wate	r supply		8 Air c	onditionii	ng 1	1 injectio	n weil	1
		i	1 Dor	mestic	3 Fee	d lot	6 Oil	field wat	er supply	,	9 Dew	atering	1	2 Other	(Specify b	pelow)
2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well Air Sparge Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was																
	3	V	Vas a che	mical/ba	acteriolo	gical	sample su	ubmitted t	to Depart							was
		s	submitted								ater Well Dis					
5 TYPE OF	BLANK CAS	ING USED:			5 Wro	ought l	ron	8 Cor	ncrete tile	:	CASIN	G JOINT	S: Glue	d	Clamped	1
1 Ste	el	3 RMP(S	R)		6 Asb	estos	-Cement	9 Oth	er (speci	fy belo	ow)		Weld			
2 PV	С	4 ABS			7 Fibe	erglas	S						Threa	ded	Flus	h
Blank casino	diameter	2	in. to	22	ft.	. Dia										
		surface														
		ERFORATION			, wo.g.			Т	7 PVC		1	0 Asbes	tos-ceme	ent		
1 Ste		3 Stainles			5 Fibe	erolas	s			(SR)		1 Other	(specify)			
2 Bra		4 Galvani			6 Cor	ncrete	s tile		9 ABS	(0.1)	1 1	2 None	used (op	en hole)		
SCREEN O	R PERFORAT	ION OPENING	S ARE:			5	Gauze				8 Saw o					ole)
1 Cor	ntinuous slot	3 N	fill slot			6	Wire w	vrapped			9 Drilled	d holes				
2 Lou	vered shutter	4 K	ey punche	ed		 7	Torch	cut			10 Other	(specify	y)			
SCREEN-PI	ERFORATED	INTERVALS:	From	2	22	ft.	to	24		ft.	From		ft.	to		ft.
			From			ft.	to			ft.	From		ft.	to		ft. 2
GRA	AVEL PACK II	NTERVALS:	From		19	ft.	to	24		ft.	From		ft.	to		ft.
			_				to									I
6 GROUT	MATERIAL:	1 Neat ce	ement	2 (Cement						4 Other	Bento	nite G	rout		
		0.5 fi														
		e of possible co			' '						stock pens				water wel	
	ptic tank	•	4 Lateral			7	Pit privy				l storage			I well/ Ga		"
	wer lines		5 Cess p	1		0	Sewage I				ilizer storage		16 01		ify below)	
I	itertight sewer		6 Seepa				Feedyard	•			cticide stora				,	
Direction fro	•						,				y feet?	•				
FROM	TO	CODE	L	ITHOLO	OGIC LC)G		FRO	M	го	<u> </u>	PLU	GGING I	NTERVA	LS	
0.0	3.0		dark bro													
3.0	9.5		d, brow			d										
9.5	10.5		y Clay,								·					
10.5	11.0		y, brown				- ! d	-								
11.0	19.0 20.0		id, tan to y Clay,			um gr	ained									
19.0 20.0	24.0		y Clay, idy Silt,			21/										
20.0	24.0	Jan	idy Ont	, DIOWI	ii to gia	ау		+			+					-
											 					
					**											
		LANDOWNER														
completed of	on (mo/day/yr)			01/11	/10			an	d this rec	ord is	true to the b	est of m	y knowle	dge and l	oelief. Ka	nsas
Water Well	Contractor's L	icense No.			531			Th	is Water	Well F	Record was	complete	d on (mo	o/day/yr)	01/28	B/10
under the b	usiness name	of	Geotec	chnica	al Ser	vice	s Inc.		by (sign	ature	1/19/6	164				1
INSTR	UCTIONS: Ple	ease fill in blanks Topeka, Kansas	and circle	the corre	ect answe	ers. Se	end three o	copies to k	Kansas De	partme	ent of Health	and Envir	onment, E	Bureau of V	Vater, 1000	SW