WATER WELL RECORD Form WWC-5 KSA 82a-1212 ID No.

1 LOCATIO	N OF WATER	R WELL:	Fraction					Section	Number	Tow	Township Number			Range Number		
		wick	- 1		NE	½ NE		8		Т Т			R		E	
Distance and	direction from	n nearest town												•	-	
	Broadway, \		Wichita													
		R: City of ' ∷ 455 N. I		MS 1	-13					Pas	l of Ameir	ulture Dis	inion of \A	ater Beer	ouross.	
City State 7	Iress, Box #	: Wichita	KS 67	, WIS 1 202	-13						•		ision of W	ater Rest	ources	
LOCATE	WELL'S LOC	ATON WITH									cation Nu					
	SECTION BO	OX:	⁴ DEPTH	OF COM	MPLETE) WELL		24	ft. ELE	VATION:						
1		X	Depth(s) Gr	roundwa	ter Enco	untered	1	14.5	f	t. 2		ft.	3		ft.	
	NW	NE	WELL'S ST	ATIC W	ATER LE	VEL		ft. beld	ow land	surface me	easured o	n mo/day	/yr			
	i	i		Pump te	est data:	Well water	er was			ft. after	. 	hours [pumping		gpm	
<u>₹</u> W		- E	Est. Yield		_ gpm:	Well wate	er was			ft. after		hours	pumping		gpm	
ì	į		Bore Hole [ft. and			n. to		ft.	
	SW	SE	WELL WAT						•	8 Air		•		•	holow	
	!	ŀ			3 Feed	lot 6 (Oil field w	ater sup	ply (domost	9 De	watering	ا المسا	Air	Specify	Delow)	
	S		2 Irrig Was a cher		4 Indust					ic) 10 M						
			submitted	mcai/bac	cteriologic	cai sample	Submitte	to Dep		ater Well [· • · · · · · · · · · · · · · · · · · ·			No X	was	
5 TYPE OF	BLANK CAS		Submitted		5 \Mrous	ght Iron	8 0	oporoto		CAS						
1 Ste		3 RMP (S	2D)			stos-Cemer					ING JOIN	Wek		_ Clampe	٠	
2 PV		-)N)										ided	Flue	h	
		4 ABS			7 Fibero	•										
		<u>.</u> 2														
		surface			., weight		0.703	7 01	lbs./ft.	. Wall thic	kness or	gauge No	·	5СП. 4	J	
		ERFORATION 2 Stainle			E Elban	ula a a										
1 Ste 2 Bra		3 Stainle:	ized steel			glass rete tile		9 AB	1P (3R) S		12 None	used (or	en hole)			
		ION OPENING			0 001101		zed wrap	ped	Ŭ				11 Non		nole)	
1 Cor	ntinuous slot	3	Mill slot			6 Wire	wrapped			9 Drill	ed holes					
2 Lou	vered shutter		Key punche			7 Tord	ch cut			10 Oth	er (spec	ify)				
SCREEN-PI	ERFORATED	INTERVALS:	From	2	2	ft. to	2	4	ft.	From		ft.	to		ft.	
			From			ft. to			ft.	From		ft.	to		ft.	
GR/	AVEL PACK II	NTERVALS:	From	1	9	ft. to	2	4	ft.	From		ft.	to		ft.	
			From			ft. to			ft.	From		ft.	to		ft.	
6 GROUT	MATERIAL:	1 Neat c	ement	2 C	ement gr	rout	3	Benton	ite	4 Other	Bente	onite G	rout			
Grout Interv	als From	0.5	ft. to	19	ft. From	m		ft. to		ft.	From		ft. to		ft.	
1		e of possible c			-			•	10 Live	stock pens	3	14 Al	pandoned			
1 Sep	otic tank		4 Lateral	lines		7 Pit priv	y	•	11 Fuel	l storage		15 O	il well/ Ga	s well		
2 Sewer lines												16 O	ther (spec	ify below)	
	tertight sewer	lines	6 Seepag	ge pit		9 Feedya	ard			cticide sto	rage					
Direction fro		CODE		TUOLO	GIC LOG				low man	y feet?	DU	ICCINC	INTERVAL			
FROM 0.0	3.0	CODE	nd, tan, m				FR	ОМ	TO		PLI	JGGING	NIERVA	LS		
3.0	6.0		yey Silt					-		<u> </u>	****					
6.0	8.5		nd, tan, fi									-				
8.5	9.0	Silt	ty Clay,	brown												
9.0	14.0		nd, tan, fi		ned											
14.0	14.5		ty Clay,													
14.5	19.0	. I	nd, browi	n, medi	um to co	oarse										
19.0	20.5		ined ty Clay,	arav			-			-						
20.5	24.0		nd, tan, fi		nedium (grained										
		LANDOWNER							•							
completed of	on (mo/day/yr)			01/12/	/10			nd this r	ecord is	true to the	best of	ny knowle	edge and b	belief. Ka	insas	
Water Well	Contractor's L	icense No.			531			his Wat	er Well F	Record wa	s comple	ed on (m	o/day/yr)	01/2	8/10	
under the b	usiness name	of	Geotec	hnica	l Servi	ces Inc		bv (s	ionature	1/1/1/2	- 164					
INSTR	UCTIONS: Ple	ease fill in blank	s and circle to	he correc	t answers	. Send three	e copies to	Kansas	Departm	ent of Healt	h and Env	ironment, E	Bureau of V	Vater, 100	0 S W	