WATER WELL RECORD Form WWC-5 KSA 82a-1212 ID No.

1 LOCATION OF WATER WELL:			Fraction		Se	ction Nu	mber	То	Township Number			Range Number			
County:	Sedg	gwick	NE		NE :		1/4	8		Т	27	s	R	1	E
Distance and	d direction fror	m nearest town					ithin city?			•			4		
	Broadway,					1.04									
		R: City of													
		: 455 N. I			13					Boar	rd of Agric	culture, Div	ision of V	Vater Resou	rces
City, State, 2	ZIP Code	: Wichita	, KS 67	202						Appl	lication N	umber:			
3 LOCATE	WELL'S LOC	ATON WITH	4 DEDTU	05.001	DI ETED	1A/EL1	2	A 6		VATION.					
	N SECTION BO	_				WELL									
Ţ						ntered 1									
 - -	NW -	- NE				VEL									🛱
₩ W <u>₩</u>	i l	i [_i		Pump tes	t data:	Well water	was		1	ft. after		hours p	pumping		gpm 5
₩ -	-		Est. Yield		gpm:	Well water	was		1	ft. after		hours p	pumping		gpm m
	1	;	Bore Hole [Diameter	-:110 <u>-1</u> 2	in. to		24		ft. and	,51111665	ir	n. to		gpm USE ONLY
	sw	- SE	WELL WAT	IER IOB	E USED	AS: 5 P	ublic water	supply		8 A	ir conditio	ning 1	Othor	on well 1(Specify b	· `
↓				mestic 3		ial 7 La								(Specify be	
	S														
				micai/baci	eriologic	al sample s	upmilled to	Departin							vas
submitted Water Well Disinfected? Yes No X 5 TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped															
											SING JOI			_ Clamped	
1 Ste		3 RMP (S	iR)			os-Cement	9 Othe	er (specify	y belo	ow)		Weld			
2 PV		4 ABS			Fibergl									Flush	
Blank casing	g diameter	2	in. to	22	ft., Di	а	in	. to		ft., Di	a		_in. to		ft.
Casing heig	ht above land	surface	0	in.,	weight		0.703	H	bs./ft.	Wall thi	ckness or	gauge No.		SCH. 40	
		ERFORATION	MATERIA	L:			L	PVC			10 Asb	estos-ceme	ent		
1 Ste		3 Stainles	s steel	5	Fibergl	ass	8	RMP(ABS	(SR)		11 Oth	er (specify))		
2 Bra		4 Galvani						ABS				e used (op			
		TION OPENING											11 No	ne (open ho	le)
!	ntinuous slot		Mill slot			6 Wire					illed holes				
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 22 ft. to 24 ft. From ft. to ft.															
SCREEN-PI	ERFORATED	INTERVALS:													
			From _			ft. to			ft.	From _		ft.	to	· · · · ·	·-· ^{ft.} 🖚
GR/	AVEL PACK II	NTERVALS:				ft. to									
						ft. to									
6 GROUT		1 Neat ce													
Grout Interv	als From	0.5 f	t. to	20	ft. From		ft	. to		ft	. From		ft. to		ft.
What is the	nearest source	e of possible co	ontaminatio	on:				10	Lives	stock per	ıs	14 Ab		water well	
1 .	ptic tank		4 Lateral			7 Pit privy							l well/ Ga		
1	wer lines		5 Cess po			8 Sewage	•			lizer stor	•	16 Ot	ther (spec	cify below)	
	itertight sewer	lines	6 Seepag	ge pit	,	9 Feedyar	d			cticide st	orage				
Direction fro FROM	m well?	CODE	1.1	THOLOG	10.1.00		FROM			y feet?	DI	LICCING I	NITED\/A	10	
0.0	7.0		id, tan, m			e grained	FROM	1	0	 	FL	UGGING I	NIERVA	113	
7.0	8.0		y Sand,		5 00u.o.	granica									SEC
			id, tan to		edium t	o coarse									,
8.0	24.0	grai	ned, with	some gr	avel										
							1								
						***************************************	1								
										1					
7 CONTRA	ACTOR'S OR	LANDOWNER	'S CERTIF	ICATION	: This wa	ater well was	s (1) const	ructed, (2	2) rec	onstructe	d, or (3) p	lugged und	ler my jur	isdiction and	was
\vdash	on (mo/day/yr)			01/12/1										belief. Kan	1
		icense No.			531									01/28	
1	usiness name		Geotec			es Inc.		by (signa		//	1				
INSTRI	UCTIONS: Ple	ase fill in blanks	and circle th	he correct	answers	Send three	copies to Ka	insas Den	artme	nt of Mea	th and En	vironment, B	Bureau of \	Water, 1000	s w
Jackso	n St., Ste. 420,	Topeka, Kansas	66612-136	Telepho	one: 913-	296-5545. S	Send one to	WATER V	WELL	OWNER	and retain	one for your	r records.		