I LOCATION OF WATER WELL: Fraction Now ½, NW ½, NW ½, SE ½ Section Number Township Number 1 Te Tw Te Tw Tw Tw Tw Tw
direction from nearest town or intersection: If at owner's address, check here 1010 East Douglas, Wichita, KS Longitude: (in decimal degrees) Longitude: (in decim
check here
Collection Method:
Datum:
2 WATER WELL OWNER: QuikTrip Corporation RR#, St. Address, Box #: City, State ZIP Code: Tulsa, OK 74146 3 MARK WELL'S LOCATION WITH AN "X" IN SECTION BOX: N WELL WAS USED AS: Domestic Irrigation Feedlot Industrial Was a chemical/bacteriological sample submitted to Department? Yes No Was a chemical/bacteriological sample submitted to Department? Yes No Was a chemical/bacteriological sample submitted to Department? Yes No Blank casing diameter 2 in. Was casing pulled? Yes No If yes, how much 3 Feet GROUT PLUG MATERIAL: Neat cement Cement grout Bentonite Other Grout Plug Intervals: From 3 ft. to 26.40 ft., From ft. to ft., From to ft. What is the nearest source of possible contamination: Septic tank Seepage pit Fuel Storage GROUT State of Control of the Digital Map/Photo, Topographic Map. Land Survey Est. Accuracy: 3 m, 3 s m, 5 s m, 6 s m,
RR#, St. Address, Box #: 4705 S. 129th East Ave. City, State ZIP Code: Tulsa, OK 74146 Steel
City, State ZIP Code: Tulsa, OK 74146
3 MARK WELL'S LOCATION WITH AN "X" IN SECTION BOX: WELL WAS USED AS:
WELL'S STATIC WATER LEVE 13.80 WELL WAS USED AS: WELL WAS USED AS: Domestic Irrigation Domestic (Lawn & Garden) Injection Well Injection Well Injection Well Other (Specify below) Steel RMP (SR) Wrought Fiberglass Concrete Tile Concrete Tile Blank casing diameter 2 in. Was casing pulled? Yes No If yes, how much 3 Feet Casing height above or below land surface in. Cement grout Bentonite Other Grout Plug Material: Neat cement Cement grout Bentonite Other Grout Plug Intervals: From 3 ft. to 26.40 ft., From ft. to ft., From to ft. Well's STATIC WATER LEVE 13.80 ft. Well STATIC WATER LEVE 13.80 ft. Well STATIC WATER LEVE 13.80 ft. Well Water Supply Dewatering
WELL'S STATIC WATER LEVE 13.80 ft WELL WAS USED AS: WELL WAS USED AS: WELL WAS USED AS: Domestic Irrigation Feedlot Industrial Air Conditioning Was a chemical/bacteriological sample submitted to Department? Yes No Steel RMP (SR) Wrought Asbestos-Cement Fiberglass Concrete Tile Blank casing diameter 2 in. Was casing pulled? Yes No If yes, how much 3 Feet Casing height above or below land surface in. GROUT PLUG MATERIAL: Neat cement Cement grout Bentonite Other Grout Plug Intervals: From 3 ft. to 26.40 ft., From ft. to ft., From to ft. WELL'S STATIC WATER LEVE 13.80 ft WELL WAS USED AS: Public Water Supply Oil Field Water Supply Domestic (Lawn & Garden) Injection Well Other AS3 Was a chemical/bacteriological sample submitted to Department? Yes No If yes, how much 3 Feet Casing height above or below land surface in. What is the nearest source of possible contamination: Septic tank Seepage pit Fuel Storage Other (specify below)
WELL WAS USED AS: WELL WAS USED AS: Domestic Irrigation Feedlot Industrial Domestic (Lawn & Garden) Domestic (Lawn & Ga
W SE Brigation Feedlot Injection Well Sw SE Was a chemical/bacteriological sample submitted to Department? Yes No Steel RMP (SR) Wrought Fiberglass Concrete Tile Concrete Tile Blank casing diameter 2 in. Was casing pulled? Yes No If yes, how much 3 Feet Casing height above or below land surface in. Septic tank Seepage pit Fuel Storage Other (specify below) Fuel Storage Other (specify below) Other (specify below) Other (specify below) Other Seepage pit Fuel Storage Other (specify below) Other (specify below) Other (specify below) Other Seepage pit Fuel Storage Other (specify below) Other (speci
W SW SE E Irrigation Feedlot Industrial Domestic (Lawn & Garden) Injection Well Other AS3 Was a chemical/bacteriological sample submitted to Department? Yes No TYPE OF BLANK CASING USED: Steel RMP (SR) Wrought Fiberglass Concrete Tile Blank casing diameter 2 in. Was casing pulled? Yes No If yes, how much 3 Feet Casing height above or below land surface in. 6 GROUT PLUG MATERIAL: Neat cement Cement grout Bentonite Other Grout Plug Intervals: From 3 ft. to 26.40 ft., From ft. to ft., From to ft. What is the nearest source of possible contamination: Septic tank Seepage pit Fuel Storage Other (specify below)
Was a chemical/bacteriological sample submitted to Department? Yes No Steel RMP (SR) Wrought Asbestos-Cement Concrete Tile Blank casing diameter 2 in. Was casing pulled? Yes No If yes, how much 3 Feet Casing height above or below land surface in. 6 GROUT PLUG MATERIAL: Neat cement Cement grout Plug Intervals: From 3 ft. to 26.40 ft., From ft. to ft., From to ft. What is the nearest source of possible contamination: Septic tank Seepage pit Fuel Storage Domestic (Lawn & Garden) Injection Well Other As3 Domestic (Lawn & Garden) Injection Well Other As3 No I If yes, how much 3 Feet Casing height above or below land surface in.
Was a chemical/bacteriological sample submitted to Department? Yes No TYPE OF BLANK CASING USED: Steel RMP (SR) Wrought Fiberglass Concrete Tile Blank casing diameter 2 in. Was casing pulled? Yes No If yes, how much 3 Feet Casing height above or below land surface in. GROUT PLUG MATERIAL: Neat cement Cement grout Bentonite Other Grout Plug Intervals: From 3 ft. to 26.40 ft., From ft. to ft., From to ft. What is the nearest source of possible contamination: Septic tank Seepage pit Fuel Storage Other (specify below)
Steel RMP (SR) Wrought Fiberglass Other (Specify below) Blank casing diameter 2 in. Was casing pulled? Yes No If yes, how much 3 Feet Casing height above or below land surface in. GROUT PLUG MATERIAL: Neat cement Cement grout Bentonite Other Grout Plug Intervals: From 3 ft. to 26.40 ft., From ft. to ft., From to ft. What is the nearest source of possible contamination: Septic tank Seepage pit Fuel Storage Other (specify below)
Steel RMP (SR) Wrought Fiberglass Other (Specify below) Blank casing diameter 2 in. Was casing pulled? Yes No If yes, how much 3 Feet Casing height above or below land surface in. 6 GROUT PLUG MATERIAL: Neat cement Cement grout Bentonite Other Grout Plug Intervals: From 3 ft. to 26.40 ft., From ft. to ft., From to ft. What is the nearest source of possible contamination: Septic tank Seepage pit Fuel Storage Other (specify below)
Blank casing diameter 2 in. Was casing pulled? Yes \(\brace{\frac{1}{2}} \) No \(\brace{1} \) If yes, how much \(\brace{3} \) Feet Casing height above or below land surface in. 6 GROUT PLUG MATERIAL: \(\brace{1}{2} \) Neat cement \(\brace{1}{2} \) Cement grout \(\brace{1}{2} \) Bentonite \(\brace{1}{2} \) Other \(\brace{1} \) Ot
Blank casing diameter 2 in. Was casing pulled? Yes \(\brace{\frac{1}{2}} \) No \(\brace{1} \) If yes, how much \(\brace{3} \) Feet Casing height above or below land surface in. 6 GROUT PLUG MATERIAL: \(\brace{1}{2} \) Neat cement \(\brace{1}{2} \) Cement grout \(\brace{1}{2} \) Bentonite \(\brace{1}{2} \) Other \(\brace{1} \) Ot
Blank casing diameter 2 in. Was casing pulled? Yes \(\brace{\frac{1}{2}} \) No \(\brace{1} \) If yes, how much \(\brace{3} \) Feet Casing height above or below land surface in. 6 \(\text{GROUT PLUG MATERIAL:} \) \(\text{Neat cement} \) \(\text{Cement grout} \) \(\brace{\frac{1}{2}} \) \(\text{Bentonite} \) \(\text{Other} \) \(\text{Grout Plug Intervals:} \) \(\text{From} \) \(\frac{3}{2} \) ft. \(\text{to} \) \(\frac{26.40}{2} \) ft., \(\text{From} \] \(\text{ft.} \) \(\text{From} \) \(\text{ft.} \) \(\text{ft.} \) \(\text{From} \) \(\text{From} \) \(\text{ft.} \) \(\text{From} \) \(\text{From} \) \(\text{ft.} \) \(\text{From} \) \(\text{ft.} \) \(\text{From} \) \(\text{ft.} \) \(\text{ft.} \) \(\text{ft.} \) \(\text{ft.} \) \(\t
Casing height above or below land surface in. 6 GROUT PLUG MATERIAL: Neat cement Cement grout Bentonite Other Grout Plug Intervals: From 3 ft. to 26.40 ft., From ft. to ft., From to ft. What is the nearest source of possible contamination: Septic tank Seepage pit Fuel Storage Other (specify below)
Grout Plug Intervals: From 3 ft. to 26.40 ft., From ft. to ft., From ft., From ft. What is the nearest source of possible contamination: Septic tank Seepage pit Fuel Storage Other (specify below)
Grout Plug Intervals: From 3 ft. to 26.40 ft., From ft. to ft., From ft., From ft. What is the nearest source of possible contamination: Septic tank Seepage pit Fuel Storage Other (specify below)
What is the nearest source of possible contamination: Septic tank Seepage pit Fuel Storage Other (specify below)
Septic tank Seepage pit Fuel Storage Other (specify below)
Septic tank Seepage pit Fuel Storage Other (specify below)
Sewer lines Pit privy Fertilizer storage Lust Site
Watertight sewer lines Sewage lagoon Insecticide storage Lateral lines Feedyard Abandoned water well Direction from well?
Lateral lines Feedyard Abandoned water well Direction from well? Cess pool Direction from well? How many feet?
FROM TO PLUGGING MATERIALS FROM TO PLUGGING MATERIALS
0 1 Concrete
1 3 Native Soils
3 26.40 Bentonite Grout Original Returned to Sender
for Correction Date: 1-14-10 AS3
GONTO ACTORIS OR LANDOWNERS CERTIFICATION. This was alleged as a second
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was plugged under my jurisdiction and was completed on (mo/day/year) 11/30/2009 and this record is true to the best of my knowledge and belief. Kenese Water
completed on (mo/day/year) 11/30/2009 and this record is true to the best of my knowledge and belief. Kansas Water
completed on (mo/day/year) 11/30/2009 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 594 . This Water Well Record was completed on (mo/day/year) 12/23/2009 under the business name of Coranco Great Plains, Inc.
completed on (mo/day/year) 11/30/2009 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 594 . This Water Well Record was completed on (mo/day/year) 12/23/2009 under the business name of Coranco Great Plains, Inc. by (signature) . INSTRUCTIONS: Use typewriter or ballpoint pen. Please press firmly and print clearly. Please fill in blanks, underline or circle the
completed on (mo/day/year) 11/30/2009 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 594 . This Water Well Record was completed on (mo/day/year) 12/23/2009 under the business name of Coranco Great Plains, Inc. by (signature) . INSTRUCTIONS: Use typewriter or ballpoint pen. Please press firmly and print clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW
completed on (mo/day/year) 11/30/2009 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 594 . This Water Well Record was completed on (mo/day/year) 12/23/2009 under the business name of Coranco Great Plains, Inc. by (signature) . INSTRUCTIONS: Use typewriter or ballpoint pen. Please press firmly and print clearly. Please fill in blanks, underline or circle the