	WATER WELL	RECORD F	orm WV	VC-5 k	(SA 82a-12	919		
1 LOCATION OF WATER WELL:	FRACTION NE A			TION NUMBE	R TOWNSH	IP NUMBER	RANGE N	IUMBER
Sedgwick	DAW 1/4 8	- 1/4 1541	1/4	18	Т	1927s	R 1	E E/W
Distance and direction from nearest town or city st		,						
1747 N. Salina	Wichita, Kans	sas						
	LES, Wendy N. Salina					Board of Agric	culture, Division of N	Water Resource
	ta, Kansas		71	P CODE:		Application Num	ber:	
3 LOCATE WELL'S LOCATION 4 DE	PTH OF RIMP	WELL: 1:			ELEVATION:			
WITH AN "X" IN SECTION BOX:	n of groundwater Enco		ft			ft.		ft.
	L'S STATIC WATER	LEVEL	FT. BELC	W LAND S	URFACE MEAS	SURED ON mo/d	ay/yr: 5/1	1/10
1 NE	Pump te	st data: Well wa	ter was		ft. after	hours	of pumping @	gpr
	_	pm Well wa			ft. after	hours	of pumping @	gpm
E Bor WEI	e Hole Diameter .L WATER <b>1⇔16€ ∑</b> S	in. ED AS:	to	f	t. and	in.	to	ft.
	Domestic 3. Feed		ter supply	7. Lawn	and garden on	9. Dewaterin	.9	ection well specify below
	rrigation 4. Indus	strial 6. Oil field w	ater supply	8. Air co	nditioning	10. Monitorin	g well	
	s a chemical/bacteriologic nitted	al sample submitted to [	Department?	YES	NO		hat mo/day/yr	was sample NO
5 TYPE OF CASING USED:	mited				Water Well Disi			
1. Steel 3. RPM (SR)	<ol><li>Wrought Iron</li></ol>	7. Fiberglass	9. 0	ther (Specif	y below) CA	SING JOINTS:	Glued Welded	Threaded Clamped
2. PVC 4. ABS	<ol><li>Asbestos-Cerr</li></ol>	nent 8. Concrete ti	ie				**Claca	Clamped
Blank casing diameter 1 1/4 in	. to	ft., Dia.	in.	to	ft.,	Dia. ii	n. to	ft.
Casing height claw land mente. Floor	2 in.,	Weight:	18	bs. / ft.	Wall t	hickness or gauge	e No.	
TYPE OF SCREEN OR PERFORATION N		7 000		<b>5</b> 0	44.0	other (specify)	I/A	
1. Steel 3. Stainless Steel 2. Brass 4. Galvanized	<ol> <li>Fiberglass</li> <li>Concrete Tile</li> </ol>	7. PVC 8. RMP (SR)	9. A	_				
		O. RIVIF (SK)	10. A	sbestos-Ce	inent 12. N	lone used (open h	iole)	
SCREEN OR PERFORATION OPENINGS  1. Continuous slot  3. Mill slot		ed wrapped	7 To	rch cut	9 Dri	lied holes	11 None (	onen hole\
		/ire wrapped		w cut	9. Drilled holes  10. Other (specify) N/A		11. None ( open hole)	
,						ier (specify) 14/.	A	
SCREEN - PERFORATION INTERVAL	From	ft. to		ft.,	From	ft.	to	ft.
ODANEL BASICINITEDIAN S	From	ft. to		ft.,	From	ft.	to	ft.
GRAVEL PACK INTERVALS:	From	ft. to		ft.,	From	ft.	to	ft.
	From	ft. to		ft.,	From	ft.	to	ft.
6 GROUT MATERIALS: 1. Neat ce		Cement Grout	3	B. Bentonite	•	Other bento	onite hole pl	ug
Grout Intervals: From 2 What is the nearest source of possible cont	ft. to 15	ft., From	ft.	to	ft.,	From	ft. to	ft.
1. Septic tank 4. Lateral lines 7. Pit privy 10. Li			0. Livestoc	ivestock pens 13. Insecticide stor			ge 15. Oil well/Gas well	
2. Sewer lines 5. Cess Po	ol 8. Sew	age lagoon 1	1. Fuel sto	rage	14. Aban	don water well		pecify below)
3. Watertight sewer line 6. Seepage	pit 9. Feed	d yard 1	2. Fertilize	r storage			None Ap	pparent
Direction from well?			T =		How n	nany feet?		
From To LI	THOLOGIC LC	)G	From	То		LITHOLO	GIC LOG	
			2	15	cement gro bentonite b		****	
				15	Demonite i	ioie ping		
				ļ				
			<u> </u>	l				

Contractor's or Landowner's Certification: This water well was 1. constructed 2. reconstructed or 3. plugged under my jurisdiction and was completed on (mo/day/year) 5/11/2010 and this record is true to the best of my knowledge and belief.

Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 5/14/2010 under the business name of Harp Well and Pump Service by (signature) Todd S. Harp