WATE	R WE	LL RECORD	Form W	WC-5	Div	vision of Wate	r Resources App. N	o. MW-5A	۱.	
		OF WATER WELL:	Fraction		Sectio	on Number	Township No.	Range Nu		
County: Sedgwick Street/Rural Address of Well Location; i			SW 1/4 NW 1/4 NV		9 I Positioning	T 27 S System (GPS) in	1	ZE DW		
		town or intersection: If at	Latitu	de:37,7.2.1	32.N	(in decir	nal degrees)			
1007 E. 21st Street N., Wichita, KS						Longitude: 97.32572 W (in decimal degrees)				
						Elevation: <u>Datum</u> : UWGS 84, V NAD 83, NAD 27				
2 WATER WELL OWNER: NIM, Inc.						Collection Method:				
RR#, Street Address, Box #: 710 S. Hanley. 7D					G G	GPS unit (Make/Model:)				
City, State, ZIP Code : Clayton. MO 63105					\square Digital Map/Photo, \square Topographic Map, \square Land Survey Est. Accuracy: $\square <3 m$, $\square 3-5 m$, $\square 5-15 m$, $\square >15 m$					
3 LOCATE WELL										
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 21.1 ft.										
SEC	CTION BOX: NDepth(s) Groundwater Encountered (1).16.5ft.(2)									
Pump test data: Well water wasft. after hours pumping										
EST. YIELD									gpm	
W E Bore Hole Diameter 9										
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well SW Domestic Feedlot Oil field water supply Dewatering Other (Specify below)										
SW SE Domestic Preedict On held water supply Dewatering Other (Specify below)										
Was a chemical/bacteriological sample submitted to Department? [] Yes 🗹 No										
S If yes, mo/day/yr sample was submitted										
5 TYPE OF CASING USED: ☐ Steel ☑ PVC ☐ Other CASING JOINTS: ☐ Glued ☐ Clamped ☐ Welded ☑ Threaded										
Casing diameter .2 in. to .20 ft., Diameter in. to ft., Diameter ft., Diameter ft.										
Casing height above land surface										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
Steel Stainless Steel PVC Other (Specify) Brass Galvanized Steel None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
Continuous slot Z Mill slot Gauze wrapped Torch cut Drilled holes None (open hole) Louvered shutter Key punched Wire wrapped Saw cut Other (specify)										
SCREE	EN-PERF	ORATED INTERVALS:	From. 10	ft. to20		. ft., From	ft. 1	to	ft.	
			From	ft. to		. ft., From	ft. :	to	ft.	
	GRAV	EL PACK INTERVALS:								
From										
	tervals:	From .1		n 1	ft. to	ft.,	From	. ft. to	ft.	
		est source of possible conta		—	-		-			
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well								elow)		
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well Scrapyard & Refinery								efinery		
Direction from well Distance from well										
FROM 0'	TO 3.5'	LITHOLOG		FROM	ТО	LITHO. LC	OG (cont.) <u>or</u> PLU	GGING IN	TERVALS	
3.5'	8.5	Fill - clay with sand, gra Fill - clay, with glass, me						<u> </u>		
8.5'	20'	Fine to Very Coarse Sa								
						·····				
			· · · · · · · · · · · · · · · · · · ·							
				+						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \checkmark constructed, \Box reconstructed, or \Box plugged										
under my jurisdiction and was completed on (mo/day/year) .04/08/10 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No416 This Water Well Record was completed on (mg/day/year)										
under th	e busines	s name of Terracon Co	nsultants, Inc.		by (sig	gnature)	FS J-K	Ų'		
INSTRUC	CTIONS:	Use typewriter or ball point pen.	PLEASE PRESS FIRML	Y and PRINT clea	rly. Pleas	se fill in blanks	and check the correct	answers. Ser	nd three copies	
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at										
http://www.kdheks.gov/waterwell/index.html.										