WATER WELL RECORD			Form W	Division of Water Resources App. No.					
1 LOCATION OF WATER WELL: County: Sedgwick		Fraction NE 1/4 SW 1/4 NV	N 1/4 NE 1/4	Section N		Township No. T 27 S			
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:									
from nearest town or intersection: If at owner's address, check here . Latitude: .37.72941.N. (in decimal degrees)									
1007 E. 21st Street N., Wichita, KS						Longitude: 97.32446 W(in decimal degrees)			
Elevation:									
2 WATER WELL OWNER: NIM, Inc.						Datum: WGS 84, V NAD 83, NAD 27 Collection Method:			
RR#, Street Address, Box #: 710 S. Hanley. 7D							e/Model:	)	
C'4 C4-4 7TD C-1-			. MO 63105		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
						Est. Accuracy:			
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 33.0 ft.									
SEC		ON BOX: Depth(s) Groundwater Encountered (1)							
'	POT VITED								
w   -NW -   -NE -   EST. YIELD									
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well									
SWSE									
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well									
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No									
S If yes, mo/day/yr sample was submitted									
1 mile  Water well disinfected? ☐ Yes ☑ No									
5 TYPE OF CASING USED: Steel V PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter .2 in. to .33 ft., Diameter in. to ft., Diameter in. to ft.									
Casing height above land surface. 30 in., Weightlbs./ft., Wall thickness or gauge NoSch.40.									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)									
SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot  Mill slot  Gauze wrapped  Torch cut  Drilled holes  None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
From ft. to ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From8									
From									
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other									
1		est source of possible conta		11	11. 10	11.,	F10111	. n. tot.	
	Septic ta		es Pit privy	Livestock	oens 🗆 I	Insecticide s	storage 🗹 Oth	er (specify below)	
Sewer lines									
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Scrapvard & Refinery									
	T-2-	m well							
FROM	TO	LITHOLOG		FROM	TO LI	THO. LO	G (cont.) or PLU	GGING INTERVALS	
0'	3.5'	Fill - clay with sand, sar	ndy clay					γ.	
3.5'	8.5'	Silty Clay - brown							
8.5'	13.5' 15'	Clay - brown							
13.5'	32'	Silty Caly - oily, gray	nd arou						
15' 32'		Fine to Very Coarse Sa	no - gray						
32	33'	Shale		+					
				+					
				-					
	-			-					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ✓ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year) .04/12/10 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 416 This Water Well Record was completed on (mo/day/year)									
under th	e busine	ss name ofTerracon Co	nsultants, Inc.		. by (signa	ature)	SOKI	7	
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.									
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.									
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy									