1 LOCATION OF	F WATER WELL:	FRACTION						SECTION NUMBER		R TOWNSH	TOWNSHIP NUMBER		RANGE NUMBER			
Sedgwic	k		NW	1/4	SW	1/4	NW	1/4		21	Т 2	27 s	R	1E	E/W	
Distance and dire		-		of well			-				_					
	ner of Main			TOTAL .		<u>Vichit</u>	a, Kans	as		(6 plu	gs on 1 per	mit)				
	WELL OWNER:		HITA, C	ITY	OF							Board of Agr	iculture, Divisio	n of Water	Resource	
RR#,ST. ADI	ORESS,BOX #:		l. Main ita, Kans	206					711	0005						
	CITY, STATE:				ned .	·	4(`	ft.	P CODE:	ELEVATION:	Application Nur	nber:			
3 LOCATE WE WITH AN "X	ELL'S LOCATION " IN SECTION BO	X: -	EPTH OF		•		40	,			ELEVATION:					
1,	N .	¬ I `	th of ground				17		ft.			ft.		7/22/10	ft.	
		WE	LL'S STATI				17			W LAND SU		SURED ON mo/		7/23/10		
X NW		-	Est Made	Pun	np test da	ata:	Well wat				ft. after		of pumping	_	gpm	
w Wile	Est. Yield: re Hole Dia		gpm		Well wat				ft. after		s of pumping	•	gpm			
≥ w		LIGEN	in AS:	1.	1	to	ft.	and	in.		o Injection	ft.				
WELL WATER DOSS: USED AS: 1. Domestic 3. Feedlot 5. Public water supply 7. Lawn and garden								and garden on	9. Dewateri	"9	•	y below)				
	2. Irrigation 4. Industrial 6. Oil field wa							ater su	pply	8. Air con	ditioning	10. Monitori		, (Opcor	y below,	
'	as a chemical	/bacteri	ological sa					YES	NO		what mo/day	•	ample			
			mitted							Was V	Vater Well Disi	nfected?	YES	NO		
I - I	OF CASING US		5. Wr	ought l	lron	7. F	iberglass		9. Ot	her (Specify	below) CA	SING JOINTS:	Glued	Thr	eaded	
1. Ste		B. RPM (SR)		hestos.	-Cement	8.0	Concrete ti	le					Welded	Cla	ımped	
2. P\	_	4. ABS 8 ii					Dia.				4	Dia			4	
Blank casing of			26		ft.				in.	to	ft.,	Dia.	in. to)	ft.	
Casing height activities and surface: 36 in., Weight:								lb	s. / ft.	Wall t	hickness or gau	ge No.				
TYPE OF SCREEN OR PERFORATION MATERIAL: 1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC									9. ABS 11. Other (specify) N/A							
1. Steel			6. Conc	•	lo.		MP (SR)			sbestos-Cer		lone used (open				
2. Brass	4. Galvan			iete 11	ie	0. K	WIF (SK)		10. A	spesios-cei	nent 12. N	ione useu (open	noie)			
SCREEN OR PERFORATION OPENINGS ARE:													44 1			
1. Continuo	us slot	3. Mill slo	t	5. G	auzed w	rapped	d		/. To	rch cut	9. Dr i	11. Nor	e (open	noie)		
2. Louvered	shutter	4. Key pu	nched	6. W	Vire wrap	ped		- 1	8. Sa v	w cut	10. Ot	her (specify) N	/A			
SCREEN - PERFORATION INTERVAL From ft. to								ft.,	From	ft.	to		ft.			
1			From			ft.	to			ft.,	From	ft.	to		ft.	
GRAVEL PACK INTERVALS:			From			ft.	to	1		ft.,	From	ft.	to		ft.	
			From			ft.	to	,		ft.,	From	ft.	to		ft.	
													ŧt.			
GROUT MATERIALS: 1. Neat cement 2. Cement Grout								. Bentonite		Other bentonite hole plug						
Grout Intervals: From ft. to ft., From ft. What is the nearest source of possible contamination:									ft.	to	ft.,	From 3	ft.	to 23	ft.	
1. Septic tank 4. Lateral lines 7. Pit privy						1	0. Live	stoc	k pens	13. Insec	ticide storage	15. Oil w	rell/Gas v	vell		
2. Sewer lines 5. Cess Pool 8. Sewage lagoon 1						1. Fuel storage 14. Abandon water well 16. Other (specify below										
3. Watertigh	t sewer line	6. Seepag	e pit	9.	Feed ya	rd	1	2. Fert	tilizer	storage			None	Appa:	rent	
Direction from			•								How n	nany feet?				
From	То	L	ITHOLO	OGIC	LOG			Fro	m	То		LITHOLO	OGIC LO	}		
										3	compacted clay					
								3		23	bentonite o					
								2	3	40	chlorinate	d gravel				
								-								
											-					
								-								
								┼								
								 								
7 Contract	or's or Landown	er's Certific	ation. This	water	vell was	1	nstructed	2	rer	constructed	or 3.	plugged	under my juri	sdiction :	and	
\vdash			7/23/2		1100											
	ted on (mo/day/									•	knowledge and					
Kansas Wat	er Well Contrac	tor's License	e No. 236			Thi	s water we	ell reco	rd wa	s completed	I on (mo/day/ye	ear)				
under the bu	usiness name of	Harp V	Vell and	Pum	ıp Serv	rice		t	y (siç	gnature)	Τ	odd S	. Ha	rb		

WATER WELL RECORD Form WWC-5 KSA 82a-1212