MW-8							
WATER WELL RECORD Form WWC-5				Division of Wate	r Resources App. N	0.	
1 LOCATION OF WATER WELL:		N OF WATER WELL:	Fraction	Section Number		Range Number	
	nty: Se		SE 1/4 SE 1/4 SE 1/4 NE 1/4	23	T 27 S		
Street/Rural Address of Well Location; if unknown, distance & direction				Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here .				Latitude: 37. 4367. (in decimal degrees) Longitude: 97. 2810 (in decimal degrees)			
4724 E. Douglas Avenue; Wichita, KS				Elevation:			
2 WATER WELL OWNER: ConocoPhillips				Datum: □ WGS 84, 🗹 NAD 83, □ NAD 27			
2 WATER WELL OWNER: ConocoPhillips RR#, Street Address, Box #: 1614-02 Phillips Building				Collection Method: GPS unit (Make/Model: Garmin 60)			
City, State, ZIP Code : Bartlesville, OK 74004				🗋 Digital Map/Photo, 🗌 Topographic Map, 🗌 Land Survey			
<u>Est. Accuracy</u> : $\mathbf{\nabla}$ <3 m, $\mathbf{\Box}$ 3-5 m, $\mathbf{\Box}$ >15 m, $\mathbf{\Box}$ >15 m							
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL							
	TION B						
	N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr						
	Pump test data: Well water wasft. after						
W EST. YIELD							
W E Bore Hole Diameter . 9							
SWSE Domestic - Feedlot Oil field water supply Dewatering Other (Specify below)							
Industrial Domestic-lawn & garden Monitoring well							
Was a chemical/bacteriological sample submitted to Department? Yes V No							
S If yes, mo/day/yr sample was submitted Water well disinfected? Yes X No							
5 TYPE OF CASING USED: Steel V PVC Other							
CASING JOINTS: Glued Clamped Welded I Threaded							
Casing diameter .2 in. to							
Casi	ig height	above land surface. Flush	in., Weight	lbs./ft., Wall thic	kness or gauge No	_{o.} Sch. 40	
TYPE OF SCREEN OR PERFORATION MATERIAL:							
□ Steel □ Stainless Steel ✓ PVC □ Other (Specify) □ Brass □ Galvanized Steel □ None used (open hole) □ Other (Specify)							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot Z Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)							
From							
GRAVEL PACK INTERVALS: From							
From							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
What is the nearest source of possible contamination:							
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)							
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well							
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well Direction from well Distance from well Distance from well							
FROM	TO	LITHOLOGI	C LOG FROM			GGING INTERVALS	
0	16	Silty Clay					
16	20	Sand					
		······································					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year)							
Kansas Water Well Contractor's License No. 7.19							
under the business name of Below Ground Surface. Inc. by (signature) Mut 7-							
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies							
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each <u>constructed</u> well. Visit us at							
	v.kdheks.g	ov/waterwell/index.html.					

ł

\$